WORKS CITED

This Page Intentionally Left Blank

WORKS CITED

Abdel-Magid, A. H., Schuman, G. E., and Hart, R. H. (1987). Soil Bulk Density and Water Infiltration as Affected by Grazing Systems. Journal of Range Management, 40(4), 307-309.

Abele, S. C., Saab, V. A., and Garton, E. O. (2004). Lewis's woodpecker (Melanerpes lewis): A Technical Conservation Assessment. Bozeman, MT: USDA, Forest Service, Rocky Mountain Region.

Ada County Mosquito Abatement District. (2007). Comprehensive Plan for Managing Mosquitoes in Ada County, Idaho: Ada County Mosquito Abatement District.

Adams, J. A., Endo, A. S., Stolzy, L. H., Rowlands, P. G., and Johnson, H. B. (1981). Controlled Experiments on Soil Compaction Produced by Off Road Vehicles in Mojave Desert, California. Journal of Applied Ecology, 19(1), 167-175.

Alevy, J., Fadali, E., and Harris, T. R. (2007). Analysis of Impacts of Public Land Grazing on the Elko County Economy, Jarbidge and Mountain City Management Area: Part VII: Economic Impacts of Federal Grazing in Elko County. Reno, NV: University of Nevada, Reno.

Allen, G. (1973). Guidelines for Habitat Protection in Sage Grouse Range. In Eighth Western States Sage Grouse Workshop: Proceedings and 1973 Questionnaire (pp.18-32). Lewistown, MT.

Allen, G. T., and Ramirez, P. (1990). A Review of Bird Deaths on Barbed-Wire Fences. Wilson Bulletin, 102(3), 553-558.

Allen, M. B., Connolly, P. J., Mesa, M. G., Charrier, J., and Dixon, C. (2010). Distribution and Movement of Bull Trout in the Upper Jarbidge River Watershed, Nevada. U.S. Geological Survey Open-File Report 2010-1033, 80 pp.

Allen-Diaz, B. (1996). Rangelands in a Changing Climate: Impacts, Adaptations, and Mitigation. In R. T. Watson, M. C. Zinyowera, and R. H. Moss (Eds.), Climate Change 1995. Impacts, Adaptations, and Mitigation of Climate Change: Scientific-Technical Analyses (pp. 131-158). Cambridge, UK: Cambridge University Press.

Alpe, M. J., Kingery, J. L., and Mosley, J. C. (1999). Effects of Summer Sheep Grazing on Browse Nutritive Quality in Autumn and Winter. Journal of Wildlife Management, 63(1), 346-354.

American Fisheries Society. (1982). The Best Management Practices for the Management and Protection of Western Riparian Stream Ecosystems. Orem, UT: American Fisheries Society, Western Division.

American Society of Mammalogists. (2008). Effects of Wind-Energy Facilities on Bats and Other Wildlife (Unanimous Resolution): American Society of Mammalogists.

Amish, S. J. (2006). Ecosystem Engineering: Beaver and the Population Structure of Columbia Spotted Frogs in Western Montana. M.S. Thesis, Univeristy of Montana, Missoula, MT.

Andersen, D. E., Rongstad, O. J., and Mytton, W. R. (1990). Home-Range Changes in Raptors Exposed to Increased Human Activity Levels in Southeastern Colorado. Wildlife Society Bulletin, 18(2), 134-142.

Anderson, A. E., and Wallmo, O. C. (1984). Odocoileus hemionus. Mammalian Species (219), 1-9.

Anderson, D. C., Harper, K. T., and Rushforth, S. R. (1982). Recovery of Crytogamic Soil Crusts from Grazing on Utah Winter Ranges. Journal of Range Management, 35(3), 355-359.Anderson, J. E., and Inouye, R. S. (2001). Landscape-Scale Changes in Plant Species Abundance and Biodiversity of a Sagebrush Steppe Over 45 Years. Ecological Monographs, 71(4), 531-556.

Anderson, E.W., and Scherzinger, R. J. (1975). Improving quality of winter forage for elk by cattle grazing. Journal of Range Management, 28(2),120-125.

Andrews, K. M. and Gibbons, J. W. (2005). How Do Highways Influence Snake Movement? Copeia, 4, 772- 782.

Armentrout, D. J., and Hall, F. (2006). Conservation Strategy for Sage-Grouse (Centrocercus urophasianus) and Sagebrush Ecosystems within the Buffalo-Skedaddle Population Management Unit. Susanville, CA: USDI, Bureau of Land Management, Eagle Lake Field Office.

Arnett, E. B., Brown, W. K., Erickson, W. P., Fiedler, J. K., Hamilton, B. L., Henry, T. H., Jain, A., Johnson, G. D., Kerns, J., Koford, R. R., Nicholson, C. P., O'Connell, T. J., Piorkowski, M. D., and

Tankersley, R. D. (2008). Patterns of Bat Fatalities at Wind Energy Facilities in North America. Journal of Wildlife Management, 72(1), 61-78.

Arnett, E. B., Inkley, D. B., Johnson, D. H., Larkin, R. P., Manes, S., Manville, A. M., Mason, J. R., Morrison, M. L., Strickland, M. D., and Thresher, R. (2007). Impacts of Wind Energy Facilities on Wildlife and Wildlife Habitat (Technical Review No. 07-2). Bethesda, MD: The Wildlife Society.

Austin, D. D. (2000). Managing Livestock Grazing for Mule Deer (Odocoileus hemionus) on Winter Range in the Great Basin. Western North American Naturalist, 60(2), 198-203.

Austin, D.N., and Urness, P. J. (1998). Vegetation Change on a Northern Utah Foothill Range in the Absence of Livestock Grazing Between 1948 and 1982. Great Basin Naturalist, 58(2), 188-191.

Austreng, A. C. (2012). The Carbon Budget Impact of Sagebrush Degradation. Unpublished Dissertation, Boise State University, Boise, ID.

Autenrieth, R. E., Brown, D. E., Cancino, J., Lee, R. M., Ockenfels, R. A., O'Gara, B. W., Pojar, T. M., and Yoakum, J. D. (2006). Pronghorn Management Guide. Bismarck, ND: Pronghorn Workshop and North Dakota Game and Fish Department.

Backer, D. M., Jensen, S.E., and McPherson, G.R. (2004). Impacts of Fire-Suppression Activities on Natural Communities. Conservation Biology, 18(4), 937-946.

Baker, C. W. and Munger, J. C. (2000). Bruneau Dunes Tiger Beetle Study - IV (BLM Challenge Cost Share Project). Boise, ID: Boise State University.

Baker, C. W., Munger, J. C., McCauley, L., Olson, M., and Stevens, G. (1994). Bruneau Dunes Tiger Beetle Inventory. Technical Bulletin No. 94-1. Boise, ID: USDI, Bureau of Land Management, Idaho State Office.

Baker, W. L. (2006). Fire and Restoration of Sagebrush Ecosystems. Wildlife Society Bulletin, 34(1), 177-185.

Baker, W. L. (2009). Pre-Euroamerican and Recent Fire in Sagebrush Ecosystems. In S. T. Knick and J. W. Connelly (Eds.) Unpublished scientific information accepted for future publication in the Cooper Ornithological Society scientific series Studies in Avian Biology, Berkeley, CA.

Baker, W. L. (2011). Chapter 11: Pre–Euro-American and Recent Fire in Sagebrush Ecosystems. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Balch, J. K., Bradley, B. A., D' Antonio, C. M., and Gomez-Danz, J. (2012). Introduced Annual Grass Increases Regional Fire Activity Across the Arid Western USA (1980-2009). Global Change Biology,19(1), 173-183.

Balda, R. P. (2002). Pinyon Jay (Gymnorhinus cyanocephalus), No. 605. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.bird.cornell.edu/bna/species/605.

Barclay, R. M. R., Baerwald, E. F., and Gruver, J. C. (2007). Variation in Bat and Bird Fatalities at Wind Energy Facilities: Assessing the Effects of Rotor Size and Tower Height. Canadian Journal of Zoology, 85, 381-387.

Barnett, J. K., and Crawford, J. A. (1994). Pre-Laying Nutrition of Sage Grouse Hens in Oregon. Journal of Range Management, 47(1), 114-118.

Barrett, S., Havlina, D., Jones, J., Hann, W., Frame, C., Hamilton, D., Schon, K., Demeo, T., Hutter, L., and Menakis, J. (2010). Interagency Fire Regime Condition Class Guidebook. Version 3.0, Homepage of the Interagency Fire Regime Condition Class website, USDA Forest Service, US Department of the Interior, and The Nature Conservancy Online: http://www.frcc.gov/.

Barton, D. C. and Holmes, A. L. (2007). Off-Highway Vehicle Trail Impacts Breeding Songbirds in Northeastern California (Research Note). Journal of Wildlife Management, 71(5), 1617-1620.

Bartos, D. L., Brown, J. K., and Booth, G. D. (1994). Twelve Years Biomass Response in Aspen Communities Following Fire. Journal of Range Management, 47(1), 79-83.

Bauer, K. L. (1991). Observations on the Developmental Biology of Rumpp (Coleoptera: Cicindelidae). Great Basin Naturalist, 51(3), 226-235.

Bayley, P. B. and Li, H. W. (2008). Stream Fish Responses to Grazing Exclosures. North American Journal of Fisheries Management, 28, 135-147.

Beale, D. M. and Smith, A. D. (1970). Forage Use, Water Consumption, and Productivity of Pronghorn Antelope in Western Utah. Journal of Wildlife Management, 34 (3), 570-582.

Beason, R.C. (1995). Horned Lark (Eremophila alpestris). In A. Poole and F. Gill (Eds.), The Birds of North America (No. 195). Philadelphia, PA: The Birds of North America, Inc.

Bechard, M. J. and Schmutz, J. K. (1995). Ferruginous Hawk (Buteo regalis). In A. Poole and F. Gill (Eds.), The Birds of North America (No. 172). Philadelphia, PA: The Birds of North America, Inc.

Bechard, M. J., Houston, C. S., Sarasola, J. H., and Sidney England, A. S. (2010). Swainson's Hawk (Buteo swainsoni), No. 265. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/265.

Beck, J. L. and Mitchell, D. L. (2000). Influences of Livestock Grazing on Sage Grouse Habitat. Wildlife Society Bulletin, 28(4), 993-1002.

Beck, J. L. and Peek, J. M. (2005). Diet Composition, Forage Selection, and Potential for Forage Competition among Elk, Deer, and Livestock on Aspen-sagebrush Summer Range. Rangeland Ecology and Management, 58(2), 135-147.

Beck, J. L. and Peek, J. M. (2005). Great Basin Summer Range Forage Quality: Do Plant Nutrients Meet Elk Requirements? Western North American Naturalist, 65 (4), 516-527.

Beck, J. L., Connelly, J. W., and Reese, K. P. (2009). Recovery of Greater Sage-Grouse Habitat Features in Wyoming Big Sagebrush Following Prescribed Fire. Restoration Ecology, 17(3), 393-403.

Belnap, J. (2001). Biological Soil Crusts and Wind Erosion. In J. Belnap and O. L. Lange (Eds.), Biological Soil Crusts: Structure, Function, and Management (Vol. 150, pp. 339-347). Berlin, Germany: Springer-Verlag.

Belnap, J. (2002). Impacts of Off-Road Vehicles on Nitrogen Cycles in Biological Soil Crusts: Resistance in Different U.S. Deserts. Journal of Arid Environments, 52, 155-165.

Belnap, J. (2003). The World at Your Feet: Desert Biological Soil Crusts. Frontiers in Ecology and the Environment, 1(4), 181-189.

Belnap, J. and Eldridge, D. (2001). Disturbance and Recovery of Biological Soil Crusts. In J. Belnap and O. L. Lange (Eds.), Biological Soil Crusts: Structure, Function, and Management (Vol. 150, pp. 363-383). Berlin, Germany: Springer-Verlag.

Belnap, J. and Phillips, S. L. (2001). Soil Biota in an Ungrazed Grassland: Response to Annual Grass (Bromus tectorum) Invasion. Ecological Applications, 11(5), 1261-1275.

Belnap, J., Kaltenecker, J. H., Rosentreter, R., Williams, J., Leonard, S., and Eldridge, D. (2001a). Biological Soil Crusts: Ecology and Management (Technical Reference No. 1730-2). Denver, CO: USDI, Bureau of Land Management, National Science and Technology Center.

Belnap, J., Prasse, R., and Harper, K. T. (2001b). Influence of Biological Soil Crusts on Soil Environments and Vascular Plants. In J. Belnap and O. L. Lange (Eds.), Biological Soil Crusts: Structure, Function, and Management (Vol. 150, pp. 281-300). Berlin, Germany: Springer-Verlag.

Belnap, J., Phillips, S. L., Sherrod, S. K., and Moldenke, A. (2005). Soil Biota Can Change After Exotic Plant Invasion: Does this Affect Ecosystem Processes? Ecology, 86(11), 3007-3017.

Besser, T. E., Cassirer, E. F., Yamada, C., Potter, K. A., Herndon, C., Foreyt, W. J., Knowles, Jr., D. P., and Srikumaran, S. (2012). Survival of Bighorn Sheep (Ovis canadensis) Commingled with Domestic Sheep (Ovis aries) in the Absence of Mycoplasma ovipneumoniae. Journal of Wildlife Diseases, 48(1), 168-172.

Beymer, R. J. and Klopatek, J. M. (1992). Effects of Grazing on Cryptogamic Crusts in Pinyon-Juniper Woodlands in Grand Canyon National Park. American Midland Naturalist, 127, 139-148.

Bhat, R. B., Welch, B. L., Webber, D. J., and McArthur, E. D. (1990). Mid-winter Protein, Phosphorus, and Digestibility of Chrysothamnus nauseosus Subspecies. Journal of Range Management, 43 (2), 177-179.

Billings, W. D. (1994). Ecological Impacts of Cheatgrass and Resultant Fire on Ecosystems in the Western Great Basin (General Technical Report No. INT-GTR-313). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

Bissonette, J. A. and Steinkamp, M. J. (1996). Bighorn Sheep Response to Ephemeral Habitat Fragmentation by Cattle. Great Basin Naturalist, 56(4), 319-325.

Black, P. (2006). Personal Communication with Penny Black. Hammet, ID: Joe Black and Sons; on March 13, 2006.

Blackwell, D. D. (1975). Report on reconnaissance heat flow and geothermal gradient study in north central Owyhee County, Idaho (M-102). US Department of Energy.

Blaisdell, J. P. and Pechanec, J. F. (1949). Effects of Herbage Removal at Various Dates on Vigor of Bluebunch Wheatgrass and Arrowleaf Balsamroot. Ecology, 30(3), 298-305.

Blakesley, J. A. and Reese, K. P. (1988). Avian Use of Campgrounds and Noncampground Sites in Riparian Zones. Journal of Wildlife Management, 52(3),399-402.

Blickley, J. L., Blackwood, D., and Patricelli, G. L. (2012). Experimental Evidence for the Effects of Chronic Anthropogenic Noise on Abundance of Greater Sage-grouse at Leks. Conservation Biology, 26(3), 461-471.

BLM. (1976). Saylor Creek Isolated Tracts Wildlife Habitat Management Plan. Boise, ID: USDI, Bureau of Land Management, Boise District.

BLM. (1982). Twin Falls Management Framework Plan. Boise, ID: USDI, Bureau of Land Management.

BLM. (1983). Bruneau Management Framework Plan. Boise, ID: USDI, Bureau of Land Management.

BLM. (1984). Oregon Trail Management Plan. Boise, ID: USDI, Bureau of Land Management, Boise District.

BLM. (1987). Jarbidge Resource Management Plan and Record of Decision. Boise, ID: USDI, Bureau of Land Management, Boise District.

BLM. (1988). Sand Point Paleontologic, Geologic, and Cultural Area of Critical Environmental Concern Natural History Resource Management Plan. Boise, ID: USDI, Bureau of Land Management, Boise District, Jarbidge Resource Area.

BLM. (1991). Draft Bennett Hills Resource Management Plan. Twin Falls, ID: USDI, BLM.

BLM. (1997). Idaho Standards for Rangeland Health and Guidelines for Livestock Grazing Management Boise, ID: USDI, Bureau of Land Management, Idaho State Office.

BLM. (1998a). A User's Guide to Assessing Proper Functioning Condition and the Supporting Science for Lotic Areas (Technical Report No. 1737-15). Denver, CO: USDI, Bureau of Land Management.

BLM. (1998b). Wildfire Prevention Strategies (Technical Report No. PMS 455, NFES 1572). Boise, ID: National Interagency Fire Center, Bureau of Land Management National Fire and Aviation Training Support Group.

BLM. (1999a). A User's Guide to Assessing Proper Functioning Condition and the Supporting Science for Lentic Areas (Technical Report No. 1737-16). Denver, CO: USDI, Bureau of Land Management.

BLM. (1999b). Owyhee Resource Management Plan. Boise, ID: USDI, Bureau of Land Management.

BLM. (2001a). Land Use Plan Evaluation Report. Boise, ID: USDI, Bureau of Land Management.

BLM. (2001b). National Management Strategy for Motorized Off-Highway Vehicle Use on Public Lands. Washington, DC: USDI, Bureau of Land Management.

BLM. (2005). Implementation of a Wind Energy Development Program and Associated Land Use Plan Amendments – Record of Decision. Washington, DC: USDI, Bureau of Land Management.

BLM. (2006a). Scoping Report for the Jarbidge Resource Management Plan. Twin Falls, ID: BLM, Twin Falls District, Jarbidge Field Office.

BLM. (2006b). Unpublished Fisheries Survey Data. USDI, Bureau of Land Management, Jarbidge Field Office.

BLM. (2006c). Unpublished Vegetation Data. USDI, Bureau of Land Management, Jarbidge Field Office.

BLM. (2007a). Analysis of the Management Situation for the Jarbidge Resource Management Plan. Twin Falls, ID: USDI, Bureau of Land Management, Jarbidge Field Office.

BLM. (2007b). Final Programmatic Environmental Impact Statement for Vegetation Treatments Using Herbicides on Bureau of Land Management Lands in 17 Western States. Washington, DC: USDI, Bureau of Land Management.

BLM. (2007c). Noxious and Invasive Weed Treatment: Boise District and Jarbidge Field Office (Environmental Assessment No. ID100-2005-EA-265). Boise, ID: USDI, Bureau of Land Management, Boise District.

BLM. (2007d). Record of Decision: Vegetation Treatments Using Herbicides on BLM Lands in 17 Western States. Washington DC: USDI, Bureau of Land Management.

BLM. (2008a). Guidance for Developing Aquatic Conservation Strategies for BLM Resource Management Plans in the Interior Columbia Basin (Idaho, Eastern Oregon, Eastern Washington, Western Montana, and Northern Nevada). USDI, Bureau of Land Management.

BLM. (2008b). Programmatic Environmental Impact Statement for Geothermal Leasing in the Western United States. Washington, DC: USDI, Bureau of Land Management.

BLM. (2008c). Record of Decision and Resource Management Plan Amendments for Geothermal Leasing in the Western United States. Washington, DC: USDI, Bureau of Land Management.

BLM. (2008d). Visual Resource Inventory Technical Report. Twin Falls, ID: USDI, Bureau of Land Management, Jarbidge Field Office.

BLM. (2009a). Approved Resource Management Plan Amendments and Record of Decision for Designation of Energy Corridors on Bureau of Land Management Administered Land in the 11 Western States. Washington, DC: USDI, Bureau of Land Management.

BLM. (2009b). Geothermal potential of the Jarbidge Field Office. Boise, ID: USDI Bureau of Land Management, Idaho State Office.

BLM. (2009c). Oil and gas potential of the Jarbidge Field Office. Boise, ID: USDI, Bureau of Land Management, Idaho State Office.

BLM. (2009d). Wild and Scenic River Eligibility Determination. Twin Falls, ID: USDI, Bureau of Land Management, Jarbidge Field Office.

BLM. (2009e). Wilderness Characteristics Technical Report. Twin Falls, ID: USDI, Bureau of Land Management, Jarbidge Field Office.

BLM. (2012a). Rangeland Emissions Calculator, Version 1.0. In Greenhouse Gas and Climate Change NEPA Toolkit. Washington DC: USDI, Bureau of Land Management.

BLM. (2012b). Recreation Management Information System (RMIS): Recreation User Data for the Jarbidge Field Office. Twin Falls, ID: USDI, Bureau of Land Management.

BLM. (2012c). Wilderness Characteristics Technical Report. Twin Falls, ID: USDI, Bureau of Land Management, Jarbidge Field Office.

BLM and DOE. (2010). Draft Programatic Environmental Impact Statement for Solar Energy Development in Six South Western States. Washington, DC: USDE and USDI, Bureau of Land Management.

BLM and DOE. (2012). Approved Resource Management Plan Amendments and Record of Decision for Solar Energy Development in Six Southwestern States. Washington, DC: USDI, Bureau of Land Management.

BLM and IDFG. (1994). Survey of Mountain Quail in the Jarbidge Resource Area, Boise District, Bureau of Land Management. Boise, ID: USDI, Bureau of Land Management, Boise District and Jerome, ID: Idaho Department of Fish and Game, Magic Valley Region.

Blomberg, E. J., Sedinger, J. S., Atamian, M. T., and Nonne, D. V. (2012). Characteristics of Climate and Landscape Disturbance Influence the Dynamics of Greater Sage-grouse Populations. Ecosphere, 3(6), 55.

Bond, J. G., Kauffman, J. D., Miller, D. A., and Venkatakrishnan, R. (1978). Geologic Map of Idaho. Moscow, ID: Idaho Bureau of Mines and Geology, with contributions form US Geological Survey.

Bonnichsen, B. (1982). The Bruneau-Jarbidge eruptive center, southwestern Idaho. In B. Bonnichsen and R. M. Breckenridge (Eds.), Cenozoic Geology of Idaho (Bulletin 26, pp. 237-254). Moscow, ID: Idaho Bureau of Mines and Geology.

Booth, M. S., Stark, J. M., and Caldwell, M. M. (2003). Inorganic N Turnover and Availability in Annual- and Perrenial-Dominated Soils in a Northern Utah Shrub-Steppe Ecosystem. Biogeochemistry, 66(3), 311-330.

BOR. (1975). Bruneau Wild and Scenic River Study Report. USDI: Bureau of Outdoor Recreation.

Borchgrevink, M. B., Derner, J. D., Weston, T. R,. Olson, R. A., Schuman, G. E., and Hess B. W. (2010). Small Mammal and Plant Community Responses to Mechanical Disturbance and Rest in Wyoming Big Sagebrush Grassland. Arid Land Research and Management, 24(1), 57-67.

Borkowski, J. J., White, P. J., Garrott, R. A., Davis, T., Hardy, A. R., and Reinhart, D. J. (2006). Behavioral Responses of Bison and Elk in Yellowstone to Snowmobiles and Snow Coaches. Ecological Applications, 16(5), 1911-1925.

Bosworth, W. R., Romin, S. J., and Weekley, T. (2010). Bruneau Dunes tiger beetle assessment. Boise, ID: Idaho Department of Fish and Game.

Bouffard, S. H., Tindall, K. V., and Fothergill, K. (2009). Herbicide Treatment to Restore St. Anthony Dunes Tiger Beetle Habitat: A Pilot Study. Cicindela, 41(1),13-24.

Boyle, S. A. and Samson, F. B. (1985). Effects of Nonconsumptive Recreation on Wildlife: A Review. Wildlife Society Bulletin, 13(2), 110-116.

Brackett, B., Brackett, P., Brackett, I., Brackett, K., Brackett, G., Brackett, K., et al. (2006). Personal Communication with Bert Brackett. Rogerson, ID: Brackett Livestock, Inc., Brackett Ranches Limited Partnership, Bert and Paula Brackett, and Flat Creek Ranch; on March 8, 2006.

Bradford, J. B. and Laurenroth, W. K. (2006). Controls Over Invasion of Bromus tectorum: The Importance of Climate, Soil, Disturbance and Seed Availability. Journal of Vegetation Science, 17, 693-704.

Brady, N. C. (1984). Chapter 16: Soil Erosion and Its Control. The Nature and Properties of Soils (9th ed.). New York, NY: MacMillan Publishing Company.

Breckenridge, R. M., Gillerman, V. S., and Wray-Macomb, E. (2006). Oil and gas exploration in Idaho (Digital Web Map 81). Moscow, ID: Idaho Geological Survey.

Brehme, C. S. (2003). Responses of Small Terrestrial Vertebrates to Roads in a Coastal Sage Scrub Ecosystem. M.S. Thesis, San Diego State University, San Diego, CA.

Brekke, L. D., Kiang, J. E., Olsen, J. R., Pulwarty, R. S., Raff, D. A., Turnipseed, D. P., Webb, R. S., and White, K. D. (2009). Climate change and water resources management: A Federal perspective. US Geological Survey Circular 1331. Reston, VA: USGS.

Breyfogle, S. and Ferguson, S. A. (1996). User Assessment of Smoke-Disperson Models for Wildland Biomass Burning (General Technical Report No. PNW-GTR-379). Seattle, WA: USDA, Forest Service, Pacific Northwest Research Station.

Broadhead, W. H. (1999). Cattle, Control, and Conservation. Cultural Resource Management, 9, 31-32.

Brooks, M. L. and Berry, K. H. (2006). Dominance and Environmental Correlates of Annual Plants in the Mojave Desert, USA. Journal of Arid Environments, 67, 100-124.

Brooks, M. L., Matchett, J. R., and Berry, K. H. (2006). Effects of Livestock Watering Sites on Alien and Native Plants in the Mojave Desert, USA. Journal of Arid Environments, 67, 125-147.

Brotherson, J. D., Rushforth, S. R., and Johansen, J. R. (1983). Effects of Long-term Grazing on Cryptogam Crust Cover in Navajo National Monument, Arizona. Journal of Range Management, 36(5), 579-581.

Brott, C. A., Blackwell, D. D., and Mitchell, J. C. (1976). Geothermal investigations in Idaho: Heat flow in the Snake River Plain region, southern Idaho. Idaho Department of Water Resources Water Information Bulletin No. 30 Part 8.

Brown, J. C., Evans, R. A., and Young, J. A. (1985). Effects of Sagebrush Control Methods and Seeding on Runoff and Erosion. Journal of Range Management, 38(3), 195-199.

Brown, J. K. and Smith, J. K. (2000). Wildland Fire in Ecosystems: Effects of Fire on Flora. Ogden, UT: USDA, Forest Service, Rocky Mountain Research Station.

Buchanan, D. V. and Gregory, S. V. (1997). Development of Water Temperature Standards to Protect and Restore Habitat for Bull Trout and Other Cold Water Species in Oregon. Paper presented at the Friends of the Bull Trout Conference Proceedings.

Buenger, B. (2003). The Impact of Wildland and Prescribed Fire on Archaeological Resources. Unpublished Dissertation, University of Kansas, Lawrence, KS.

Buffington, J. M., Lisle, T. E., Woodsmith, R. D., and Hilton, S. (2002). Controls on the size and occurrence of pools in coarse-grained forest rivers. River Research Applications (18), 507-531.

Bui, T. D., Marzluff, J. M., and Bedrosian, B. (2010). Common Raven Activity in Relation to Land Use in Western Wyoming: Implications for Greater Sage-grouse Reproductive Success. Condor, 112, 65-78.

Bull, E. L. and Hayes, M. P. (2000). Livestock Effects on Reproduction of the Columbia Spotted Frog. Journal of Range Management, 53(3), 291-294.

Burak, G. S. (2006) Home Ranges, Movements and Multi-scale Habitat Use of Pygmy Rabbits (Brachylagus idahoensis) in Southwestern Idaho. M.S. Thesis, Boise State University, Boise, ID.

Bureau of Economic Analysis. (2009). CA45 Farm Income and Expenses: Elmore, Owyhee, and Twin Falls Counties, Idaho, and Elko County, Nevada. Regional Economic Information System Retrieved February 22, 2010, from http://www.bea.gov/regional/reis/default.cfm?&selTable=CA45.

Bureau of Labor Statistics. (2011). Local Area Unemployment Statistics. U.S. Department of Labor, Bureau of Labor Statistics, Retrieved from http://www.bls.gov/lau/#tables.

Burton, T. A. (2005). Fish and Stream Habitat Risks from Uncharacteristic Wildfire: Observations from 17 Years of Fire-Related Disturbances on the Boise National Forest, Idaho. Forest Ecology and Management, 211, 140-149.

Burton, T. A., Smith, S. J., and Cowley, E. R. (2011). Riparian area management: Multiple indicator monitoring (MIM) of stream channels and streamside vegetation. (Technical Reference 1737-23). Denver, CO: USDI, Bureau of Land Management, National Operations Center.

Bushnell, K. (1967). Geology of the Rowland Quadrangle, Elko County, Nevada (Bulletin No. 67). Reno, NV: Nevada Bureau of Mines and University of Nevada, Mackay School of Mines.

Byers, J. A. (2003). Pronghorn (Antilocapra americana). In G. A. Feldhamer, B. C. Thompson, and J. A. Chapman (Eds.), Wild Mammals of North America: Biology, Management, and Conservation (2nd ed., pp. 998-1008). Baltimore and London: The Johns Hopkins University Press

Call, M. W. (1979). Habitat Requirements and Management Recommendations for Sage Grouse (Technical Note No. 330). Denver, CO: USDI, Bureau of Land Management.

Carpinelli, M. F., Sheley, R. L., and Maxwell, B. D. (2004). Revegetating Weed-Infested Rangeland with Niche-Differentiated Desirable Species. Journal of Range Management, 57(1), 97-105.

Cassirer, E. F. and Sinclair, A. R. E. (2007). Dynamics of Pneumonia in a Bighorn Sheep Metapopulation. Journal of Wildlife Management, 71(4),1080-1088.

Cassirer, E. F., Freddy, D. J., and Ables, E. D. (1992). Elk Responses to Disturbance by Cross-Country Skiers in Yellowstone National Park. Wildlife Society Bulletin, 20(4), 375-381.

Cegelski, C., Campbell, M., Meyer, K., and Schill, D. J. (2005). Population studies of Redband Trout, Genetic investigation of population structure. IDFG Report Number 05-46. Boise, ID: Idaho Department of Fish and Game.

CEQ. (1997). Environmental Justice: Guidance under the National Environmental Policy Act. Washington, D. C.: Council on Environmental Quality.

CH2MHILL. (2008). Slickspot Peppergrass (Lepidium papilliferum) Permanent Monitoring Plots: Juniper Butte Range. Mountain Home Air Force Base, ID: United States Air Force, Environmental Management, 366 CES/CEVA.

Chace, C. F., Farmer, C., Winfree, R., Curson, D. R., Jensen, W. E., Goguen, C. B., and Robinson, S. K. (2005). Cowbird (Molothrus spp.) Ecology: a Review of Factors Influencing Distribution and Abundance of Cowbirds Across Spatial Scales. Ornithological Monographs, 57, 45-70.

Chambers, J. C. and Pellant, M. (2008). Climate Change Impacts on Northwestern and Intermountain United States Rangelands. Rangelands, 30(3), 29-33.

Chambers, J. C., Roundy, B. A., Blank, R. R., Meyer, S. E., and Whittaker, A. (2007). What Makes Great Basin Sagebrush Ecosystems Invasible by Bromus tectorum. Ecological Monographs, 77(1), 117-145.Clark, R. N., and Gibbons, D. R. (1991). Recreation. In W. R. Meehan (Ed.), Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats (Vol. 19, pp. 459-481). Bethesda, MD: USDA, Forest Service.

Chapman, S. L. and Ralston, D. R. (1970). Ground-water resource of the Blue Gulch area in eastern Owyhee and western Twin Falls Counties, Idaho. Idaho Department of Water Administration Water Information Bulletin No. 20.

Christianson, D. A. and Creel, S. (2007). A Review of Environmental Factors Affecting Elk Winter Diets. Journal of Wildlife Management, 71(1), 164-176.

Cicero, C. (2000). Juniper Titmouse (Baeolophus ridgwayi), No. 485. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/485b.

Clark, D. and Hunter, W. (1992). The Impact of Economic Opportunity, Amenities, and Fiscal Factors on Age-Specific Migration Rates. Journal of Regional Science, 32 (3), 349-365.

Clary, W. P. (1999). Stream Channel and Vegetation Responses to Late Spring Cattle Grazing. Journal of Range Management, 52(3), 218-227.

Clary, W. P. and Kinney, J. W. (2000). Streambank Response to Simulated Grazing: USDA, Forest Service Proceedings RMRS-P-13.

Coates, P. S. (2007). Greater Sage-Grouse (Centrocercus uruphasianus) Nest Predation and Incubation Behavior. Unpublished Dissertation, Idaho State University, Pocatello, ID.

Climate Impacts Group and University of Washington. (2000). Impacts of Climate Variability and Change in the Pacific Northwest. Pacific Northwest Assessment Report for the First US National Assessment of the Potential Consequences of Climate Variability and Change. US Global Change Research Program.

Climate Impacts Group. (2008). Climate Change Scenarios. Seattle, WA: University of Washington, Joint Institute for the Study of the Atmoshpere and Ocean.

Coates, P. S., Connelly, J. W., and Delehanty, D. J. (2008). Predators of Greater Sage-grouse Nests Identified by Video Monitoring. Journal of Field Ornithology, 79(4), 421-428.

Coates-Markle, L. (2000). Summary Recommendation - BLM Wild Horse and Burro Population Viability Forum, April 1, 1999. Wild Horse and Burro Program Resource Notes (No. 35).

Colket, B. (2005). 2004 Habitat Integrity and Population Monitoring of Slickspot Peppergrass (Lepidium papilliferum). Boise, ID: Idaho Department of Fish and Game, Idaho Conservation Data Center.

Colket, B. (2006). 2005 Rangewide Habitat Integrity and Population Monitoring of Slickspot Peppergrass (Lepidium papilliferum). Boise, ID: Idaho Department of Fish and Game, Idaho Conservation Data Center.

Columbia Spotted Frog Technical Team. (2003). Columbia spotted frog (Rana luteiventris) Toiyabe Great Basin subpopulation long-term monitoring plan.

Comstock, J. P. and Ehleringer, J. R. (1992). Plant Adaptation in the Great Basin and Colorado Plateau. Great Basin Naturalist 52(3), 195-215.

Connelly, J. W., Arther, W. J., and Markham, O. D. (1981). Sage Grouse Leks on Recently Disturbed Sites. Journal of Range Management, 52(2), 153-154.

Connelly, J. W., Schroeder, M. A., Sands, A. R., and Braun, C. E. (2000). Guidelines to Manage Sage Grouse Populations and Their Habitats. Wildlife Society Bulletin, 28 (4), 967-985.

Connelly, J. W., Knick, S. T., Schroeder, M. A., and Stiver, S. J. (2004). Conservation Assessment of Greater Sage-grouse and Sagebrush Habitats. Unpublished Report. Western Association of Fish and Wildlife Agencies.

Connelly, J. W., Hagen, C. A., and Schroeder, M. A. (2011a). Chapter 3: Characteristics and Dynamics of Greater Sage-grouse Populations. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Connelly, J. W., Rinkes, E. T., and Braun, C. E. (2011b). Chapter 4: Characteristics of Greater sage-grouse habitats: a landscape species at micro and macroscales. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Cook, E. R., Woodhouse, C. A., Eakin, C. M., Meko, D. M., and Stahle, D. W. (2004). North American Summer PDSI Reconstructions. Boulder, CO: NOAA/NGDC Paleoclimatology Program.

Cooke, H. A. and Zack, S. (2008). Influence of Beaver Dam Density on Riparian Areas and Riparian Birds in Shrubsteppe of Wyoming. Western North American Naturalist, 68(3), 365-373.

Cothran, G. (2009). Personal Communication with S. Stokke on July 16.

Cox, R. D. and Anderson, V. J. (2004). Increasing Native Diversity of Cheatgrass-Dominated Rangeland through Assisted Sucession. Journal of Range Management, 57, 203-210.

Crane, K. (2013). Livestock Allocation Technical Report (unpublished). Twin Falls, ID: USDI Bureau of Land Management, Twin Falls District.

Crawford, J. A. (2008). Survival Movements and Habitat Selection of Pygmy Rabbits (Brachylagus idahoensis) in the Great Basin of Southeastern Oregon and Northwestern Nevada. Corvallis, OR: M.S. Thesis, Oregon State University.

Crawford, J. A., Anthony, R. G., Forbs, J. T., and Lorton, G. A. (2010). Survival and Causes of Mortality for Pygmy Rabbits (Brachylagus idahoensis) in Oregon and Nevada. Journal of Mammalogy, 91(4), 838-847.

CSFTT. (2003). Conservation Agreement and Strategy: Columbia Spotted Frog (Rana luteiventris) Great Basin Population, Nevada, and Northeastern Subpopulations, Jarbidge-Independence and Ruby Mountain. Columbia Spotted Frog Technical Team.

Currier, M. J. P. (1983). Felis concolor. Mammalian Species (200), 1-7.

Cutler, P. L. and Morrison, M. L. (1998). Habitat Use by Small Vertebrates at Two Water Developments in Southwestern Arizona. Southwestern Naturalist, 43(2), 155-162.

D'Antonio, C.M. and Vitousek, P.M. (1992). Biological Invasion by Exotic Grasses, the Grass/Fire Cycle, and Global Change. Annual Review of Ecology and Systematics, 23, 63-87.

Darden, T.D., Rimbey, N. R., and Wulfhorst, J.D. (2003). Regional Economic Impact Model of Owyhee County, Idaho and the Four County Area Including Ada, Canyon, Elmore, and Owyhee Counties (Agricultural Economics Extension Series 03-06). Moscow, ID: University of Idaho, College of Agricultural and Life Sciences, Department of Agricultural Economics and Rural Sociology.

Dassanayake, R. P., Shanthalingam, S., Herndon, C. N., Subramaniam, R., Lawrence, P. K., Bavananthasivam, J., Cassirer, E. F., Haldorson, G. J., Foreyt, W. J., Rurangirwa, F. R., Knowles, D. P., Besser, T. E., and Srikumaran, S. (2010). Mycoplasma ovipneumoniae Can Predispose Bighorn Sheep to Fatal Mannheimia haemolytica Pneumonia. Veterinary Microbiology 145, 354-359.

Davies, K. W., Bates, J. D., and Miller, R. F. (2007). The Influence of Artemisia tridentata ssp. wyomingensis on Microsite and Herbaceous Vegetation Heterogeneity. Journal of Arid Environments, 69, 441-457.

Davies, K. W., Bates, J. D., Svejcar, T. J., and Boyd, C. S. (2010). Effects of long term livestock grazing on fuel characteristics in rangelands: an example from the sagebrush steppe. Rangeland Ecology and Management, 63(6), 662-669.

Davis, S. K. (2004). Area Sensitivity in Grassland Passerines: Effects of Patch Size, Patch Shape, and Vegetation Structure on Bird Abundance and Occurrence in Southern Saskatchewan. The Auk, 121(4),1130-1145.

DeBano, L. F., Neary, D. G., and Folliott, P. F. (2005). Wildland Fire in Ecosystems: Effects of Fire on Soils and Water (General Technical Report No. RMRS-GTR-42-vol 4.). Ogden, UT: USDA, Forest Service, Rocky Mountain Research Station.

Deblinger, R. D. and Alldredge A. W. (1991). Influence of Free Water on Pronghorn Distribution in a Sagebrush/Steppe Grassland. Wildlife Society Bulletin, 19(3), 321-326.

Dechant, J. A., Sondreal, M. L., Johnson, D. H., Igl, L. D., Goldade, C. M., Nenneman, M. P., and Euliss, B. R. (2003a). Effects of Management Practices on Grassland Birds: Short-eared Owl. Retrieved October 16, 2012, from http://www.npwrc.usgs.gov/resource/literatr/grasbird/seow/seow.htm

Dechant, J. A., Sondreal, M. L., Johnson, D. H., Igl, L. D., Goldade, C. M., Zimmerman, A. L., and Euliss, B. R. (2003b). Effects of Management Practices on Grassland Birds: Western Meadowlark. Retrieved October 16, 2012, from http://www.npwrc.usgs.gov/resource/literatr/grasbird/weme/weme.htm

Dechant, J. A., Sondreal, M. L., Johnson, D. H., Igl, L. D., Goldade, C. M., Rabie, P. A., and Euliss, B. R. (2003c). Effects of Management Practices on Grassland Birds: Long-billed Curlew. Retrieved October 21, 2012, from http://www.npwrc.usgs.gov/resource/literatr/grasbird/lbcu/lbcu.htm

Dechant, J. A., Sondreal, M. L., Johnson, D. H., Igl, L. D., Goldade, C. M., Zimmerman, A. L., and Euliss, B. R. (2003d). Effects of Management Practices on Grassland Birds: Ferruginous Hawk. Retrieved November 10, 2012, from http://www.npwrc.usgs.gov/resource/literatr/grasbird/feha/feha.htm.

Dechant, J. A., Sondreal, M. L., Johnson, D. H., Igl, L. D., Goldade, C. M., Nenneman, M. P., and Euliss, B. R. (2003e). Effects of Management Practices on Grassland Birds: Grasshopper Sparrow. Retrieved November 10, 2012, from http://www.npwrc.usgs.gov/resource/literatr/grasbird/grsp/grsp.htm.

DeLong, A. K., Crawford, J. A., and DeLong, Jr., D. C. (1995). Relationships Between Vegetational Structure and Predation of Artificial Sage Grouse Nests. Journal of Wildlife Management, 59(1), 88-92.

Denman, K. L., Brasseur, G., Chidthaisong, A., Ciais, P., Cox, P. M., Dickinson, R. E., Hauglustaine, D., Heinze, C., Holland, E., Jacob, D., Lohmann, U., Ramachandran, S., da Silva Dias, P. L., Wofsy S. C., and Zhang, X. (2007). Couplings Between Changes in the Climate System and Biogeochemistry. In S. Solomon, D. Qin, M. Manning, Z. Chen, M. Marquis, K. B. Averyt, M. Tignor, and H. L. Miller (Eds.), Climate Change 2007: The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change (pp. 499-587). Cambridge and New York: Cambridge University Press.

DEQ. (2007). Salmon Falls Creek Subbasin Assessment and Total Maximum Daily Loads. Boise, ID: Idaho Department of Environmental Quality.

DEQ. (2011). Idaho's 2010 Integrated Report: Final. Boise, ID: Idaho Department of Environmental Quality.

DEQ. (2012a). 2010 Air Quality Monitoring Data Summary. Boise, ID: Idaho Department of Environmental Quality.

DEQ. (2012b). Air Quality: Attainment v. Nonattainment. Boise, ID: Idaho Department of Environmental Quality. Retreived October 17, 2012, from http://www.deq.idaho.gov/air-quality/monitoring/attainment-v-nonattainment.aspx.

Diaz, H. (2004). Regional changes and global connections: monitoring climate variability and change in the western United States. In: D. D. Murphy and P. A. Stine (Eds.), Proceedings of the Sierra Nevada Science Symposium (pp. 37-42) (General Technical Report PSW-GTR-193). Albany, CA: USDA Forest Service Pacific Southwest Research Station.

DiTomaso, J. M. (2000). Invasive Weeds in Rangelands: Species, Impacts, and Management. Weed Science, 48(2), 255-265.

Dobkin, D. S. and Sauder, J D. (2004). Shrubsteppe Landscapes in Jeopardy: Distributions, Abundances, and the Uncertain Future of Birds and Small Mammals in the Intermountain West. Bend, OR: High Desert Ecological Research Institute.

Dobkin, D. S., Rich, A. C., and Pyle, W. H. (1998). Habitat and Avifaunal Recovery from Livestock Grazing in a Riparian Meadow System of the Northwestern Great Basin. Conservation Biology, 12, 209-221.

DOE. (2009). Idaho Wind Resource Map. Retrieved April 9, 2009, from http://www.windpoweringamerica.gov/maps_template.asp?stateab=id.

DOE. (2012). Job and Economic Development Impact Wind Energy Model. Golden, CO: U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, National Renewable Energy Laboratory; Release Number: W1.10.02 accessed on October 15, 2012 at http://www.nrel.gov/analysis/.

DOE/Ames Laboratory. (2010). Wind turbines help crops by channelling beneficial breezes over nearby plants. ScienceDaily. Retrieved from http://www.sciencedaily.com/releases/2010/12/101216122014.htm.

Doering, R. W. and Keller, B. L. (1998). A Survey of Bat Species of the Bruneau-Jarbidge River Area of Southwestern Idaho with Special Reference to the Occurrence of the Spotted Bat (Euderma maculatum). Technical Bulletin No. 98-18. Boise, ID: USDI, Bureau of Land Management.

Doherty, K. E. (2008). Sage-grouse and energy development integrating science with conservation planning to reduce impacts. Ph.D. Dissertation. Missoula, MT: University of Montana.

Doherty, K. E., Naugle, D. E., Walker, B. L., and Graham, J. M. (2008). Greater Sage-Grouse Winter Habitat Selection and Energy Development. Journal of Wildlife Management, 72(1), 187-195.

DOI. (2010). Strategic Sustainability Performance Plan. Washington, DC: USDI.

Dolton, D. D., Rau, R. D., and Parker, K. (2007). Mourning Dove Population Status, 2007. Laurel, MD: USDI, Fish and Wildlife Service.

Downer, A. (1992). Vandalizing and Looting of Archeological Sites on Indian Lands: The Navajo Reservation, a Case Study From the Southwestern United States (General Technical Report No. PNW-GTR-293). Portland, OR: USDA, Forest Service.

Dramstad, W. E., Olson, J. D., and Forman, R. T. (1996). Landscape Ecology Principles in Landscape Architecture and Land Use Planning. Washington, DC: Island Press.

Drut, M. S., Crawford, J. A., and Gregg, M. A. (1994a). Brood Habitat Use by Sage Grouse in Oregon. Great Basin Naturalist, 53(2),170-176.

Drut, M. S., Pyle, W. H., and Crawford, J. A. (1994b). Diets and Food Selection of Sage Grouse Chicks in Oregon. Journal of Range Management, 47(1), 90-93.

Dugger, B. D. and Dugger, K. M.(2002). Long-billed Curlew (Numenius americanus). In A. Poole and F. Gill (Eds.), The Birds of North America (No. 628). Philadelphia, PA: The Birds of North America, Inc.

Dunham, J. B., Young, M. K., Gresswell, R. E., and Rieman, B. E. (2003). Effect of Fire on Fish Populations: Landscape Perspectives on Persistence of Native Fishes and Nonnative Fish Invasions. Forest Ecology and Management, 178(1-2), 183-196.

Dwire, K. A. (2001). Relations Among Hydrology, Soils, and Vegetation in Riparian Meadow: Influence on Organic Matter Distribution and Storage. Unpublished Dissertation, Oregon State University, Corvallis, OR.

Dwire, K. A. and Kauffman, J. B. (2003). Fire and Riparian Ecosystems in Landscapes of the Western USA. Forest Ecology and Management, 178, 61-74.

Dyksterhuis, E. J. (1949). Condition and Management of Range Land Based on Quantitative Ecology. Journal of Range Management, 2(3), 104-115.

Eckerle, K. P. and Thompson, C. F. (2001). Yellow-breasted Chat (Icteria virens), No. 575. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/575.

Eckert, J., Richard, E., Peterson, F. F., and Belton, J. T. (1986). Relation Between Ecological-Range Condition and Proportion of Soil-Surface Types. Journal of Range Management, 39(5), 409-414.

Eckert, J., Richard, E., Wood, M. K., Blackburn, W. H., and Peterson, F. F. (1979). Impacts of Off-Road Vehicles on Infiltration and Sediment Production of Two Desert Soils. Journal of Range Management, 32(5), 394-397.

Ehrenfeld, J. G. (2003). Effects of Exotic Plant Invasions on Soil Nutrient Cycling Processes. Ecosystems 6(6), 503-523.

Eichman, H., Hunt, G. L., Kerkvliet, J., and Plantinga, A. J. (2010). Local Employment Growth, Migration and Public Land Policy: Evidence from the Northwest Forest Plan. Journal of Agricultural and Resource Economics, 53(2), 316-333.

Eldridge, D. J. and Rosentreter, R. (2004). Shrub Mounds Enhance Water Flow in a Shrub-Steppe Community in Southwestern Idaho, USA (No. RMRS-P-31). Ogden, UT: USDA, Forest Service, Rocky Mountain Research Station.

Ellison, L. (1960). Influence of Grazing on Plant Succession of Rangelands. Botanical Review, 26(1), 1-78.

Emmerich, W. E. and Cox, J. R. (1992). Hydrologic Characteristics Immediately after Seasonal Burning on Introduced and Native Grasslands. Journal of Range Management, 45(5), 476-479.

Endangered and Threatened Wildlife and Plants; Notice of Determination to Retain Endangered Status for the Bruneau Hot Springsnail in Southwestern Idaho Under the Endangered Species Act. 63 Federal Register 116 (17 June 1998) pp. 32981-32996.

Endangered and Threatened Wildlife and Plants; Revised Designation of Critical Habitat for Bull Trout in the Coterminous United States; Final Rule. 75 Federal Register 200 (18 October 2010) pp. 63898-64070.

Engle, J. C. and Munger, J. C. (1998). Population structure of spotted frogs in the Owyhee Mountains. (Technical Bulletin No, 1998-20). Boise, ID: USDI, BLM Idaho State Office.

EPA. (2007). Climate Change - Science: State of Knowledge. Retrieved June 26, 2009, from http://www.epa.gov/climatechange/science/stateofknowledge.html.

EPA. (2012a). Air Data. Retrieved August 14, 2012, from http://www.epa.gov/airdata/ad_data_daily.html.

EPA. (2012b). Inventory of US Greenhouse Gas Emissions and Sinks: 1990-2010. (EPA 430-R-12-001). Washington, DC: US. Environmental Protection Agency.

EPA. (2012c). National Ambient Air Quality Standards (NAAQS). Retrieved July 30, 2012 from http://www.epa.gov/air/criteria.html.

Essig, D. A. and Kosterman, M. A. (2008). Arsenic, Mercury, and Selenium in Fish Tissue from Idaho Lakes and Reservoirs: A Statewide Assessment. Boise, ID: Idaho Department of Environmental Quality.

Evans, M. (2008). Meeting Notes of the Recreation Subcommettee of the Jarbidge Field Office Resource Advisory Committee from May 28, 2008 (unpublished).Twin Falls, ID: USDI, Bureau of Land Management, Twin Falls District.

Evans, R. A. and Young, J. A. (1978). Effectiveness of rehabilitation practices following wildfire in a degraded big sagebrush-downy brome community. Journal of Range Management, 31(3),185-188.

Evans, R. D. and Lange, O. L. (2001). Biological Soil Crusts and Ecosystems Nitrogen and Carbon Dynamics. In J. Belnap and O. L. Lange (Eds.), Biological Soil Crusts: Structure, Function, and Management (Vol. 150, pp. 263-279). Berlin, Germany: Springer-Verlag.

Evans, R. D., Rimer, R., Sperry, L., and Belnap, J. (2001). Exotic Plant Invasion Alters Nitrogen Dynamics in an Arid Grassland. Ecological Applications, 11(5), 1301-1310.

Faaborg, J., Brittingham, M., Donovan, T., & Blake, J. (1995). Habitat Fragmentation in the Temperate Zone. In T. E. Martin & D. M. Finch (Eds.), Ecology and Management of Neotropical Migratory Birds: A Synthesis and Review of Critical Issues (pp. 357-380). New York, NY: Oxford University Press.

Fawcett, Jr., W. B. (1997). Final Report: Intensive Cultural Resource Inventories and Archaeological Investigations of Fire Rehabilitations in Southern Idaho: 1994 -1996. Logan, UT: Utah State University.

Finch, D. M., Smith, D. M., LeDee, O., Cartron, J. E., and Rumble, M.A. (2012). Climate Change, Animals Species, and Habitats: Adaptions and Issues. In D. M. Finch (Ed.), Climate Change in Grasslands, Shrublands, and Deserts of the Interior American West: a Review and Needs Assessment (General Technical Report RMRS-GTR-285). Fort Collins, CO: USDA, Forest Service.

Fisher, H., Eslick, L., and Seyfried, M. (1996). Edaphic Factors that Characterize the Distribution of Lepidium papilliferum. Idaho Bureau of Land Management Technical Bulletin No. 96-6. Boise, ID: USDI, Bureau of Land Management, Idaho State Office.

Fleischman, G. (2010). Idaho Influence Area Renewable Energy Projects. Boise, ID: Idaho Office of Energy Resources.

Fleischner, T. L. (1994). Ecological Costs of Livestock Grazing in Western North America. Conservation Biology, 8(3), 629-644.

Fletcher, Jr., R. J., McKinney, S. T., and Bock, C. E. (1999). Effects of Recreational Trails on Wintering Diurnal Raptors Along Riparian Corridors in a Colorado Grassland. Journal of Raptor Research, 33(3), 233-239.

Fondell, T. F. and Ball, I. J. (2004). Density and Success of Bird Nests Relative to Grazing on Western Montana Grasslands. Biological Conservation, 117(2), 203-213.

Forman, R. T. and Alexander, L. E. (1998). Roads and Their Major Ecological Effects. Annual Review of Ecology and Systematics, 29, 207-231.

Forster, K. (2014). *Jarbidge Watershed Bull Trout Habitat Condition Indicators for Large Woody Debris Qualitative Indicator Development*. Unpublished Report. Twin Falls, ID: USDI Bureau of Land Management, Jarbidge Field Office.

Fothergill, K. (2010). Observations on mating behavior of the Bruneau Dune tiger beetle, Cicindela waynei Leffler (Coleoptera: Carabidae: Cicindelinae). CICINDELA 42(2):33–45.

Franklin, A. B., Noon, B. R., & George, T. L. (2002). What is Habitat Fragmentation? Studies in Avian Biology(25), 20-29.

Freddy, D. J., Bronaugh, W. M., and Fowler, M. C. (1986). Responses of Mule Deer to Disturbance by Persons Afoot and Snowmobiles. Wildlife Society Bulletin, 14(1), 63-68.

Freilich, J. E., Emlen, J. M., Duda, J. J., Freeman, D. A., and Cafaro, P. J. (2003). Ecological effects of ranching: a six point critique. BioScience, 53(8),759-765.

Frey, S. N. and Conover, M. R. (2006). Habitat Use by Meso-Predators in a Corridor Environment. [Research]. Journal of Wildlife Management, 70(4), 1111-1118.

Frissell, C. A., Liss, W. J., and Bales, D. (1993). An Integrated Biophysical Strategy for Ecological Restoration of Large Watersheds. Paper presented at the Symposium on Changing Roles in Water Resources Management and Policy, Herndon, VA.

Frost, R., A., Wilson, L. M., Launchbaugh, K. L., and Hovde, E. M. (2008). Seasonal Change in Forage Value of Rangeland Weeds in Northern Idaho. Invasive Plant Science and Management, 1(4), 343-351.

Funk, W. C., Blouin, M. S., Corn, P. S., Maxwell, B. A., Pilliod, D. S., Amish, S., and Allendorf, F. W. (2005). Population Structure of Columbia Spotted Frogs (Rana luteiventris) is Strongly Affected by the Landscape. Molecular Ecology, 14(2), 483-496.

Furniss, M. J., Roelofs, T. D., and Yee, C. S. (1991). Road Construction and Maintenance. In W. R. Meehan (Ed.), Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats (Vol. American Fisheries Society Special Publication 19, pp. 297-324). Bethesda, MD: USDA, Forest Service.

FWS. (1995). Snake River Aquatic Species Recovery Plan. Boise, ID: USDI, Fish and Wildlife Service, Snake River Basin Office, Ecological Services.

FWS. (1998). A Framework to Assist in Making Endangered Species Act Determinations of Effect for Individual or Grouped Actions at the Bull Trout Subpopulation Watershed Scale. USDI, Fish and Wildlife Service.

FWS. (2001). Rare Plant Inventory Guidelines. Unpublished inventory. USDI, Fish and Wildlife Service, Snake River Fish and Wildlife Office.

FWS. (2002). Recovery Plan for the Bruneau Hot Springsnail (Pyrgulopsis bruneauensis). Portland, OR: USDI, Fish and Wildlife Service, Region 1.

FWS. (2003). A Framework to Assist in Making Endangered Species Act Determinations of Effect for Slickspot Peppergrass, Lepidium papilliferum. Boise, ID: USDI, Fish and Wildlife Service, Snake River Fish and Wildlife Office.

FWS. (2004). Draft Recovery Plan for the Jarbidge River Distinct Population Segment of Bull Trout (Salvelinus confluentus). Reno, NV: USDI, Fish and Wildlife Service.

FWS. (2006). National Survey of Fishing, Hunting and Wildlife Associated Recreation: Table 50 Participation in Wildlife Association Recreation by State. Retrieved June 9, 2008, from http://library.fws.gov/pubs/nat_survey2006_final.pdf.

FWS. (2007). Best Management Practices for Streamside Management Zones. Tulsa, OK: USDI, Fish and Wildlife Service, Oklahoma Ecological Services Field Office.

FWS. (2008). Greater Sage-Grouse Interim Status Update (Interim Status Update No. GSGII): USDI, Fish and Wildlife Service, Wyoming Ecological Services Office.

Gano, K. A. and Rickard, W. H. (1982). Small Mammals of a Bitterbrush-Cheatgrass Community. Northwest Science, 56, 1–7.

Ganskopp, D., Aguilera, L., and Vavra, M. (2007). Livestock Forage Conditioning Among Six Northern Great Basin Grasses. Rangeland Ecology and Management, 60, 71-78.

Ganskopp, D., Angell, R., and Rose, J. (1992). Response of Cattle to Cured Reproductive Stems in a Caespitose Grass. Journal of Range Management, 45(4), 401-404.

Ganskopp, D., Svejcar, T., and Vavra, M. (2004a). Livestock Forage Conditioning: Bluebunch Wheatgrass, Idaho Fescue and Bottlebrush Squirreltail. Journal of Range Management, 57(4), 384-392.

Ganskopp, D., Svejcar, T., Taylor, F., and Farstvedt, J. (2004b). Can spring grazing among young bitterbrush stimulate shrub growth? Journal of Range Management, 57(2), 161-168.

Ganskopp, D., Svejcar, T., Taylor, F., Farstvedt, J., and Paintner, K. (1999). Seasonal Cattle Management in 3 to 5 Year Old Bitterbrush Stands. Journal of Range Management, 52, 166-173.

Gardner, R. (2006). Community Economic Profile Workshop Report.

Gardner, R. and Martin, J. V. (2006). Community Economic Profile: Jarbidge Field Office. Boise, ID: Bootstrap Solutions.

Garton, E. O., Connelly, J. W., Horne, J. S., Hagen, C. A., Moser, A., and Schroeder, M. A. (2011). Chapter 15: Greater Sage-grouse Population Dynamics and Probability of Persistence. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Gates, K. and Kerans, B. (2008). Snake River Physa (Physa natricina): Sampling below Minidoka Dam. 2006 Interim Report. Bozeman, MT: Montana State University, Department of Ecology.

Geist, V. (1982). Adaptive Behavioral Strategies. In J. W. Thomas and D. E. Toweill (Eds.), Elk of North America Ecology and Management: A Wildlife Management Institute Book (pp. 219-277). Calgary, Canada: University of Calgary.

Gelbard, J. L. and Belnap, J. (2003). Roads as Conduits for Exotic Plant Invasions in a Semiarid Landscape. Conservation Biology 17 (2), 420-432.

Gelbard, J. L. and Harrison, S. (2003). Roadless Habitats as Refuges for Native Grasslands: Interactions with Soil, Aspect, and Grazing. Ecological Applications, 13(2), 404-415.

George, J. L., Martin, D. J., Lukacs, P. M., and Miller, M. W. (2008). Epidemic Pasteurellosis in a Bighorn Sheep Population Coinciding with the Appearance of a Domestic Sheep. Journal of Wildlife Diseases, 44(2), 388-403.

George, T. L., Fowler, A. C., Knight, R. L., and McEwen, L. C. (1992). Impacts of Severe Drought on Grassland Birds in Western North Dakota. Ecological Applications, 2(3), 275-284.

Giesen, K. M. and Connelly, J. W. (1993). Guidelines for Management of Columbian Sharp-tailed Grouse Habitats. Wildlife Society Bulletin, 21 (3), 325-333.

Gilbert, M. M. and Chalfoun, A. D. (2011). Energy Development Affects Populations of Sagebrush Songbirds in Wyoming. Journal of Wildlife Management, 75(4), 816-824.

Gilbert, P. F., Wallmo, O. C., and Gill, R. B. (1970). Effect of Snow Depth on Mule Deer in Middle Park, Colorado. Journal of Wildlife Management, 34(1), 15-23.

Giordanego, J. H., Frasier, G. W., and Trlica, M. J. (2003). Hydrologic and Sediment Responses to Vegetation and Soil Disturbances. Journal of Range Management, 56(2), 152-158.

Giudice, J. H. and Ratti, J. T. (2001). Ring-necked Pheasant (Phasianus colchicus). In A. Poole and F. Gill (Eds.), The Birds of North America (No. 572). Philadelphia, PA: The Birds of North America, Inc.

Goguen, C. B. and Mathews, N. E. (2001). Brown-Headed Cowbird Behavior and Movements in Relation to Livestock Grazing. Ecological Applications, 11(5), 1533-1544.

Goldberg, C. S., Tank, D. C., Uribe-Convers, S., Bosworth, W. R., Marx, H. E., and Waits, L. P. (2012). Species Designation of the Bruneau Dune Tiger Beetle (Cicindela waynei) is Supported by Phylogenetic Analysis of Mitochondrial DNA Sequence Data. Conservation Genetics, 13 (2), 373-380.

Gonzales, J. E. (2002). 13th Annual Idaho Public Policy Survey. Boise, ID: Boise State University, Social Science Research Center.

Goodrich, S. (2005). Classification and Capabilities of Woody Sagebrush Communities of Western North America with Emphasis on Sage-Grouse Habitat (Proceedings No. RMRS-P-38). Fort Collins, CO: USDA, Forest Service, Rocky Mountain Research Station.

Gratson, M. W. and Whitman, C. L. (2000). Road Closures and Density and Success of Elk Hunters in Idaho. Wildlife Society Bulletin, 28(2), 302-310.

Green, J. S. and Flinders, J. T. (1980). Brachylagus idahoensis. Mammalian Species (125), 1-4.

Green, R. A. and Bear, G. D. (1990). Seasonal Cycles and Daily Activity Patterns of Rocky Mountain Elk. Journal of Wildlife Management, 54 (2), 272-279.

Gregg, M. A., Barnett, J. K., and Crawford, J. A. (2008). Temporal Variation in Diet and Nutrition of Preincubating Greater Sage-Grouse. Rangeland Ecology and Management, 61(5), 535-542.

Gregg, M. A., Crawford, J. A., Drut, M. S., and DeLong, A. K. (1994). Vegetational cover and predation of sage-grouse nests in Oregon. Journal of Wildlife Management, 58(1), 162-166.

Gregory, D., Johnston, R., Geraldine, P., Watts, M., and Whatmore, S. (Eds.). (2009). Dictionary of Human Geography (5th ed.). West Sussex, England: John Wiley and Sons.

Gregory, S. V., Swanson, F. J., Mckee, W. A., and Cummins, K. W. (1991). An Ecosystem Perspective of Riparian Zones: Focus on Links Between Land and Water. BioScience, 41(8), 540-551.

Gresswell, R. E. (1999). Fire and Aquatic Ecosystems in Forested Biomes of North America. Transactions of the American Fisheries Society, 128(2), 193-221.

Groenier, J. and Lebow, S. (2006). Preservative-Treated Wood and Alternative Products in the Forest Service. 2006. Technical Report 0677–2809–MTDC. Missoula, MT: USDA, Forest Service, Missoula Technology and Development Center.

Gross, J. A. and Knight, J. E. (2000). Elk presence inside various-sized cattle exclosures. Journal of Range Management 53(3), 287-290.

Grossman, D.H., D. Faber-Langendoen, A.S. Weakley, M. Anderson, P. Bourgeron, R. Crawford, Goodin, K., Landaal, S., Metzler, K., Patterson, K., Pyne, M., Reid, M., and Sneddon, L. (1998). International classification of ecological communities: Terrestrial vegetation of the United States.

Volume I. The National Vegetation Classification System: development, status and applications. Arlington, VA: The Nature Conservancy.

Groves, C. and Steenhof, K. (1988). Responses of Small Mammals and Vegetation to Wildfire in Shadscale Communities of Southwestern Idaho. Northwest Science, 62(5), 205-210.

Grubb, T. G., Delaney, D. K., Bowerman, W. W., and Wierda, M. R. (2010). Golden Eagle Indifference to Heli-skiing and Military Helicopters in Northern Utah. Journal of Wildlife Management, 74(6),1275-1285.

Gruver, J. C. and Keinath, D. A. (2006). Townsend's Big-eared Bat (Corynorhinus townsendii): a Technical Conservation Assessment. Bozeman, MT: USDA, Forest Service, Rocky Mountain Region.

Gucker, C. L. (2006). Cerocarpus ledifolius. In Fire Effects Information System, (Online). USDA, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. Available at http://www.fs.fed.us/database/feis/.

Hall, J., Pollock, M., and Hoh, S. (2011). Methods for Successful Establishment of Cottonwood and Willow Along an Incised Stream in Semiarid Eastern Oregon, USA. Restoration Ecology, 29(3), 261-269.

Hall, L. K. (2012). Effect of Cheatgrass on Abundance of the North American Deer Mouse (Peromyscus maniculatus). Southwestern Naturalist, 57(2), 166-169.

Hall, L. K., Mull, J. F., and Cavitt, J. F. (2009). Relationship Between Cheatgrass Coverage and the Relative Abundance of Snakes on Antelope Island, Utah. Western North American Naturalist, 69, 88-95.

Hann, W. (2004). Interagency Fire Regime Condition Class (FRCC) Guidebook, Version 1.3.0: USDA, Forest Service; USDI; The Nature Conservancy; and Systems for Environmental Management.

Hann, W. (2008). Interagency Fire Regime Condition Class (FRCC) Guidebook. Available at http://www.frcc.gov

Hann, W. J. and Bunnell, D. L. (2001). Fire and Land Management Planning and Implementation Across Multiple Scales. International Journal of Wildland Fire, 10, 389-403.

Hansen, P. L. and Hall, J. B. (2002). Classification and Management of USDI Bureau of Land Management's Riparian and Wetland Sites in Eastern and Southern Idaho. Corvallis, MT: Bitterroot Restoration, Inc.

Hanser, S. E. and Huntly, N. J. (2006). The Biogeography of Small Mammals of Fragmented Sagebrush-Steppe Landscapes. Journal of Mammology, 87(6), 1165-1174.

Harness, R. E. and Wilson, K. R. (2001). Electric-utility Structures Associated with Raptor Electrocutions in Rural Areas. Wildlife Society Bulletin, 29 (2), 612-623.

Harp, A. J., Rimbey, N. R., and Darden, T. D. (2001). Cohesion, Integration, and Attachment in Owyhee County Communities. In L. A. Torell, E. T. Bartlett, and R. Larranaga (Eds.), Current Issues in Rangeland Resource Economics (pp. 93-100). New Mexico State University Agricultural Experiment Station Research Report 737.

Harrington, J. L. and Conover, M. R. (2006). Characteristics of Ungulate Behavior and Mortality Associated with Wire Fences. Wildlife Society Bulletin, 34(5), 1295-1305.

Hart, R. H., Clapp, S., and Test, P. S. (1993). Grazing Strategies, Stocking Rates, and Frequency and Intensity of Grazing on Western Wheatgrass and Blue Grama. Journal of Range Management, 46(2), 122-126.

Hartman, C. A. and Oring, L. W. (2009). Reproductive Success of Long-billed Curlews (Numenius americanus) in Northeastern Nevada Hay Fields. The Auk, 126 (2), 420-430.

Hausleitner, D., Reese, K. P., and Apa, A. D. (2005). Timing of vegetation sampling at Greater sage-grouse nests. Rangeland Ecology and Management, 58(5), 553-556.

Hawkes, C. V., Belnap, C., D'Antonio, C., and Firestone, M. K. (2006). Arbuscular Mycorrhizal Assemblages in Native Plant Roots Change in the Presence of Invasive Exotic Grasses. Plant and Soil, 281, 369-380.

Hayden, J., Spicer, D., Crenshaw, J., Rachael, J., Powell, J., Warner, K., Smith, R., Anderson, C., Class, C., Meints, D., Naderman, J., Keegan, T., and Hendricks, C. (2006). Progress Report: Upland Game (Project No. W-170-R-30). Boise, ID: Idaho Department of Fish and Game.

Hayes, S. G., Leptich, D. J., and Zager, P. (2002). Proximate Factors Affecting Male Elk Hunting Mortality in Northern Idaho. Journal of Wildlife Management, 66(2), 491-499.

Heady, L. T. and Laundré, J. W. (2005). Habitat Use Patterns Within the Home Range of Pygmy Rabbits (Brachylagus idahoensis) in Southeastern Idaho. Western North American Naturalist, 65(4), 490-500.

Hedrick, D. W., Hyder, D. N., Sneva, F. A., and Poulton, C. E. (1966). Ecological Response of Sagebrush-Grass Range in Central Oregon to Mechanical and Chemical Removal of Artemisia. Ecology, 47(3), 432-439.

Heitschmidt, R. K., Klement, K. D., and Haferkamp, M. R. (2005). Interactive Effects of Drought and Grazing on Northern Great Plains Rangelands. Rangeland Ecology and Management, 58(1), 11-19.

Hempy-Mayer, K., and Pyke, D. A. (2008). Defoliation Effects on Bromus tectorum Seed Production: Implications for Grazing. Rangeland Ecology and Management, 61(1), 116-123.

Hendricks, P., Kudray, G. M., Lenard, S., and Maxell, B. (2007). A Multi-scale Analysis Linking Prairie Breeding Birds to Site and Landscape Factors Including USGS GAP Data. Helena, MT: Montana Natural Heritage Progam.

Hester, J. W., Thurow, T. L., and Taylor, Jr., C.A. (1997). Hydrologic Characteristics of Vegetation Types as Affected by Prescribed Burning. Journal of Land Management, 50(2), 199-204.

Hilty, J. H., Eldridge, D. J., Rosentreter, R., Wicklow-Howard, M. C., and Pellant, M. (2004). Recovery of Biological Soil Crusts Following Wildfire in Idaho. Journal of Range Management, 57, 89-96.

Hobbs, N. T. (1989). Linking Energy Balance to Survival in Mule Deer: Development and Test of a Simulation Model. Wildlife Monographs, 101, 3-39.

Hobbs, N. T., Baker, D. L., and Gill, R. B. (1983). Comparative Nutritional Ecology of Montane Ungulates During Winter. Journal of Wildlife Management, 47 (1), 1-16.

Hokit, D. G. and Branch, L. C, (2003). Habitat patch size affects demographics of the Florida scrub lizard (Sceloporus woodi). Journal of Herpetology, 37(2),257-265.

Holechek, J. L. (1988). An Approach for Setting the Stocking Rate. Rangelands, 10, 10-14.

Holechek, J. L., Pieper, R. D., and Herbel, C. H. (1998). Range Management: Principles and Practices. Upper Saddle River, NJ: Prentice-Hall, Inc.

Holechek, J. L., Gomez, H., Milinar, F., and Galt, D. (1999). Grazing Studies: What We've Learned. Rangelands, 21(2), 12-16.

Holloran, M. J. (2005). Greater Sage-Grouse (Centrocercus urophasianus) Population Response to Natural Gas Field Development in Western Wyoming. Dissertation, University of Wyoming, Laramie, WY.

Holloran, M. J. and Anderson, S. H. (2005). Spatial Distribution of Greater Sage-Grouse Nests in Relatively Contiguous Sagebrush Habitats. Condor, 107, 742-752.

Holloran, M. J., Heath, B. J., Lyon, A. G., Slater, S. J., Kuipers, J. L., and Anderson, S. H. (2005). Greater Sage-Grouse Nesting Habitat Selection and Success in Wyoming. Journal of Wildlife Management, 69(2), 638-649.

Holmes, A. L., Green, G. A., Morgan, R. J., and Livezey, K. B. (2003). Burrowing Owl Nest Success and Burrow Longevity in North Central Oregon. Western North American Naturalist, 63 (2), 244-250.

Holmes, B. R. and Laundré, J. W. (2006). Use of Open, Edge, and Forest Areas by Pumas (Puma concolor) in Winter: Are Pumas Foraging Optimally? Wildlife Biology, 12, 201-209.

Holmes, T. L., Knight, R. L., Stegall, L., and Craig, G. R. (1993). Responses of Wintering Grassland Raptors to Human Disturbance. Wildlife Society Bulletin, 21(4), 461-468.

Howard, J. L. (1996). Populus tremuloides. Retrieved October 16, 2012, from http://www.fs.fed.us/database/feis/plants/tree/poptre/all.html

Howard, J. L. (1999). Artemisia tridentata subsp. wyomingensis. Retrieved October 15, 2012, from http://www.fs.fed.us/database/feis/plants/shrub/arttriw/all.html

Howe, P. F. and Flake, L. D. (1988). Mourning Dove Movements During the Reproductive Season in Southeastern Idaho. Journal of Wildlife Management, 52(3), 477-480.

Howery, L.D. (1999). Rangeland Management Before, During, and After Drought. Tuscon, AZ: College of Agriculture and Life Sciences, University of Arizona.

Hubbard, C. R. (1959). A Survey of the Mineral Resources of Idaho (Pamphlet No. 105). Moscow, ID: Idaho Bureau of Mines and Geology.

Huber-Sannwald, E. and Pyke, D.A. (2005). Establishing Native Grasses in a Big Sagebrush-Dominated Site: an Intermediate Restoration Step. Restoration Ecology, 13(3), 292-301.

Hull, A. C. (1949). Growth Periods and Herbage Production of Cheatgrass and Reseeded Grasses in Southwestern Idaho. Journal of Range Management, 2(4), 183-186.

Humple, D. L. and Holmes, A. L. (2006). Effects of a fire on a breeding population of loggerhead shrikes in a sagebrush steppe habitat. Journal of Field Ornithology, 77(1), 21-28.

Hutchison, D. J. and Jones, L. R. (Eds.) (1993). Emigrant Trails of Southern Idaho. Idaho Cultural Resource Series, Number 1. Boise, ID: USDI, Bureau of Land Management; Idaho State Historical Society.

Huwer, S. L., Anderson, D. R., Remington, T. E., and White, G. C. (2008). Using Human-Imprinted Chicks to Evaluate the Importance of Forbs to Sage-Grouse. Journal of Wildlife Management, 72(7), 1622-1627.

IASCD. (2004). Idaho's Noxious Weeds. 2006, from http://www.oneplan.org/Crop/noxWeeds/index.shtml.

Idaho Legislative Council Interim Committee on Energy, Environment, and Technology. (2012). 2012 Idaho Energy Plan. Boise, ID.

Idaho Power Company. (2005). Snake River White Sturgeon Conservation Plan. Boise, ID: Idaho Power Company.

Idaho Sage-grouse Advisory Committee. (2006). Conservation Plan for the Greater Sage-grouse in Idaho. Idaho Sage-grouse Advisory Committee.

Idaho Sage-grouse Advisory Committee. (2010). Idaho Sage-grouse Local Working Groups Statewide Annual Report 2009. Idaho Sage-grouse Advisory Committee.

IDFG. (2005). Idaho Comprehensive Wildlife Conservation Strategy. Boise, ID: Idaho Conservation Data Center, Idaho Department of Fish and Game.

IDFG. (2007a). Jarbidge Sage-grouse Conservation Plan. Boise, ID: Idaho Department of Fish and Game.

IDFG. (2007b). Project W-170-R-31, Progress Report, Mule Deer Study 1 Job 2. Boise, ID: Idaho Department of Fish and Game.

IDFG. (2008a) Idaho Mule Deer Management Plan 2008-2017. Boise, ID: Idaho Department of Fish and Game.

IDFG. (2008b). Idaho Rare Plant Observation Report. Boise, ID: Idaho Department of Fish and Game, Conservation Services.

IDFG. (2008c) Mule Deer Project W-170-R-32 Progress Report, Study I, Job 2. Boise ID: Idaho Department of Fish and Game.

IDFG. (2008d). Pronghorn: Project W-170-R-32 (Progress Report). Boise, ID: Idaho Department of Fish and Game. Idaho Department of Fish and Game.

IDFG. (2010a). Idaho Bighorn Sheep Management Plan, Boise, ID: Idaho Department of Fish and Game.

IDFG. (2010b). Mule Deer Project W-170-R-34 Annual Progress Report. Boise, ID: Idaho Department of Fish and Game.

IDFG. (2010c). Pronghorn Project W-170-R-34 Annual Progress Report. Boise, ID: Idaho Department of Fish and Game.

IDFG. (2010d). Upland Game Project W-170-R-34 Annual Progress Report. Boise, ID: Idaho Department of Fish and Game.

IDFG. (2011). Unpublished data, Sage-grouse lek Database. Boise, ID: Idaho Department of Fish and Game.

IDFG. (2012a). 2010 Dingle-Johnson Report. Creel Analysis Summary-Salmon Falls Creek Reservoir. Boise, ID: Idaho Department of Fish and Game.

IDFG. (2012b). Idaho Fish and Wildlife Information System, Animal Conservation Database. Unpublished data. Boise, ID: Idaho Department of Fish and Game.

IDFG. (2012c). Mountain Lion Data. Boise, ID: Idaho Department of Fish and Game. Retrieved June 25, 2012, from http://fishandgame.idaho.gov/ifwis/huntplanner/stats.aspx#lion.

IDFG. (2012d). Mule Deer Controlled Hunt Data. Boise, ID: Idaho Department of Fish and Game. Retrieved June 25, 2012, from http://fishandgame.idaho.gov/ifwis/huntplanner/stats.aspx?season=controlled&game=deer.

IDFG. (2012e). Personal Communication with Randy Smith, Magic Valley Region Wildlife Manager. Jerome, ID: Idaho Department of Fish and Game.

IDFG. (2012f). Pronghorn Harvest Data. Boise, ID: Idaho Department of Fish and Game. Retrieved August 21, 2012, from http://fishandgame.idaho.gov/ifwis/huntplanner/stats.aspx?season=controlled&game=pronghorn.

IDFM. (2013). Idaho Economic Forecast. Boise, ID: Idaho Division of Financial Management.

IDL. (2009a). Bureau of Surface and Mineral Resources. Retrieved April 9, 2009, from http://www.idl.idaho.gov/bureau/smr/smr_index.htm

IDL. (2009b). Mineral Leasing. Retrieved February 10, 2009, from http://www.idl.idaho.gov/bureau/Minerals/min_leasing/leasing.htm.

IDL. (2009c). Surface Mining. Retrieved February 10, 2009, from http://www.idl.idaho.gov/bureau/Minerals/surface_mine/sm_index.htm.

IDPR. (2008). Idaho OHV Residence Statistics from 2003 to 2007. Boise, ID: Idaho Department of Parks and Recreation.

IDPR. (2011). Idaho OHV Residence Statistics. Idaho Department of Parks and Recreation.

IDPR. (2013). Idaho OHV Residence Statistics from 2008 to 2012. Boise, ID: Idaho Department of Parks and Recreation.

IDWR. (1993). Idaho Administrative Code 37.03.07, Idaho Stream Channel Alteration Rules: Idaho Department of Water Resources. Available at http://adminrules.idaho.gov/rules/current/37/0307.pdf.

IDWR. (2001). Idaho Drought Plan. Boise, ID: Idaho Department of Water Resources, Planning and Technical Services Division.

IISC. (2005). Idaho's Strategic Action Plan for Invasive Species. Boise, ID: ISDA, Idaho Invasive Species Council.

IISC. (2007). Idaho Aquatic Nuisance Species Plan: A Supplement to Idaho's Strategic Action Plan for Invasive Species. Boise, ID: ISDA, Idaho Invasive Species Council.

IMPLAN. (2010). Minnesota IMPLAN Group. Data for purchase and additional information can be found at http://www.implan.com.

Ingelfinger, F. and Anderson, S. H. (2004). Passerine Response to Roads Associated with Natural Gas Extraction in a Sagebrush Steppe Habitat. Western North American Naturalist, 64(3), 385-395.

Ingram, L. J., Stahl, P. D., Schuman, G. E., Buyer, J. S., Vance, G. F., Ganjegunte, G. K., Welker, J. M., and Derner, J. D. (2008). Grazing Impact on Soil Carbon and Micorbial Communitities in a Mixed Grass Ecosystem. Soil Science Society of America Journal, 72(4), 939-948.

IPCC. (2001). Climate Change 2001 (Synthesis Report). Geneva, Switzerland: Intergovernmental Panel on Climate Change.

IPCC. (2006). 2006 IPCC Guidelines of National Greenhouse Gas Inventories. IGES, Japan: National Greenhouse Gas Inventories Program.

IPCC. (2007). Climate Change 2007 (Synthesis Report). Geneva, Switzerland: Intergovernmental Panel on Climate Change.

ISDA. (2012). Idaho's Weed List. 2012, from http://www.agri.state.id.us/Categories/PlantsInsects/NoxiousWeeds/watchlist.php.

Iverson, R., Hinkley, S., Webb, R. M., and Hallet, B. (1981). Physical Effects of Vehicular Distubances on Arid Landscapes. Science, 212(4497), 915-917.

Jacobson, D. and High, C. (2008). Wind Energy and Air Emission Reduction Benefits: A Primer. Golden CO: USDE, National Renewable Energy Laboratory.

James, A. R. C. and Stuart-Smith, A. K. (2000). Distribution of Caribou and Wolves in Relation to Linear Corridors. Journal of Wildlife Management, 64(1), 154-159.

Jarbidge Sage-Grouse Local Working Group (2007). Jarbidge Sage-Grouse Conservation Plan. Jerome, ID: Idaho Fish and Game.

Jenks, M. D., Bonnichsen, B., and Godchaux, M. M. (1998). Geologic map of the Grand View- Bruneau Area, Owyhee County, Idaho (Technical Report 93-2). Moscow, ID: Idaho Geological Survey.

Jessop, B. D. and Anderson, V. J. (2007). Cheatgrass Invasion in Salt Desert Shrublands: Benefits of Postfire Reclamation. Rangeland Ecology and Management, 60 (3), 235-242.

Jochimsen, D. M. (2006). Factors Influencing the Road Mortality of Snakes on the Upper Snake River Plain, Idaho. In C. L. Irwin, P. Garrett, and K. P. McDermott (Eds), Proceedings of the 2005 International Conference on Ecology and Transportation (pp. 351-365). Raleigh, NC: Center for Transportation and the Environment, North Carolina State University.

Johansen, J. R. (2001). Impacts of Fire on Biological Soil Crusts. In J. Belnap and O. L. Lange (Eds.), Biological Soil Crusts: Structure, Function and Management (Vol. 150, pp. 385-397). Berlin, Germany: Springer-Verlag.

Johnson, B. R. and Raines, G. L. (1996). Digital Representation of the Idaho State Geological Map: A Contribution to the Interior Columbia River Basin Ecosystem Management Project (Open File Report No. 95-690). Reston, VA: USDI, US Geological Survey.

Johnson, C. (2004). Archaeological Sites and Fire - Induced Changes. Vernal, UT: USDA, Forest Service, Ashley National Forest.

Johnson, C. W., Schumaker, G. A., and Smith, J. P. (1980). Effects of Grazing and Sagebrush Control on Potential Erosion. Journal of Range Management, 33(6), 451-454.

Johnson, D. H., Holloran, M. J., Connelly, J. W., Hanser, S. E., Amundson, C. L., and Knick, S. T. (2011) Chapter 17: Influences of environmental and anthropogenic features on Greater sage-grouse populations, 1977 – 2007. pp. 407-450. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Johnson, G. D., Erickson, W. P., Strickland, M. D. Shepherd, M. F., Shepherd, D. A., and Sarappo, S. A. (2002). Collison Mortality of Local and Migrant Birds at a Large-Scale Wind-Power Development on Buffalo Ridge, Minnesota. Wildlife Society Bulletin, 30(3), 879-887.

Johnson, K. A. (2000). Prunus virginiana. Retrieved May 25, 2007, from http://www.fs.fed.us/database.feis/.

Joyce, L. A. (1993). The Life Cycle of the Range Condition Concept. Journal of Range Management, 46(2), 132-138.

Joyce, L., Haynes, R., White, R., and Barbour, J. R. (2007). Bringing climate change into natural resource management: Proceedings (General Technical Report PNW-GTR-706). Portland, OR: USDA Forest Service, Pacific Northwest Research Station.

Kaltenecker, J. H., Wicklow-Howard, M. C., and Pellant, M. (1999). Biological Soil Crusts: Natural Barriers to Bromus tectorum L. Establishment in the Northern Great Basin, USA. In D. Eldridge and D. Freudenberger (Eds.), People and Rangelands: Building the Future (pp. 109-111). Townsville, Queensland, Australia: International Rangeland Congress.

Karl, T. R., Melillo, J. M., and Peterson, T. C. (2009). Regional Climate Impacts: Northwest. In T. R. Karl, J. M. Melillo, T. C. Peterson, and S. J. Hassol (Eds.), Global Climate Change Impacts in the United States. Cambridge, United Kingdom: Cambridge University Press.

Karsky, R. (1999). Fences. Missoula, MT: USDI, Bureau of Land Management and USDA, Forest Service, Missoula Technical Development Center.

Kauffman, J. B. and Krueger, W. C. (1984). Livestock Impacts on Riparian Ecosystems and Streamside Management Implications...A Review. Journal of Range Management, 37(5), 430-438.

Kauffman, J. B., Krueger, W. C., and Vavra, M. (1983). Effects of Late Season Cattle Grazing on Riparian Plant Communities. Journal of Range Management, 36(6), 685-691.

Kay, C. E. and Bartos, D. L. (2000). Ungulate Herbivory on Utah Aspen: Assessment of Long-Term Exclosures. Journal of Range Management, 53(2), 145-153.

Keebaugh, J. (2009). Idaho Power Company Physidae 1995-2003 Review Notes. Work performed and completed under US Fish and Wildlife Service order for Supplies or Services with the College of Idaho: Order No. 10181M822, Requisition No. 14420080102, dated 29 July 2008 and Idaho Power Company.

Keeley, J.E. (2001). Fire and invasive species in Mediterranean-climate ecosystems of California. In K. E. M. Galley and T.P. Wilson (Eds.) Proceedings of the Invasive Species Workshop: the Role of Fire in the Control and Spread of Invasive Species. Fire Conference 2000: the First National Congress on Fire Ecology, Prevention, and Management.

Keinath, D. A. and McGee, M. (2004). Species Assessment for the Pygmy Rabbit (Brachylagus idahoensis) in Wyoming. Cheyenne, WY: USDI, Bureau of Land Management, Wyoming State Office.

Keller, B. J. and Bender, L. C. (2007). Bighorn Sheep Response to Road-Related Disturbances in Rocky Mountain National Park, Colorado. Journal of Wildlife Management, 71(7), 2329-2337.

Kerr, R. M. (1979). Mule Deer Habitat Guidelines (Technical Note No. 336). Denver, CO: USDI, Bureau of Land Management.

Kershner, J. L. and Roper, B. B. (2010). An Evaluation of Management Objectives Used to Assess Stream Habitat Conditions on Federal Lands within the Interior Columbia Basin. Fisheries, 35(6), 269-278.

Kershner, J. L., Roper, B.B., Bouwes, N., Henderson, R., and Archer, E. (2004). An Analysis of Stream Habitat Conditions in Reference and Managed Watersheds on Some Federal Lands Within the Columbia River Basin. North American Journal of Fisheries Management, 24,1363-1375.

Kie, J. R. (1996). The Effects of Cattle Grazing on Optimal Foraging in Mule Deer (Odocoileus hemionus). Forest Ecology and Management, 88(1-2), 131-138.

Kindschy, R. R., Sundstrom, C., and Yoakum, J. D. (1982). Pronghorns (General Technical Report PNW-145). USDI, Bureau of Land Management and USDA, Forest Service.

King, S. E. and Grace, J. B. (2000). The Effects of Gap Size and Disturbance Type on Invasion of Wet Pine Savanna by Cogongrass, Imperata cylindrica (Poaceae). American Journal of Botany, 87(9), 1279-1286.

Kinter, C. L., Mealor, B. A., Shaw, N. L., and Hild, A. L. (2007). Postfire Invasion Potential of Rush Skeletonweed (Chondrilla juncea). Rangeland Ecology and Management, 60 (4), 386-394.

Klott, J. H., Smith, R. B., and Vullo, C. (1993). Sage-grouse Habitat Use in the Brown's Bench Area of Southcentral Idaho (Technical Bulletin No. 93-4). Boise, ID: USDI, Bureau of Land Management, Jarbidge Field Office.

Klott, J., Whitfield, S., Cota, M., and McTavish, E. (2007). 2006-2007 Wildlife Inventory in the Jarbidge Field Office (Technical Bulletin No. 2007-03). Twin Falls, ID: USDI, Bureau of Land Management, Jarbidge Field Office.

Knapp, T. A. and Graves, P. E. (1989). On the Role of Amenities in Models of Migration and Regional Development. Journal of Regional Science, 29 (1), 71-87.

Knick, S. T. and Connelly, J. W. (2009). Unpublished scientific information accepted for future publication in the Cooper Ornithological Society scientific series Studies in Avian Biology, Berkeley, CA.

Knick, S. T. and Connelly, J. W. (2011a). Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Knick, S. T. and Connelly, J. W. (2011b). Greater Sage-grouse and Sagebrush: An Introduction to the Landscape. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Knick, S. T. and Hanser, S. E. (2011). Chapter 16: Connecting Pattern and Process in Greater Sage-grouse Populations and Sagebrush Landscapes. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Knick, S. T. and Rotenberry, J. T. (1995). Landscape Characteristics of Fragmented Shrubsteppe Habitats and Breeding Passerine Birds. Conservation Biology, 9(5), 1059-1071.

Knick, S. T., Hanser, S. E., Miller, R. F., Pyke, D. A., Wisdom, M. J., Finn, S. P., Rinkes, E. T., and Henny, C. J. (2011). Chapter 12: Ecological Influence and Pathways of Land Use in Sagebrush. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Kormondy, E. J. (1969). Concepts of Ecology (4 ed.). Upper Saddle River, NJ: Prentice Hall, Inc.

Kornet, C. A. (1978). Status and Habitat Use of California Bighorn Sheep on Hart Mountain, Oregon. Corvallis, OR: M.S. Thesis, Oregon State University.

Krausman, P. R. and Bowyer, R. T. (2003). Mountain Sheep (Ovis canadensis and O. dalli). In G. A. Feldhamer, B. C. Thompson and J. A. Chapman (Eds.), Wild Mammals of North America: Biology, Management, and Conservation (2nd ed., pp. 1095-1115). Baltimore and London: The John Hopkins University Press.

Kriwox, E. (2009). Personal Communication with A. Betts on April 10, 2009.

Kuvlesky, Jr., W. P., Brennan, L. A., Morrison, M. L., Boydston, K. K., Ballard, B. M., and Bryant, F. C. (2007). Wind Energy Development and Wildlife Conservation: Challenges and Opportunities. Journal of Wildlife Management, 71(8), 2487-2498.

Lammers, W. M. and Collopy, M. W. (2007). Effectiveness of avian predator perch deterrents on electric transmission lines. Journal of Wildlife Management, 71(8),2752-2758.

LANDFIRE. (2007). LANDFIRE Rapid Assessment Reference Condition Models. Retrieved February 8, 2007, from http://www.landfire.gov/index.php.

Landon, D. M., Krauseman, P. R., Koenen, K. G., and Harris, L. K. (2003). Pronghorn Use of Areas With Varying Sound Pressure Levels. Southwestern Naturalist, 48(4), 725-728.

Lange, R. T. (1969). The Piosphere: Sheep Track and Dung Patterns. Journal of Range Management, 22(6), 396-400.

Lariviere, S. and Walton, L. R. (1998). Lontra canadensis. Mammalian Species (587), 1-8.

Larrucea, E. S. and Brussard, P. F. (2008). Habitat Selection and Current Distribution of Pygmy Rabbit in Nevada and California, USA. Journal of Mammalogy, 89(3), 691-699.

Larsen, L. 2006. Personal communication with Steve Robison, Caribou National Forest geologist.

Larson, J. R. and Duncan, D. A. (1982). Annual Grassland Response to Fire Retardant and Wildfire. Journal of Range Management, 35(6), 700-703.

Larson, S. R., Culumber, C. M., Schweigert, R. N., and Chatterton, N. J. (2010). Species delimitation tests of endemic Lepidium papilliferum and identification of other possible evolutionarily significant units in the Lepidium montanum complex (Brassicaceae) of western North America. Conservation Genetics 11(1), 57-76.

Launchbaugh, K., Brammer, B., Brooks, M. L., Bunting, S., Clark, P., Davison, J., Fleming, M., Kay, R., Pellant, M., Pyke, D., and Wylie, B. (2008). Interactions Among Livestock Grazing, Vegetation Type, and Fire Behavior in the Murphy Wildland Fire Complex in Idaho and Nevada, July 2007 (US Geological Survey Open File Report No. 2008-1214). Reston, VA: US Geological Survey.

Laundré, J. W. and Loxterman, J. (2007). Impact of Edge Habitat on Summer Home Range Size in Female Pumas. American Midland Naturalist, 157 (1), 221-229.

Lawrence, P. J., Shanthalingam, S., Dassanayake, R. P., Subramaniam, R., Herndon, C. N., Knowles, D. P., Rurangirwa, F. R., Foreyt, W. J., Wayman, G., Marcie, A. M., Highlander, S. K., and Srikumaran, S. (2010). Transmission of Mannheimia haemolytica from Domestic Sheep (Ovis aries) to Bighorn Sheep (Ovis canadensis): Unequivocal Demonstration with Green Fluorescent Protein-Tagged Organisms. Journal of Wildlife Diseases, 46(3), 706-717.

Lawson, B. and Johnson, R. (1982). Mountain Sheep. In J. A. Chapman and G. A. Feldhamer (Eds.), Wild Mammals of North America: Biology, Management, Economics (pp. 1036-1055). Baltimore, MD: The Johns Hopkins University Press.

Laycock, W. A. (1991). Stable States and Thresholds of Range Condition on North American Rangelands: A Viewpoint. Journal of Range Management, 44(5), 427-433.

Laycock, W. A. and Conrad, P. W. (1967). Effect of Grazing on Soil Compaction as Measured by Bulk Density on a High Elevation Cattle Range. Journal of Range Management, 20(2), 136 -140.

Lee, D. C., Sedell, J. R., Rieman, B. E., Thurow, R. F., and Williams, J. E. (1997). Broadscale Assessment of Aquatic Species and Habitats. In T. M. Quigley and S. J. Arbelbide (Eds.), An Assessment of Ecosystem Components in the Interior Columbia Basin and Portions of the Klamath and Great Basins: Vol. III. General Technical Report PNW-GTR-405 (pp. 1058-1496). Portland, OR: USDA, Forest Service, Pacific Northwest Research Station and USDI, Bureau of Land Management.

Leffler, S. (2001). A New Species of Tiger Beetle from Southwestern Idaho (Coleoptera: Cicindelidae). Cicindela, 33 (1-2), 19-40.

Lehman, R. N., Carpenter, L. B., Steenhog, K., and Kochert, M. N. (1998). Assessing Relative Abundance and Reproductive Success of Shrubsteppe Raptors. Journal of Field Ornithology, 69 (2), 244-256.

Lehmann, S., Elison, T., and Elison, V. (2006). Personal Communication with Stanley Lehmann. Wendell, ID: Blue Butte Grazing Association, Owyhee Land and Livestock; on March 9, 2006.

Lenth, B. E., Knight, R. L. and Brennan, M. E. (2008). The Effect of Dogs on Wildlife Communities. Natural Areas Journal, 28(3), 218-227.

Leonard, S., Kirkpatrick, J., and Marsden-Smedley, J. (2010). Variation in the effects of vertebrate grazing on fire potential between grassland structural types. Journal of Applied Ecology. 47(4), 876-883.

Lepla, K. B. and Chandler, J. A. (1995). A Survey of White Sturgeon in the Bliss Reach of the Snake River, Idaho (Technical Report). Boise, ID: Idaho Power Company.

Leptich, D. J., (1992). Winter habitat use by hen pheasants in southern Idaho. Journal of Wildlife Management, 56(2),376-380.

Lesica, P. and DeLuca, T. H. (1996). Long-Term Harmful Effects of Crested Wheatgrass on Great Plains Grassland Ecosystems. Journal of Soil and Water Conservation, 51(5), 408-409.

Leslie, Jr., D. M. and Douglas, C. L. (1980). Human Disturbance at Water Sources of Desert Bighorn Sheep. Wildlife Society Bulletin, 8(4), 284-290.

Leu, M. and Hanser, S. E. (2011). Chapter 13: Influences of the Human Footprint on Sagebrush Landscape Patterns: Implications for Sage-grouse Conservation. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Leu, M., Hanser, S. E., and Knick, S.T. (2008). The Human Footprint in the West: A Large Scale Analysis of Anthropogenic Impacts. Ecological Applications, 18(5), 1119-1139.

Lewis, D., Hunt, G. L., and Plantinga, A. J. (2002). Public Conservation Land and Employment Growth in the Northern Forest Region. Land Economics, 78 (2), 245-259.

Lewis, G. C. and White, J. L. (1964). Chemical and Mineralogical Studies on Slick Spot Soils in Idaho. Soil Science Society of America Journal, 28, 805-808.

Loft, E. R., Kie, J. G., and Menke, J. W. (1993). Grazing in the Sierra Nevada: Home Range and Space Use Patterns of Mule Deer as Influenced by Cattle. California Fish and Game, 79(4), 145-166.

Loft, E. R., Menke, J. W., and Kie, J. G. (1991). Habitat Shifts by Mule Deer: The Influence of Cattle Grazing. Journal of Wildlife Management, 55, 16-26.Lohr, K., and Haak, B. (2009). Columbia

Spotted Frog Great Basin Population (Owyhee Subpopulation) Long-term Monitoring Plan: Year 2009 Results. Boise, ID: Idaho Department of Fish and Game.

Loft, E. R., Menke, J. W., Kie, J. G., and Bertram, R. C. (1987). Influence of Cattle Stocking Rate on the Structural Profile of Deer Hiding Cover. Journal of Wildlife Management, 51(3), 655-664.

Logan, K. A. and Irwin, L. L. (1985). Mountain Lion Habitats in the Bighorn Mountains, Wyoming. Wildlife Society Bulletin, 13 (3), 257-262.

Lomkin, M. (2009). Personal Communication with A. Betts on March 25, 2009.

Longland, W. S. and Bateman, S. L. (2002). Viewpoint: The Ecolgical Value of Shrub Islands on Disturbed Sagebrush Rangelands. Journal of Range Management, 55(6), 571-575.

Luce, C. H. and Black, T. A. (1999). Sediment Production from Forest Roads into Western Oregon. Water Resources Research, 35 (8), 2561-2570.

Luce, R. J. and Keinath, D. (2007). Spotted Bat (Euderma maculatum): A Technical Conservation Assessment. Golden, CO: USDA, Forest Service, Rocky Mountain Region.

Luce, R. J., Bogan, M. A., O'Farrell, M. J., and Keinath, D. A. (2004). Species Assessment for Spotted Bat (Euderma maculatum) in Wyoming. Cheyenne, WY: USDI, Bureau of Land Management, Wyoming State Office.

Lutes, D., Keane, R., and Reinhardt, E. (2012). First Order Fire Effects Model, Version 6.0.. Missoula, MT: USDA, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.

Lynn, J. C., Chambers, C. L. and Rosenstock, S. S. (2006). Use of Wildlife Water Developments by Birds in Southwest Arizona During Migration. Wildlife Society Bulletin, 34(3), 592-601.

Lyon, A. G. and Anderson, D. C. (2003). Potential Gas Development Impacts on Sage Grouse Nest Initiation and Movement. Wildlife Society Bulletin, 31(2), 486-491.

MacCracken, J. G., Uresk, W., and Hansen, R. M. (1983). Plant Community Variability in a Small Area in Southeastern Montana. Great Basin Naturalist, 43(4), 660-668.

Mack, R. N. and Thompson, J. N. (1982). Evolution in Steppe with Few Large, Hoofed Mammals. American Naturalist, 119(6), 757-773.

Mackie, R. J., Kie, J. G., Pac, D. F., and Hamlin, K. L. (2003). Mule Deer (Odocoileus hemionus). In G. A. Feldhamer, B. C. Thompson, and J. A. Chapman (Eds.), Wild Mammals of North America: Biology, Management, and Conservation (2nd ed., pp. 889-905). Baltimore and London: The John Hopkins University Press.

MacLaren, P. A., Anderson, S. H., and Runde, D. E. (1988). Food Habits and Nest Characteristics of Breeding Raptors in Southwestern Wyoming. Great Basin Naturalists, 48(4), 548-553.

Magee, P.A., Brooks, J., Hirsch, N., and Hicks, T. L. (2011). Response of Obligate Birds to Mechanical Manipulations in a Sagebrush Ecosystem Near Gunnison, Colorado. Natural Resources and Environmental Issues, 16, 33-43.

Makela, P. and Major D. (2012). A Framework to Identify Greater Sage-grouse Preliminary Priority Habitat and Preliminary General Habitat for Idaho. Boise, ID: USDI, Bureau of Land Management.

Malde, H. E. (1987). The Montini Volcano: A Lava Dam on the Ancestral Snake River, Southwest Idaho. In S. S. Beus (Ed.), Centennial Field Guide: Rocky Mountain Section (Vol. 2, pp. 127-130). Boulder, CO: Geological Society of America.

Malde, H. E., Powers, H. A., and Marshall, C. H. (1963). Reconnaissance geologic map of west-central Snake River Plain, Idaho. USGS Miscellaneous Geologic Investigations Map I-373.

Manier, D. J., Aldridge, C., Anderson, P., Chong, G., and Homer, C. (2011). Land Use and Habitat Conditions across the Southwestern Wyoming Sagebrush Steppe: Development Impacts, Management Effectiveness and the Distribution of Invasive Plants. Natural Resources and Environmental Issues, 17, 17-27

Manville, A.M., II. (2004). Prairie grouse leks and wind turbines: U.S. Fish and Wildlife Service justification for a 5-mile buffer from leks; additional grassland songbird recommendations (Peer-Reviewed Briefing Paper). Arlington, VA: USFWS, Division of Migratory Bird Management.

Marble, J. R. and Harper, K. T. (1989). Effect of Timing of Grazing on Soil-Surface Cryptogamic Communities in a Great Basin Low-Shrub Desert: A Preliminary Report. Great Basin Naturalist, 49(1), 104-107.

Marconi, B. 2006. Personal communication with Steve Robison, Caribou National Forest geologist.

Marcouiller, D. W. and Xia, X. (2008). Distribution of Income from Tourism-sensitive Employment. Tourism Economics 14 (3), 545-565.

Marks, J. S. and Marks, V. S. (1988). Winter Habitat Use by Columbian Sharp-Tailed Grouse in Western Idaho. Journal of Wildlife Management, 52(4), 743-746.

Marks, J. S., Evans, D. L., and Holt, D. W. (1994). Long-eared Owl (Asio otus), No. 133. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/133.

Marlette, G. M. and Anderson, J. E. (1986). Seed Banks and Propagule Dispersal in Crested-Wheatgrass Strands. Journal of Applied Ecology, 23(1), 161-175.

Marra, P. P., Griffing, S., Caffrey, C., Kilpatrick, A. M., McLean, R., Brand, C., Saito, E., Dupuis, A. P., Kramer, L., and Novak, R. (2004). West Nile Virus and Wildlife. BioScience, 54(5), 393-402.

Martin, K. (2007). Personal Communication with BLM Twin Falls District, Jarbidge Field Office on February 8, 2007. Wildlife Biologist, Nevada Department of Wildlife.

Martin, S. G. and Gavin, T. A. (1995). Bobolink (Dolichonyx oryzivorus), No. 176. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/176.

Martin, S.C. and Cable, D. R. (1974). Managing semi-desert grass-shrub ranges: vegetation responses to precipitation, grazing, soil texture, and mesquite control. U.S. Dept. of Agric. Tech Bull. 1480.

Masters, R. A. and Sheley, R. L. (2001). Principles and Practices for Managing Rangeland Invasive Plants. Journal of Range Management, 54(5), 502-517.

Mathews, T. W., Taylor, J. S. and Powell, L. A. (2012). Mid-contract Management of Conservation Reserve Program Grasslands Provides Benefits for Ring-necked Pheasant and Brood Survival. Journal of Wildlife Management, 76(8), 1643-1652.

McAdoo, J. K., Longland, W. S., and Evans, R. A. (1989). Nongame Bird Community Responses to Sagebrush Invasion of Crested Wheatgrass Seedings. Journal of Range Management, 53(2), 494-502.

McGranahan, D. (1999). Natural Amenities Drive Rural Population Change. Washington, D. C.: USDA, Economic Research Service, Food and Rural Economics Division, Agricultural Economics, Report No. 781.

McKibbin, R. and Bishop, C. A. (2012). Site Fidelity and Annual Survival of the Western Yellow-breasted Chat (Icteria virens auricollis) at the Northern Edge of Its Range. Canadian Field Naturalist, 126 (2),135-142.

McLeod, J. D. and Welhan, J. A. (1991). Snake River Plain Aquifer: Idaho's Hidden Gem. GeoNote,15.

McNeill, M. E., Frederick, J., and Whalen, B. (1997). Jarbidge River Watershed Analysis: Jarbidge Ranger District Humboldt-Toiyabe National Forests. USDA Forest Service.

Meays, C. L., Laliberte, A. S., and Doescher, P. S. (2000). Defoliation Response of Bluebunch Wheatgrass and Crested Wheatgrass: Why We Cannot Graze These Two Species in the Same Manner. Rangelands, 22(6), 16-18.

Medin, D.E. and Clary W. P. (1989). Small Mammal Populations in a Grazed and Ungrazed Riparian Habitat in Nevada (Research Paper INT-413). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

Meehan, W. R. (Ed.). (1991). Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats (Vol. 19). Bethesda, MD: American Fisheries Society.

Melgoza, G., Nowack, R.S., and Taush, R. J. (1990). Soil Water Exploitation After Fire: Competition Between Bromus tectorum (Cheatgrass) and Two Native Species. Oecologia, 83(1), 7-13.

Memmot, K. L., Anderson, V. J., and Monsen, S. B. (1998). Seasonal Grazing Impact on Cryptogamic Crusts in a Cold Desert Ecosystem. Journal of Range Management, 51(4), 547-550.

Merriam, K. E., Kelley, J. E., and Beyers, J. L. (2006). Fuel Breaks Affect Nonnative Species Abundance in California. Ecological Applications, 16(2), 515-527.

Merrill, E. H., Stanton, N. L., and Hak, J. C. (1994). Responses of Bluebunch Wheatgrass, Idaho Fescue, and Nematodes to Ungulate Grazing in Yellowstone National Park. Oikos, 69, 231-240.

Meyer, K. A., Cassinelli, J. D., and Elle, F. S. (2008). Life History Characteristics of the Wood River Sculpin, Cottus leiopomus (Cottidae), in Idaho. Copeia, 3, 648-655.

Meyer, K. A., Lamansky, J. A., and Schill, D. A. (2010). Biotic and Abiotic Factors Related to Redband Trout Occurrence and Abundance in Desert and Montane Streams. Western North American Naturalist, 70(1) 77-91.

Meyer, S. E. (1994). Germination and Establishment Ecology of Big Sagebrush: Implications for Community Restorations (General Technical Report No. INT-GTR-313). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

Meyer, S. E., Quinney, D., and Weaver, J. (2005). A Life History Study of the Snake River Plains Endemic Lepidium papilliferum (Brassicaceae). Western North American Naturalist, 65(1), 11-23.

Meyer, S. E., Quinney, D., and Weaver, J. (2006). A Stochastic Population Model for Lepidium papilliferum (Brassicaceae), a Rare Desert Ephemeral with a Persistent Seed Bank. American Journal of Botany, 93(6), 891-902.

Miller, R. F., Knick, S. T., Pyke, D. A., Meinke, C. W., Hanser, S. R., Wisdom, M. J., and Hild, A. L. (2011). Chapter 10: Characteristics of Sagebrush Habitats and Limitations to Long-term Conservation. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Miller, S. G., Knight, R. L., and Miller, C. K. (1998). Influence of Recreational Trails on Breeding Bird Communities. Ecological Applications, 8(1), 162-169.

Miller, S. G., Knight, R. L., and Miller, C. K. (2001). Wildlife Responses to Pedestrians and Dogs. Wildlife Society Bulletin, 29(1), 124-132.

Minnesota IMPLAN Group. (2004). Minnesota IMPLAN Group Pro User Guide, Analysis Guide, and Data Guide Software (Software).

Monsen, S. B. (1994). Selection of Plants for Fire Suppression on Semiarid Sites (General Technical Report No. INT-GTR-313). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

Moore, G. W. and Sullivan, N. (1997). Speleology - Caves and the Cave Environment. St. Louis, MO: Cave Books.

Morrison, P. H. and Swanson, F. J. (1990). Fire History and Pattern in a Cascade Range Landscape (General Technical Report No. PNW-GTR-254). Portland, OR: USDA, Forest Service, Pacific Northwest Research Station.

Moseley, R. K. (1994). Report on the Conservation Status of Lepidium papilliferum. Boise, ID: Idaho Department of Fish and Game.

Moseley, R. K. (1996). Report on the Conservation Status of Lepidium davisii. Idaho BLM Technical Bulletin No. 96-2. Boise, ID: USDI, Bureau of Land Management, Idaho State Office.

Mote, P. W., Canning, D. J., Fluharty, D. L., Francis, R. C., Franklin, J. K., Hamlet, A. F., Hershman, M., Holmberg, M., Ideker, K. G., Keeton, W., Letternmaier, D., Leung, R., Mantua, N., Miles, E., Noble, B., Parandvash, H., Peterson, D. W., Snover, A., and Willard, S. (1999). Impacts of Climate Variability and Change: Pacific Northwest. Seattle, WA: The JISAO Climate Impacts Group.

Mote, P., Salathe, E., Duliere, V., and Jump, E. (2008). Scenarios of Future Climate for the Pacific Northwest. Seattle, WA: University of Washington, Joint Institute for the Study of Atmosphere and Oceans.

Mueser, P. R. and Graves, P. E. (1995). Examining the Role of Economic Opportunity and Amenities in Explaining Population Redistribution. Journal of Urban Economics, 37 (2), 176-200.

Muhlfeld, C. C. (2002). Spawning characteristics of redband trout in a headwater stream in Montana. North American Journal of Fisheries Management (22), 1314-1320.

Muhlfeld, C. C., Bennet, D. H., and Marotz, B. (2001a). Summer habitat use by Columbia River redband trout in the Kootenai River drainage, Montana. North American Journal of Fisheries Management (21), 223-235.

Muhlfeld, C.C., Bennet, D. H., and Marotz, B. (2001b). Fall and winter habitat use and movement by Columbia River redband trout in a small stream in Montana. North American Journal of Fisheries Management (21), 170-177.

Mule Deer Working Group. (2004). North American Mule Deer Conservation Plan. Western Association of Fish and Wildlife Agencies.

Munger, J. C. and Oelrich, K. (2006). Columbia Spotted Frog Great Basin Population (Owyhee Subpopulation) Long-Term Monitoring Plan (Cost Share Report No. 006G106180). Boise, ID: Boise State University.

Myers, D. (1987). Community-Relevant Measurement of Quality of Life: A Focus on Local Trends. Urban Affairs Quarterly, 23, 108-125.

Myler, C. D., Mladenka, G. C., and Minshall, G. W. (2007). Trend Analysis Shows Decline of an Endagered Termophilic Springsnail (Pyrgulopsis bruneauensis) in Southwestern Idaho. Western North American Naturalist 67(2),199-205.

Nader, G., Henkin, Z., Smith, E., Ingram, R., and Narvaez, N. (2007). Planned Herbivory in the Management of Wildfire Fuels. Rangelands, 29(5), 18-24.

Naiman, R. J., Decamps, H., and Pollock, M. (1993). The Role of Riparian Corridors in Maintaining Regional Biodiversity. Ecological Applications, 3(2), 209-212.

Naiman, R. J., Johnson, C. A., and Kelley, J. C. (1988). Alteration of North American Streams by Beaver. BioScience, 38(11), 753-762.

National Invasive Species Council. (2008). 2008-2012 National Invasive Species Management Plan.

NatureServe. (2002). Element Occurrence Data Standard. Rosslyn, VA: NatureServe, in cooperation with the Network of Natural Heritage Programs and Conservation Data Centers.

Naugle, D. E., Doherty, K. E., Walker, B. L., Holloran, M. J., and Copeland, H. E. (2011). Chapter 20: Energy development and Greater sage-grouse. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

NCDC. (2012). Historic Palmer Drought Indices for May through September from 1904 to 2011. Retrieved on August 16, 2012 from the National Climatic Data Center at http://www.ncdc.noaa.gov.

NDEP. (2013). Nevada 2008-10 Water Quality Integrated Report with EPA Overlisting. Carson City, NV: Nevada Division of Environmental Protection.

NDOW. (2000). Sub-Plan for Elk Management in the Jarbidge mountains, Nevada. Elko, NV: Nevada Department of Wildlife.

NDOW. (2005a). Bull Trout Species Management Plan for the Nevada Portion of the Jarbidge River Drainage Basin. Elko, NV: Nevada Department of Wildlife.

NDOW. (2005b). Nevada Comprehensive Wildlife Conservation Strategy. Elko, NV: Nevada Department of Wildlife.

NDOW. (2012a). Personal communication with Matt Jeffress. Elko, NV: Wildlife Biologist, Nevada Department of Wildlife; on June 4, 2012.

NDOW. (2012b). Nevada Wildlife Action Plan. Reno, NV: Wildlife Action Plan Team, Nevada Department of Wildlife.

Neff, J. C., Ballantyne, A. P., Farmer, G. L., Mahowald, N. M., Conroy, J. L., Landry, C. C., Overpeck, J. T., Painter, T. H., Lawrence, C. R., and Reynolds, R. L. (2008). Increasing Eolian Dust Deposition in the Western United States Linked to Human Activity. Nature Geoscience, 1, 1-7.

Nelle, P. J., Reese, K. P., and Connelly, J.W. (2000) Long-term effects of fire on sage-grouse habitat. Journal of Range Management, 53(6),586-591.

Nelson, J. R. and Leege, T. A. (1982). Nutritional Requirements and Food Habits. In J. W. Thomas and D. E. Toweill (Eds.), Elk of North America Ecology and Management (pp. 323-368). Harrisburg, PA: Stackpole Books.

Nelson, R. L., McHenry, M. L., and Platts, W. S. (1991). Mining. In W. R. Meehan (Ed.), Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats (Vol. 19, pp. 425-457). Bethesda, MD: USDA, Forest Service.

Nevada Department of Agriculture. (2008). Noxious Weed List. Retrieved March 19, 2010, from http://agri.nv.gov/nwac/PLANT_NoxWeedList.htm.

New Mexico Department of Game and Fish. (2005). Habitat Fragmentation and the Effects of Roads on Wildfire and Habitats. Santa Fe, NM: New Mexico Department of Game and Fish.

Newbold, T. A. S. (2005). Desert Horned Lizard (Phrynosoma platyrhinos) Locomotor Performance: the Influence of Cheatgrass (Bromus tectorum). The Southwestern Naturalist, 50 (1), 17-23.

Newlon, K. R. and Saab, V. A. (2011). Nest Site Selection and Nest Survival of Lewis's Woodpecker in Aspen Riparian Woodlands. The Condor, 113 (1), 183-193.

NOAA. (2009). The Use of Treated Wood Products in Aquatic Environments: Guidelines to West Coast NOAA Fisheries Staff for Endangered Species Act and Essential Fish Habitat Consultations in the Alaska, Northwest and Southwest Regions. NOAA Fisheries Southwest Region.

Norris, L. A., Lorz, H. W., and Gregory, S. V. (1991). Forest Chemicals. In W. R. Meehan (Ed.), Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitat (Vol. 19, pp. 207-296). Bethesda, MD: USDA, Forest Service.

Noss, R. F., LaRoe, E. T., and Scott, J. M. (1995). Endangered Ecosystems of the United States: A Preliminary Assessment of Loss and Degradation (Biological Report No. 28). Washington, DC: USDI, National Biological Service.

NPS. (1999). Comprehensive Management and Use Plan Update, Final Environmental Impact Statement, Oregon National Historic Trail. Salt Lake City, UT: USDI, National Park Service.

NPS. (2004). Nationwide Rivers Inventory. Seattle, WA: USDI, National Park Service. Available at http://www.nps.gov/ncrc/programs/rtca/nri/index.html.

NRCS. (1991). Soil Survey of Elmore County Area, Idaho. Boise, ID: USDA, Natural Resources Conservation Service.

NRCS. (1997). Introduction to Microbiotic Crusts. USDA, Natural Resources Conservation Service.

NRCS. (1998). Soil Survey of Elko County, Northeast Part. Elko, NV: USDA, Natural Resources Conservation Service.

NRCS. (2003a). Invasive and Noxious Weeds: Nevada State-listed Noxious Weeds. PLANTS Database Retrieved March 19, 2010, from http://plants.usda.gov/java/noxious?rptType=State&statefips=32. Greensboro, NC: Natural Resource Conservation Service, National Plant Data Team.

NRCS. (2003b). Soil Survey of Jerome County and Part of Twin Falls County. Boise, ID: USDA, Natural Resources Conservation Service.

NRCS. (2003c). Soil Survey of Owyhee County Area, Part 1. Boise, ID: USDA, Natural Resources Conservation Service.

NRCS. (2012a). Soil Survey Geographic (SSURGO) Database for Elmore, Owhyee, and Twin Falls Counties, Idaho. Boise, ID: USDA, Natural Resources Conservation Service, Soil Survey Staff, Retreived in August, 2012 from http://soildatamart.nrcs.usda.gov.

NRCS. (2012b). Invasive and Noxious Weeds: Idaho State-listed Noxious Weeds. PLANTS Database (http://plants.usda.gov). Greensboro, NC: Natural Resource Conservation Service, National Plant Data Team.

NREL. (2009a). Solar Resource Classes. Retrieved June 29, 2009, from http://mercator.nrel.gov/csp/.

NREL. (2009b). Southwest Concentrating Solar Power 1000-MW Initiative. Retrieved June 29, 2009, from http://nrel.gov/csp/1000mw_initiative.html.

NREL. (2009c). Job and Economic Development Impact Models. Retrieved November 2009, from http://www.nrel.gov/analysis/jedi/.

Nunney, L. (2002). The Effective Size of Annual Plant Populations: The Interaction of a Seed Bank with Fluctuation Population Size in Maintaining Genetic Variation. The American Naturalist, 160(2), 195-204.

O'Brien, C. S., Waddell, R. B., Rosenstock, S. S. and Rabe, M. J. (2006). Wildlife Use of Water Catchments in Southwestern Arizona. Wildlife Society Bulletin, 34(3), 582-591.

O'Gara, B. W. and Yoakum, J. D. (2004). Pronghorn Ecology and Management. Boulder, CO: University Press of Colorado.

O'Dea, M. E. and Guertin, D. P. (2003). Prescribed Fire Effects on Erosion Parameters in a Perennial Grassland. Journal of Range Management, 56(1), 27-32.

Odum, E. P. (1971). Fundamentals of Ecology (3rd ed.). Philadelphia, PA: W. B. Saunders Co.

Olendorff, R. R. (1993). Status, Biology and Management of Ferruginous Hawks: A Review. Boise, ID: USDI, Bureau of Land Management, Raptor Research and Technical Assistance Center.

Olson, B. E. and Wallander, R. T. (1998). Effect of Sheep Grazing on a Leafy Spurge-Infested Idaho Fescue Community. Journal of Range Management, 51(2), 247-252.

Osborn, A., Vetter, S., Hartley, R., Walsh, L., and Brown, J. (1987). Impacts of Domestic Livestock Grazing on the Archeological Resources of Capitol Reef National Park, Utah. Springfield, VA: US Department of Commerce.

O'Shea, T. J., Clark, Jr., D. R., and Boyle, T. P. (2001). Impacts of Mine-Related Contaminants on Bats. In K. C. Vories and D. Throgmorton (Eds.), Proceedings on Bat Conservation and Mining (pp. 17). Alton, IL: USDI, Office of Surface Mining, Reclamation and Enforcement.

Otting, N. J. (1999). Ecological Characteristics of Montane Floodplain Plant Communities in the Upper Grande Ronde Basin, Oregon. Unpublished Thesis, Oregon State University, Corvallis, OR.

Ouren, D. S., Haas, C., Melcher, C. P., Stewart, S. C., Ponds, P. D., Sexton, N. R., Burris, L, Fancher, T., and Bowen, Z. H. (2007). Environmental Effects of Off-Highway Vehicles on Bureau of Land Management Lands: A Literature Synthesis, Annotated Bibliographies, Extensive Bibliographies, and Internet Resources. (U.S. Geological Survey Open-File Report 2007-1353). Reston, VA: USDI, U.S. Geological Survey.

Overton, C. K., McIntyre, J. D., Armstrong, R., Whitwell, S. L., and Duncan, K. A. (1995). User's Guide to Fish Habitat: Descriptions that Represent Natural Conditions in the Salmon River Basin, Idaho (General Technical Report No. INT-GTR-322). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

Overton, C. K., Wollrab, S. P., Roberts, B. C., and Radko, M. A. (1997). R1/R4 (Northern/Intermountain Regions) Fish and Fish Habitat Standard Inventory Procedures Handbook (General Technical Report No. INT-GTR-346). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

Padgett, P. E., Meadows, D., Eubanks, E., and Ryan, W. E. (2007). Monitoring Fugitive Dust Emisions from Off-Highway Vehicles Traveling on Unpaved Roads and Trails Using Passive Samplers. Environmental Monitoring Assessment, 144, 93-103.

Pagel, J. E., Whittingon, D. M., and Allen, G. T. (2010). Interim Golden Eagle Technical Guidance: Inventory and Monitoring Protocol and Other Recommendations in Support of Golden Eagle Management and Permit Issuance. Washington, DC: USDI, Fish and Wildlife Service.

Papouchis, C. M., Singer, F. J., and Sloan, W. B. (2001). Response of Desert Bighorn Sheep to Increased Human Recreation. Journal of Wildlife Management, 65(3), 573-582.

Parker, K. L., Barboza, P. S., and Gillingham, M. P. (2009). Nutrition Integrates Environmental Responses of Ungulates. Functional Ecology, 23, 57-69.

Parker, K. L., Robbins, C. T., and Hanley, T. A. (1984). Energy expenditures for locomotion by mule deer and elk. Journal of Wildlife Management, 48(2), 474-488.

Parker, P. L. and King, T. F. (1998). Guidelines for Evaluating and Documenting Traditional Cultural Properties (National Register Bulletin). Washington, D. C.: USDI, National Park Service.

Parson, E. A., Mote, P. W., Hamlet, A., Mantua, N., Snover, W. K., Miles, E., Canning, D., Ideker, K. G. (2001). Potential Consequences of Climate Variability and Change for the Pacific Northwest. In Climate Change Impacts on the United States: the Potential Consequences of Climate Variability

and Change. A Report for the US Global Change Research Program. Cambridge, UK: Cambridge University Press.

Patla, D. A., Keinath, D. A., McGee, M., and Pilliod, D.S. (2005). Species Assessment for Columbia Spotted Frog (Rana luteiventris) in Wyoming. Pocatello, ID: Idaho State University.

Payer, D. C. and Coblentz, B. E. (1997). Seasonal Variation in California Bighorn Ram (Ovis canadensis californiana) Habitat Use and Group Size. Northwest Science, 71 (4), 281-288.

Peek, J. M. (2003). Wapiti (Cervus elaphus). In G. A. Feldhamer, B. C. Thompson, and J. A. Chapman (Eds.), Wild Mammals of North America: Biology, Management, and Conservation (2nd ed., pp. 877-888). Baltimore and London: The John Hopkins University Press.

Pellant, M. (1990). The Cheatgrass-Wildfire Cycle - Are There Any Solutions? (General Technical Report No. INT-276). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

Pellant, M., Shaver, P., Pyke, D. A., and Herrick, J. E. (2005). Interpreting Indicators of Rangeland Health, Version 4 (Technical Reference No. 1734-6). Denver, CO: USDI, Bureau of Land Management, National Science and Technology Center.

Peters, E. F. and Bunting, S. C. (1994). Fire Conditions and Pre- and Post-Occurrence of Annual Grasses on the Snake River Plain. General Technical Report No. INT-GTR-313. Ogden, UT: USDA, Forest Service, Intermountain Research Station.

Peterson, J. A. (1995). Idaho-Snake River Downwarp Province (017). USGS National Oil and Gas Assessment, USGS Digital Data Series DDS-30, Release 2 (available at http://certmapper.cr.usgs.gov/data/noga95/prov17/text/prov17.pdf).

Peterson, K. L. and Best, L. B. (1985a). Nest-site Selection by Sage Sparrows. The Condor, 87 (2), 217-221.

Peterson, K. L. and Best, L. B. (1985b). Brewer's Sparrow Nest-site Characteristics in a Sagebrush Community. Journal of Field Ornithology, 56 (1), 23-27.

Pierce, B. M. and Bleich, V. C. (2003). Mountain Lion (Puma concolor). In G. A. Feldhamer, B. C. Thompson, and J. A. Chapman (Eds.), Wild Mammals of North America: Biology, Management, and Conservation (2nd ed., pp. 744-757). Baltimore and London: The John Hopkins University Press.

Pierson, F. B. and Wight, J. R. (1991). Variability of Near-Surface Soil Temperature on Sagebrush Rangeland. Journal of Range Management, 44(5), 491-497.

Pierson, F. B., Bates, J. D., Svejcar, T. J., and Hardegree, S. P. (2007). Runoff and Erosion After Cutting Western Juniper. Rangeland Ecology and Management, 60(3), 285-292.

Pitman, J. C., Hagen, C. A., Robel, R. J., Loughlin, T. M., and Applegate, R. D. (2005). Location and Success of Lesser Prairie-Chicken Nests in Relation to Vegetation and Human Disturbance. Journal of Wildlife Management, 69(3), 1259-1269.

Pitt, M. D. (1986). Assessment of Spring Defoliation to Improve Fall Forage Quality of Bluebunch Wheatgrass (Agropyron spicatum). Journal of Range Management, 39(2), 175-181.

Platou, K. A. and Tueller, P. T. (1985). Evolutionary Implications for Grazing Management Systems. Rangelands, 7(2), 57-61.

Platt, K. and Jackman, E. R. (1946). The Cheatgrass Problem in Oregon (Extension Bulletin No. 668). Corvallis, OR: Oregon State College.

Platts, W. S. (1991). Livestock Grazing. In W. R. Meehan (Ed.), Influences of Forest and Rangeland Management on Salmonid Fishes and Their Habitats (Vol. 19, pp. 389-423). Bethesda, MD: USDA, Forest Service.

Pollock, M. M., Beechie, T. J. and Jordan, C. E. (2007). Geomorphic Changes Upstream of Beaver Dams in Bridge Creek, an Incised Stream Channel in the Interior Columbia River Basin, Eastern Oregon. Earth Surface Processes and Landforms, 32(8),1174-1185.

Ponzetti, J. M. and McCune, B. P. (2001). Biotic Soil Crusts of Oregon's Shrub Steppe: Community Composition in Relation to Soil Chemistry, Climate, and Livestock Activity. Bryologist, 104(2), 212-225.

Ponzetti, J. M., McCune, B. P., and Pyke, D. A. (2007). Biotic Soil Crusts in Relation to Topography, Cheatgrass and Fire in the Columbia Basin, Washington. Bryologist, 110(4), 706-722.

Poole, K. G. and Mowat, G. (2005). Winter Habitat Relationships of Deer and Elk in the Temperate Interior Mountains of British Columbia. Wildlife Society Bulletin, 33(4), 1288-1302.

Popolizio, C. A., Goetz, H., and Chapman, P. L. (1994). Short-Term Response of Riparian Vegetation to Four Grazing Treatments. Journal of Range Management, 47(1), 48-53.

Popovich, S. J. (2009). Analysis of Lepidium papilliferum: Abundance on the Inside Desert 2000-2002. Boise, ID: US FWS, Idaho Fish and Wildlife Office.

Prather, P. R. and Messmer,T.A. (2010). Raptor and corvid response to power line distribution line perch deterrents in Utah. Journal of Wildlife Management, 74(4),796-800.

Prichard, D., Anderson, J., Correll, C., Fogg, J., Gebhardt, K., Krapf, R., Leonard, S., Mitchell, B., and Staats, J. (1998a). Riparian Area Management: A User Guide to Assessing Proper Functioning Condition and the Supporting Science for Lotic Areas (Technical Reference No. 1737-15). Denver, CO: USDI, Bureau of Land Management; USDA, Forest Service; and USDA, Natural Resources Conservation Service.

Prichard, D., Bridges, C., Krapf, R., Leonard, S., and Hagenbuck, W. (1998b). Riparian Area Management: Process for Assessing Proper Functioning Condition for Lentic Riparian-Wetland Areas (Revised Technical Reference No. 1737-11). Denver, CO: USDI, Bureau of Land Management.

Prichard, D., Barrett, H., Cagney, J., Clark, R., Fogg, J., Gebhardt, K., Hansen, P., Mitchell, B., and Tippy, D. (1993). Riparian Area Management: Process for Assessing Proper Functioning Condition (Revised Technical Reference No. 1737-9). Denver, CO: USDI, Bureau of Land Management.

Prichard, D., Berg, F., Hagenbuck, W., Krapf, R., Leinard, R., Leonard, S., et al. (2003). Riparian Area Management: A User Guide to Assessing Proper Functioning Condition and the Supporting Science for Lentic Areas (Revised Technical Reference No. 1737-16). Denver, CO: USDI, Bureau of Land Management; USDA, Forest Service; and USDA, Natural Resources Conservation Service.

Prosser, C. W., Sedivec, K. K., and Barker, W. T. (2000). Tracked Vehicle Effects on Vegetation and Soil Characteristics. Journal of Range Management, 53(6), 666-670.

Pyrah, D. B. (1987). American Pronghorn Antelope in the Yellow Water Triangle, Montana: A Study of Social Distribution, Population Dynamics and Habitat Use. Montana Department of Fish, Wildlife and Parks.

Quigley, T. M. and Arbelbide, S. J. (Eds.). (1997). An Assessment of Ecosystem Components in the Interior Columbia Basin and Portions of the Klamath and Great Basins (General Technical Report PNW-GTR-405). Portland, OR: USDA, Forest Service, Pacific Northwest Research Station.

Rabe, M. J. and Rosentstock, S. S. (2005). Influence of Water Size and Type on Bat Captures in the Lower Sonoran Desert. Western North American Naturalist, 65, 87-90.

Rachlow, J. L., Sanchez, D. M., and Estes-Zumpf, W. A. (2005). Natal Burrows and Nests of Free Ranging Pygmy Rabbits (Brachylagus idahoensis). Great Basin Naturalist, 65 (1), 136-139.

Radl, V., Gattinger, A., Chronakova, A., Nemcova, A., Cuhel, J., Simek, M., Munch, J. C., Schloter, M. and Elhottová, D. (2007). Effects of Cattle Husbandry on Abundance and Activity of Methanogenic Archaea in Upland Soils. ISME Journal, 1, 443-452.

Raleigh, R. F., Hickman, T., Solomen, R. C., and Nelson, P. C. (1984). Habitat suitability information: Rainbow trout. FWS/OBS-82/10.60. Fort Collins, CO: US Fish Wildlife Service.

Ralphs, M. H., Kothman, M. M., and Taylor, C. A. (1990). Vegetation Response to Increased Stocking Rates in Short-Duration Grazing. Journal of Range Management, 43(2), 104-108.

Rau, B. M., Chambers, J. C., Blank, R. R., and Miller, W. W. (2005). Hydrologic Response of a Central Nevada Pinyon-Juniper Woodland to Prescribed Fire. Rangeland Ecology and Management, 58(6), 614-622.

Rawls, W., Brakensiek, D. L., and Savabi, M. R. (1989). Infiltration Parameters for Rangeland Soils. Journal of Range Management, 42(2), 139-142.

Redmond, R. L. and Jenni, D. A. (1986). Ecology of the Long-billed Curlew (Numenius americanus) in Western Idaho. The Auk, 103 (4),755-767.

Reed, D. H. and Frankham, R. (2003). The Correlation between Population Fitness and Genetic Diversity. Conservation Biology, 17, 230-237.

Regional Interagency Executive Committee and Intergovermental Advisory Committee. (1995). Ecosystem Analysis at the Watershed Scale: A Federal Guide for Watershed Analysis. Version 2.2. Portland, OR: Regional Ecosystem Office.

Renfrew, R. B. and Ribic, C. A. (2003). Grassland Passerine Nest Predators Near Pasture Edges Identified on Videotape. Auk, 120(2), 371-383.

Renfrew, R. B., Ribic, C. A., and Nack, J. L. (2005). Edge Avoidance by Nesting Grassland Birds: A Futile Strategy in a Fragmented Landscape. Auk, 122(2), 618-636.

Resource Planning Unlimited Inc. (2003a). Idaho Agricultural Best Management Practices: A Field Guide for Evaluating BMP Effectiveness. Boise, ID: Idaho Department of Environmental Quality, Idaho Soil Conservation Commision.

Resource Planning Unlimited Inc. (2003b). Idaho Agricultural Pollution Abatement Plan. Boise, ID: Idaho Department of Environmental Quality, Idaho Soil Conservation Commision.

Responsive Management and National Shooting Sports Foundation. (2009). Issues Related to Hunting Access in the United States: Idaho Results. Washington, DC: U.S. Fish and Wildlife Service.

Reynolds, T. D. and Trost, C. H. (1980). The Response of Native Vertebrate Populations to Crested Wheatgrass Planting and Grazing by Sheep. Journal of Range Management, 33(2), 122-125.

Reynolds, T. D., Rich, T. D., and Stephens, D. A. (1999). Sage Thrasher (Oreoscoptes montanus), No. 463. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/463.

Rich, T. (1980). Nest Placement in Sage Thrashers, Sage Sparrows, and Brewer's Sparrows. Wilson Bulletin, 92 (3), 362-368.

Richardson, C. T. and Miller, C. K. (1997). Recommendations for Protecting Raptors from Human Disturbance: A Review. Wildlife Society Bulletin, 25(3), 634-638.

Richardson, D. M., Pysek, P., Rejmanek, M., Barbour, M., Panetta, F. D., and West, C. J. (2000). Naturalization and Invasion of Alien Plants: Concepts and Definitions. Diversity and Distributions, 6, 93-107.

Rieman, B. E. and McIntyre, J. D. (1993). Demographic and Habitat Requirements for Conservation of Bull Trout. General Technical Report No. INT-GTR-302. Boise, ID: USDA, Forest Service, Intermountain Research Station.

Rieman, B. E. and Myers, D. L. (1997). Use of Redd Counts to Detect Trends in Bull Trout (Salvelinus confluentus) Populations. Conservation Biology 11(4), 1015-1018.

Rieman, B. and Clayton, J. (1997). Wildfire and Native Fish: Issues of Forest Health and Conservation of Sensitive Species. Fisheries, 22(11), 6-15.

Rieman, B., Lee, D., Chandler, G., and Myers, D. (1997). Does Wildlife Threaten Extinction for Salmonids? Responses of Redband Trout and Bull Trout Following Recent Large Fires on the Boise National Forest. In J. Greenlee (Ed.), Proceedings of the Symposium on Fire Effects on Threatened and Endangered Species and Habitats (pp. 47-57). Fairfield, WA: International Association of Wildland Fire.

Robel, R. J., Hughes, J. P., Keane, T. D., and Kemp, K. E. (2003). Do Artificial Nests Reveal Meaningful Patterns of Predation in Kansas Grasslands? Southwestern Naturalist, 48(3), 460-464.

Robertson, I. (2004). Importance of Outcrossing for Fruit Production in Slickspot Peppergrass, Lepidium papilliferum L. (Brassicaceae). Western North American Naturalist, 64(2), 265-268.

Robertson, I. C. and Klemash, D. (2003). Insect-Mediated Pollination in Slickspot Peppergrass, Lepidium papilleferum L. (Brassicaceae), and Its Implications for Population Viability. Western North American Naturalist, 63(3), 333-342.

Rogers, R. W. and Lange, R. T. (1971). Lichen Populations on Arid Soil Crusts Around Sheep Watering Places in South Australia. Oikos, 22(1), 93-100.

Rollins, K., Castledine, A., Swanson, S., Evans, M. D. R., McAdoo, K., Schultz, B., et al. (2007a). The 2005 Nevada Rangeland Vegetation Survey: General Public Questionnaire and Survey of Responses (Special Publication No. SP07-11). Reno, Nevada: University of Nevada Cooperative Extension.

Rollins, K., Evans, M. D. R., Christman, L., and Landis, M. (2007b). Wildfire! A Survey of Nevadans' Risks, Responsibilities, and Actions. Reno, Nevada: University of Nevada Cooperative Extension and Department of Resource Economics, USDA, Forest Service.

Rosenthal, L. R. (2007). Evaluation of Distribution and Fish Passage in Relation to Road Culverts in Two Eastern Montana Prairie Streams. Unpublished Thesis, Montana State University, Bozeman, MT.

Rosentreter, R. (1994). Displacement of Rare Plants by Exotic Grasses (General Technical Report No. INT-GTR-313). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

Rosentreter, R. and Pellant, M. (2006). Site Potential for Biological Soil Crusts Crust Development Based on Biological and Physical Factors (Technical Reference #2006). Boise, ID: USDI, Bureau of Land Management.

Rost, G. R. and Bailey, J. A. (1979). Distribution of Mule Deer and Elk in Relation to Roads. Journal of Wildlife Management, 43(3), 634-641.

Rowland, M. M., Wisdom, M. J., Johnson, B. K., and Kie, J. G. (2000). Elk Distribution and Modeling in Relation to Roads. Journal of Wildlife Management, 64(3), 672-684.

Rowland, M. M., Wisdom, M. J., Suring, L. H., and Meinke, C. W. (2006). Greater Sage-grouse as an Umbrella Species for Sagebrush-Associated Vertebrates. Biological Conservation, 129, 323-335.

Rudeen, C. (2006). Wildlife Data Summary Report for Mountain Home Air Force Base and Mountain Home Range Complex. Mountain Home Air Force Base, ID: US Air Force.

Rudzitis G. and Johnson, R. (2000). The Impact of Wilderness and Other Wildlands on Local Economies and Regional Development Trends. In S. McCool, D. Cole, W. Borrie, and J. O'Loughlin (Eds.), Wilderness Science in a Time of Change Conference-Volume 2: Wilderness within the Context of Larger Systems (Proceedings RMRS-P-15-VOL-2). Ogden, UT: USDA Forest Service, Rocky Mountain Research Station.

Ryan, M., Archer, S., Birdsey, R., Dahm, C., Heath, L., Hicke, J., Hollinger, D., Huxman, T. Okin, G., Oren, R., Randerson, J., and Schlesinger, W. (2008). Land Resources. In M. Walsh (Ed.), The Effects of Climate Change on Agriculture, Land Resources, Water Resources, and Biodiversity. Washington, DC: U.S. Climate Change Science Program.

Ryel, R. J., Caldwell, M. M., Leffler, A. J., and Yoder, C. K. (2003). Rapid Soil Moisture Recharge to Depth by Roots in a Stand of Artemisia tridentata. Ecology, 84(3), 757-764.

Ryel, R. J., Caldwell, M. M., Yoder, C. K., Or, D., and Leffler, A. J. (2002). Hydraulic Redistribution in a Stand of Artemisia tridentata: Evaluation of Benefits to Transpiration Assessed with a Simulation Model. Oecologia, 130(2), 173-184.

Saab, V. A., Bock, C. E., Rick, T. D., and Dobkin, D. S. (1995). Livestock Grazing Effects in Western North America. In T. E. Martin and D. M. Finch (Eds.), Ecology and Management of Neotropical Migratory Birds: A Synthesis and Review of Critical Issues (pp. 311-353). New York, NY: Oxford University Press.

Saab, V. A., Dudley, J., and Thompson, W. L. (2004). Factors Influencing Occupancy of Nest Cavities in Recently Burned Forests. The Condor, 106 (1), 20-36.

Sampson, M. P. (2007). Effects of Off-Highway Vehicles on Archaeological Sites in Red Rock Canyon State Park. Sacramento, CA: California State Parks.

Sandoval, F. M., Fosberg, M. A., and Lewis, G. C. (1959). A Characterization of the Seebree-Chilcott Soil Series Association (Slick Spots) in Idaho. Soil Science Society of America Journal, 23, 317-321.

Sanyal, N., Krumpe, E., and Coombs, D. (2007). 2007 Idaho Mule Deer Hunter Study Final Report. Moscow, ID: University of Idaho, Department of Conservation Social Sciences.

Sather-Blair, S., Makela, P., Carrigan, T., and Anderson, L. (2000). A framework to assist in making sensitive species habitat assessments for BLM-administered public lands in Idaho: sage-grouse

(Centrocercus urophasianus). (Draft Document). Boise, ID: U.S. Bureau of Land Management, Idaho State Office.

Sauer, R. H. (1978). Effect of Removal of Standing Dead Material on Growth of Agropyron spicatum. Journal of Range Management, 31(2), 121-122.

Saunders, W. C. and Fausch, K. D. (2007). Improved Grazing Management Increases Terrestrial Invertebrate Inputs that Feed Trout in Wyoming Rangeland Streams. Transactions of the American Fisheries Society, 136, 1216-1230.

Sawyer, H., Kauffman, M.J., and Nielson, R. M. (2009). Influence of Well Pad Activity on Winter Habitat Selection Patterns of Mule Deer. Journal of Wildlife Management, 73(7),1052-1061.

Sawyer, H., Nielson, R. M., Lindzey, F., and McDonald, L. L. (2006). Winter Habitat Selection of Mule Deer Before and During Development of a Natural Gas Field. Journal of Wildlife Management, 70(2), 396-403.

Sawyer, H., Nielson, R. M., Lindzey, F., Keith, L., Powell, J. H., and Abraham, A. A. (2007). Habitat Selection of Rocky Mountain Elk in a Nonforested Environment. Journal of Wildlife Management, 71(3), 868-874.

Schommer, T. J. and Woolever, M. M. (2008). A Review of Disease Related Conflicts Between Domestic Sheep and Goats and Bighorn Sheep (General Technical Report No. RMRS-GTR-209). Fort Collins, CO: USDA, Forest Service, Rocky Mountain Research Station.

Schulz, T. T. and Leininger, W. C. (1991). Nongame Wildlife Communities in Grazed and Ungrazed Montane Riparian Sites. Great Basin Naturalist, 51(3), 286-292.

Scott, J. H. and Burgan, R. E. (2005). Standard Fire Behavior Fuel Models: A Comprehensive Set for Use with Rothermel's Surface Spread Model (General Technical Report No. RMRS-GTR-153). Fort Collins, CO: USDA, Forest Service, Rocky Mountain Research Station.

Seamans, M. E., Parker, K., and Sanders, T. A. (2011). Mourning Dove Population Status, 2011. Washington, D.C: USDI, Fish and Wildlife Service, Division of Migratory Birds Management.

Sedgwick, J. A. (2000). Willow Flycatcher (Empidonax traillii). In A. Poole and F. Gill (Eds.), The Birds of North America. Philadelphia, PA: American Ornithologists' Union and Academy of Naturalist Sciences at Philadelphia.

Semlitsch, R. D. and Bodie, J. R. (1998). Are Small, Isolated Wetlands Expendable? Conservation Biology, 12(5), 1129-1133.

Sestak, M. (2002). Simple Approach Smoke Estimation Model (SASEM) (Version 4.1.0): USDI, Bureau of Land Management.

Sestak, M. L. and Riebau, A. R. (1988). SASEM: Simple Approach Smoke Estimation Model (Technical Note No. 382). Denver, CO: USDI, Bureau of Land Management.

Shackleton, D. M. (1985) Ovis canadensis. Mammalian Species (230), 1-9.

Shafer, S.L., Barlien, P.J., and Thompson, R.S. (2001). Potential Changes in the Distributions of Western North America Tree and Shrub Taxa under Future Climate Scenarios. Ecosystems, 4(3), 200-215.

Sharp, L. A., Sanders, K., and Rimbey, N. (1990). Forty Years of Change in a Shadscale Stand in Idaho. Rangelands 12(6), 313-328.

Sheldon, D. and Lindzey, F. (2005). Movement and distribution patterns of pronghorn in relation to roads and fences in southwestern Wyoming. Laramie, WY: University of Wyoming.

Sheldon, D., Lindzey, F., and Rudd, B. (2006). Movement and Distribution Patterns of Pronghorn Antelope in Relation to Roads in Southwestern Wyoming (Final Report No. FHWA-WY-06/02F). Laramie, WY: USDOT, Federal Highway Administration and State of Wyoming Department of Transportation.

Shepard, B. B., Pratt, K. L., and Graham, P. J. (1984). Life Histories of Westslope Cutthroat and Bull Trout in the Upper Flathead River Basin, Montana. Kalispell, MT: Montana Department of Fisheries, Wildlife, and Parks.

Shepherd, J. F. (2007). Landscape-Scale Habitat Use by Greater Sage-Grouse (Centrocercus urophasianus) in Southern Idaho. Dissertation, University of Idaho, Moscow, ID.

Short, H. L., Dietz, D. R., and Remminga, E. E. (1966). Selected Nutrients in Mule Deer Browse Plants. Ecology, 47 (2), 222-229.

Sigler, W. F. and Sigler, J. W. (1987). Fishes of the Great Basin: A Natural History. Reno, NV: University of Nevada Press.

Simpson, N.O., Stewart, K.M., and Bleich. (2011). What Have we Learned about Water Developments for Wildlife? Not Enough! California Fish and Game, 97(4), 190-209.

Singer, F. J. and Zeigenfuss, L. (2000). Genetic Effective Population Size in the Pryor Mountain Wild Horse Herd: Implications for Conservation Genetics and Viability Goals in Wild Horses (Resource Notes No. 29). Denver, CO: USDI, Bureau of Land Management.

Singer, F. J., Schreier, W., Oppendheim, J., and Garton, E. O. (1989). Drought, Fires, and Large Mammals. BioScience, 39(10), 716-722.

Skovlin, J. M. (1984). Impacts of Grazing on Wetlands and Riparian Habitat: A Review of Our Knowledge. In National Research Council (Ed.), Developing Strategies for Rangeland Management (pp. 1001-1103). Boulder, CO: Westview Press.

Slater, S. J. and Smith, J. P. (2010). Effectiveness of raptor perch deterrents on an electrical transmission line in southwestern Wyoming. Journal of Wildlife Management, 74(5), 1080-1088.

Smallwood, K. S. and Thelander, C. (2008). Bird Mortality in the Altamont Pass Wind Resource Area, California. Journal of Wildlife Management, 72, 215-223.

Smith, D. G., Murphy, J. R., and Woffinden, N. D. (1981). Relationships Between Jackrabbit Abundance and Ferruginous Hawk Reproduction. Condor, 83, 52-56.

Smith, G. R., Swirydezuk, K., Kimmel, P. G., and Wilkinson, B. H. (1982). Fish Biostatigraphy of Late Miocene to Pleistocene Sediments of the Western Snake River Plain, Idaho. In B. Bonnichsen and R. M. Breckinridge (Eds.), Cenozoic Geology of Idaho (pp. 519-541). Sandpoint, ID: Idaho Bureau of Mines and Geology.

Smith, J. F., Stillman, A. J., Larson, S. R., Culumber, C. M., Robertson, I. C., and Novak, S. J. (2009). Phylogenetic Relationships Among Lepidium Papilliferum. Journal of the Torrey Botanical Society, 136, 149-163.

Smith, R. B. (2012). Columbian Sharp-tailed Grouse Reintroduction and Lek Inventory for Idaho Bureau of Land Management, Malad, Burley and Jarbidge Field Offices Final Report. Jerome, ID: Idaho Department of Fish and Game, Magic Valley Region.

Smith, R. H., Berry, G. W., and Grim, P. J. (1980). Geothermal Resources of Idaho Map (Plate 1) in Geothermal Investigations in Idaho: Potential for Direct Heat Application of Geothermal Resources. Idaho Department of Water Resources Water Information Bulletin No. 30 Part 9.

Smyser, T., Garton, E. O., and Zager, P. (2005). Pronghorn Productivity and Pronghorn Nutrition during Lactation. In The Influence of Habitat Variables on Pronghorn Recruitment (pp.13-22). Boise, ID: Idaho Department of Fish and Game.

Sperry, L. J., Belnap, J., and Evans, R. D. (2006). Bromus tectorum Invasion Alters Nitrogen Dynamics in an Undisturbed Arid Grassland Ecosystem. Ecology, 87(3), 603-615.

Squires, J. R. and Reynolds, R. T. (1997). Northern Goshawk (Accipiter gentilis). In A. Poole and F. Gill (Eds.), The Birds of North America (pp.1-32). Philadelphia, PA: American Ornithologists Union.

Stanton, N. L. (1988). The Underground in Grasslands. Annual Review of Ecology and Systematics, 19, 573-589.

Steenhof, K. (1998). Prairie Falcon (Falco mexicanus), No 346. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/346.

Steenhof, K., Kochert, M. N., and Roppe, J. A. (1993). Nesting by Raptors and Common Ravens on Electrical Transmission Line Towers. Journal of Wildlife Management, 57(2), 271-281.

Steenhof, K., Kochert, M. N., Carpenter, L. B., and Lehman, R. N. (1999). Long-Term Prairie Falcon Population Changes in Relation to Prey Abundance, Weather, Land Uses, and Habitat Conditions. Condor, 101, 28-41.

Steenhof, K., Yensen, E., Kochert, M. N., and Gage, K. L. (2006). Populations and Habitat Relationships of Piute Ground Squirrels of Southwestern Idaho. Western North American Naturalist, 66 (4), 482-491.

Steinberg, P. D. (2002). Artemisia arbuscula. Missoula, MT: USDA, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory.

Steinfeld, H., Gerber, P., Wassenaar, T., Castel, V., Rosales, M., and de Haan, C. (2006). Livestock's Long Shadow: Environmental Issues and Options. Rome, Italy: Food and Agriculture Organization of the United Nations.

Stephenson, G. R. and Veigel, A. (1987). Recovery of Compacted Soil on Pastures Used for Winter Cattle Feeding. Journal of Range Management, 40, 46-48.

Stevens, B. S. (2011). Impacts of fences on Greater sage-grouse in Idaho: collision, mitigation and spatial ecology. (M. S. Thesis). Moscow, ID: University of Idaho.

Stevens, B. S., Connelly, J. W., and Reese, K. P. (2012). Multi-scale Assessment of Greater Sage-grouse Fence Collision as a Function of Site and Broad Scale Factors. Journal of Wildlife Management, 76 (7), 1370-1380.

Stevens, B. S., Reese, K. P., and Connelly, J. W. (2011). Survival and Detectability Bias of Avian Fence Collision Surveys in Sagebrush Steppe. Journal of Wildlife Management, 75(2), 437-449.

Stevens, R. (2004). Incorporating Wildlife Habitat Needs into Restoration and Rehabilitation Projects. In S. B. Monsen, R. Stevens, and N. L. Shaw (Eds.), Restoring Western Ranges and Wildlands (Vol. 1, pp. 155-174). Fort Collins, CO: USDA, Forest Service, Rocky Mountain Research Station.

Stevens, R. and Monsen, S. B. (2004). Guidelines for Restoration and Rehabilitation of Principal Plant Communities. In S. B. Monsen, R. Stevens and N. L. Shaw (Eds.), Restoring Western Ranges and Wildlands (Vol. 1, pp. 199-294). Fort Collins, CO: USDA, Forest Service, Rocky Mountain Research Station.

Stewart, K. M., Bowyer, R. T., Kie, J. G., Cimon, N. J., and Johnson, B. K. (2002). Temporospatial Distributions of Elk, Mule Deer, and Cattle: Resource Partitioning and Competitive Displacement. Journal of Mammalogy, 83, 229-244.

Stickney, P. F. (1966). Utilization Based on Percentage of Twig Numbers Browsed. Journal of Wildlife Management, 30 (1), 204-206.

Stohlgren, T. J., Otsuki, Y., Villa, C. A., Lee, M., and Belnap, J. (2001). Patterns of Plant Invasions: A Case Example in Native Species Hotspots and Rare Habitats. Biological Invasions, 3, 37-50.

Straccia, F. G., Wilkinson, B. H., and Smith, G. R. (1990). Miocene lacustrine algal reefs – southwestern Snake River Plain, Idaho. Sedimentary Geology, 67, 7-23.

Strait, R., Roe, S., Bailie, A., Lindquist, H., and Jamison, A. (2008). Idaho Greenhouse Gas Inventory and Reference Case Projections 1990-2020. Boise, ID: Idaho Department of Environmental Quality.

Strand, E. K., Brockett, B. H., Goehring, B. J., Hatch, S., Kuchy, A. L., Stebleton, A. A., and Launchbaugh, K. L. (2007). Individual Summaries of Published Scientific Literature Related to the Interactions among Grazing, Fire, and Invasive Plants in the Sagebrush Steppe Ecosystem. Moscow, ID: University of Idaho.

Stynes, D. J. and White, E. M. (2005). Spending Profiles of National Forest Visitors, NVUM Four Year Report. East Lansing, MI: Michigan State University, USDA Forest Service.

Sullivan III, A. P., Uphus, P. M., Roos, C. I., and Mink II, P. B. (2002). Inadvertent Vandalism: The Hidden Challenge for Heritage Resource Management. Cultural Resource Management, 2, 42-45.

Svejcar, T. (2003). Applying Ecological Principles to Wildland Weed Management. Weed Science, 51(2), 266-270.

Swanson, D. A. (1998). Effects of Management Practices on Grassland Birds: Savannah Sparrow. Retrieved February 14, 2001, from http://www.npwrc.usgs.gov/resource/literatr/grasbird/savannah/savannah.htm.

Swanson, F. J., Gregory, S. V., Sedell, J. R., and Campbell, A. G. (1982). Land-Water Interaction: The Riparian Zone. In R. L. Edmonds (Ed.), Analysis of Coniferous Forest Ecosystems in the Western United States (pp. 267-291). Stroudsburg, PA: Hutchinson Ross.

Switalski, T. A., Bissonette, J. A., DeLuca, T. H., Luce, C. H., and Madej, M. A. (2004). Benefits and Impacts of Road Removal. Frontiers in Ecology and the Environment, 2, 21-28.

Tate, K. W., Dudley, D., McDougald, N. K., and George, M. R. (2004). Effect of Canopy and Grazing on Soil Bulk Density. Journal of Range Management, 57(4), 411-417.

Taylor, D. W. (1985). Candidate, Threatened, or Endangered Molluscs in Box Canyon ACEC, Gooding County, Idaho (Order No. ID-050-PH5-0093). Shoshone, ID: USDI, Bureau of Land Management.

Taylor, E. and Toweill, D. E. (2003a). Effects of spring cattle grazing on bighorn sheep habitat use. Abstract of Presented Papers. Desert Bighorn Council Transactions, 47, 54.

Taylor, E. and Toweill, D. E. (2003b). Habitat use by bighorn sheep in remote canyons. Draft Manuscript for Desert Bighorn Council Transactions.

Teensma, P. D. A. (1987). Fire History and Fire Regimes of the Central Western Cascades of Oregon. Unpublished Dissertation, University of Oregon, Eugene, OR.

Telfer, E. S. and Kelsall, J. P. (1984). Adaption of Some Large North American Mammals for Survival in Snow. Ecology, 65 (6), 1828-1834.

Tetra Tech. (2011). Draft Avian and Bat Protection Plan, Eagle Conservation Plan, and Sage grouse Conservation Plan for the China Mountain Wind Project. Portland,OR.

Thines, N. J., Shipley, L. A., and Sayler, R. D. (2004). Effects of Cattle Grazing on Ecology and Habitat of Columbia Basin Pygmy Rabbits (Brachylagus idahoensis). Biological Conservation, 119, 525-534.

Thompson, T. W., Roundy, B. A., McArthur, E. D., Jessop, B. D., Waldron, B., and Davis, J. N. (2006a) Fire rehabilitation using native and introduced species: a landscape trial. Rangeland Ecology and Management, 59(3),237-248.

Thompson, K. M., Holloran, M. J., Slater, S. J., Kuiper, J. L., and Anderson, S. H. (2006b). Early brood-rearing habitat use and productivity of Greater sage-grouse in Wyoming. Western Northwest Naturalist, 66(3),332-342.

Thurow, T. L. and Taylor Jr., C. A. (1999). The Role of Drought in Range Management. Journal of Range Management 52(5), 413-419.

Thurow, T. L. and White, C. M. (1984). Nesting and Prey Selection of Long-eared Owls Along a Juniper/sagebrush Ecotone in Southcentral Idaho. The Murrelet, 65 (1),10-14.

Tilton, M. E. and Willard, E. E. (1982). Winter habitat selection by mountain sheep. Journal of Wildlife Management, 46(2),359-366.

Tirmenstein, D. (1999a). Chrysothamnus nauseosus. In: Fire Effects Information System. USDA, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. Retrieved August 20, 2012, from http://www.fs.fed.us/database/feis/.

Tirmenstein, D. (1999b). Chrysothamnus viscidiflorus. In: Fire Effects Information System. USDA, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. Retrieved August 20, 2012, from http://www.fs.fed.us/database/feis/.

Torbit, S. C., Carpenter, L. H., Swift, D. M., and Alldredge, A. W. (1985). Differential Loss of Fat and Protein by Mule Deer during Winter. Journal of Wildlife Management, 49 (1), 80-85.

Treyz, G. I., Rickman, D. S., Hunt, G. L., and Greenwood, M. J. (1993). The Dynamics of U.S. Internal Migration. The Review of Economics and Statistics, 75 (2), 209-214.

Trombulak, S. C. and Frissell, C. A. (2000). Review of ecological effects of roads on terrestrial and aquatic communities. Conservation Biology, 14(1),18-30.

Turner, M. G., Romme, W. H., Gardner, R. H., and Hardgrove, W. H. (1997). Effects of Fire SIze and Pattern on Early Succession in Yellowstone National Park. Ecological Monographs, 67(4), 411-433.

Tuttle, S. R., Chambers, C. L., and Theimer, T. C. (2006). Potential Effects of Livestock Water-Trough Modifications on Bats in Northern Arizona. Wildlife Society Bulletin 34(3), 602-608.

Ulmschneider, H., Hays, D., Roberts, H., Rachlow, J., Forbes, T., Himes, J., Sequin, E., Haworth, M., Katzner, T., Kozlowski, A., Rausher, R., and Lauridson, P. (2004). Surveying for Pygmy Rabbits. Boise, ID: USDI, Bureau of Land Management, Idaho State Office.

University of Utah, BLM, and USFS. (1990). Intermountain Antiquites Computer System (IMACS) User's Guide: Instructions and Computer Codes for Use with the IMACS Site Form. Logan, UT: University of Utah.

Unsworth, J. W., Pac, D. F., White, G. C., and Bartmann, R. M. (1999). Mule Deer Survival in Colorado, Idaho, and Montana. Journal of Wildlife Management, 63, 315-326.

US Census Bureau. (1990). Census 1990: Summary File 3, Table P5. Washington, D. C.: U.S. Department of Commerce, US Census Bureau.

US Census Bureau. (2000). Census 2000: Summary File 1, Table DP-1. Washington, D. C.: U.S. Department of Commerce, US Census Bureau.

US Census Bureau. (2010a). Census 2010: Summary File 1, Table DP-1. Washington, D. C.: U.S. Department of Commerce, US Census Bureau.

US Census Bureau. (2010b). Profile of General Population and Housing Characteristics: 2010 Demographic Profile Data. Washington, D. C.: US Department of Commerce, US Census Bureau, Accessed at http://factfinder2.census.gov/faces/tableservices/jsf/pages/productview.xhtml?src=bkmk.

US Census Bureau. (2013a). Quick Facts for Idaho and Nevada; Idaho Population Projections for 2015, 2020, and 2025. Retrieved August 22, 2013, from http://www.census.gov/.

US Census Bureau. (2013b). State and County QuickFacts. Retrieved March 5, 2013 from http://quickfacts.census.gov/qfd/index.html.

US Department of Commerce. (2011). Obtained from EPS-HDT Demographics report pages 1, 3, and 4. Washington, D.C.: Census Bureau, American Community Survey Office.

US Department of Commerce. (2012a). Tables CA05, CA05N, CA25, CA25N, CA30 and CA45. Washington, D.C.: Bureau of Economic Analysis, Regional Economic Information System.

US Department of Commerce. (2012b). County Region Income: Poverty, 2010. Washington, D. C.: Census Bureau, American Community Survey Office.

US Department of Health and Human Services. (2010a). Extension of the 2009 Poverty Guidelines until at Least May 31, 2010. Washington, D. C.: US Department of Health and Human Services, Office of the Assistant Secretary for Planning and Evaluation; Accessed at http://aspe.hhs.gov/poverty/09extension.shtml.

US Department of Health and Human Services. (2010b). The HHS Poverty Guidelines for the Remainder of 2010 (August 2010). Washington, D. C.: US Department of Health and Human Services, Office of the Assistant Secretary for Planning and Evaluation; Accessed at http://aspe.hhs.gov/poverty/10poverty.shtml.

USAF. (2002). Final Survey and Mapping Report for Slickspot Peppergrass Habitat and Slickspot Peppergrass at Juniper Butte Range. Mountain Home, ID: United States Air Force.

USAF. (2007a). Environmental Assessment for Republic of Singapore Air Force F-15SG Beddown, Mountain Home AFB. Mountain Home, ID: United States Air Force.

USAF. (2007b). Environmental Assessment for Employment of the 2.75 inch rocket at Saylor Creek Air Force Range. Mountain Home, ID: United States Air Force.

USAF. (2012a). Environmental Assessment for Proposed Royal Saudi Air Force F-15SA Beddown, Mountain Home AFB. Mountain Home, ID: United States Air Force.

USAF. (2012b). Integrated Natural Resources Management Plan for Mountain Home Air Force Base, Small Arms Range, Saylor Creek Air Force Range, Juniper Butte Range, and other Mountain Home Range Complex Sites. Mountain Home, ID: United States Air Force.

USDA and USDI (1995). Decision Notice/Decision Record, Finding of No Significant Impact, and Environmental Assessment for the Interim Strategies for Managing Anadromous Fish-Producing Watersheds in Eastern Oregon and Washington, Idaho, and Portions of California. Washington, DC: USDA, Forest Service; USDI, Bureau of Land Management.

USDA and USDI. (1998). Economic and Social Conditions of Communities: Economic and Social Characteristics of Interior Columbia Basin Communities and an Estimation of Effects on Communities from the Alternatives of the Eastside and Upper Columbia River Basin DEIS. Boise, ID: USDA, Forest Service, USDI, Bureau of Land Management, ICBEMP.

USDA. (1980). Utilization Gauge: an Instrument for Measuring the Utilization of Grasses. Wheaton, IL, USA American Slide-Chart. USDA, Forest Service, Rocky Mountain Forest and Range Experiment Station Publication.

USDA. (1993). Soil Survey Manual (3rd ed.). Washington, D. C.: U.S. Department of Agriculture, Soil Conservation Service, Soil Survey Division Staff.

USDA. (1995). Inland Native Fish Strategy: Environmental Assessment. Coeur d'Alene, ID: USDA, Forest Service, Intermountain, Northern, and Pacific Northwest Regions.

USDA. (1998). Stemming the Invasive Tide: Forest Service Strategy for Noxious and Nonnative Invasive Plant Management. Washington, DC: USDA, Forest Service.

USDA. (2002). Wildland Fire in Ecosystems: Effects of Fire on Air (General Technical Report No. RMRS-GTR-42-Volume 5). Fort Collins, CO: USDA, Forest Service, Rocky Mountain Research Station.

USDA. (2004). Watershed Analysis for the East Fork Jarbidge River. Humbolt-Toyiabe National Forest: USDA Forest Service.

USDI and USDA. (1994). Northwest Forest Plan: Standards and Guidelines for Management of Habitat for Late-Successional and Old-Growth Forest Related Species Within the Range of the Northern Spotted Owl. USDI and USDA

USDI. (2008). Guidance for Developing Aquatic Conservation Strategies: For BLM Resource Management Plans in the Interior Columbia Basin (Idaho, Eastern Oregon, Eastern Washington, Western Montana, and Northern Nevada): USDI, Bureau of Land Management.

USFS, NMFS, BLM, FWS. (1999). Streamlined Consultation Procedures for Section 7 of the Endangered Species Act.

USFS, NOAA, BLM, FWS, and EPA. (2004). A Framework for Incorporating the Aquatic and Riparian Habitat Component of the Interior Columbia Basin Strategy into BLM and Forest Service Plan Revisions (pp. 9): USDI, USDC, USDI, EPA.

USFS, NOAA, BLM, FWS, and EPA. (2008). A Framework for Incorporating the Aquatic and Riparian Component of the Interior Columbia Basin Strategy into BLM and Forest Service Plan Revisions.

USFS. (2005). Humboldt-Toiyabe National Forest Wild and Scenic River Eligibility Report. USDA, Forest Service.

USFS. (2009). Sawtooth National Forest Wild and Scenic River Eligibility Report. Burley, ID: USDA, Forest Service.

USGS. (2011). Evaluating a Power Transmission Line in Relation to Greater Sage-grouse Populations and Other Sagebrush-Steppe Avifauna (Preliminary Findings). USGS, Western Ecological Research Center. Retrieved by Western Watershed Project on February 9, 2011 from http://www.werc.usgs.gov/ProjectSubWebPage.aspx?SubWebPageID=3&Pr…bWebPages&Web=Project_215&Title=Greater%20Sage-Grouse%20Research.

USGS. (2012). North American Breeding Bird Survey records for Hot Spring Route Number 33224. Retrieved on August 16, 2012, from https://www.pwrc.usgs.gov/bbs/RouteMap/SpeciesInfo.cfm?CountryNum=840&StateNum=33&RouteNum=224&ReportType=4&StartYear=1988&EndYear=2012.

Usher, M. B. (1988). Biological Invasions of Nature Reserves: A Search for Generalizations. Biological Conservation, 44, 119-135.

Vallentine, J. F. (1989). Range Development and Improvements (3rd ed.). San Diego, CA: Academic Press.

Vallentine, J. F. (2001). Grazing Management (2nd ed.). San Diego, CA: Academic Press.

Vallentine, J. F. and Stevens, A. R. (1994). Use of Livestock to Control Cheatgrass - A Review (General Technical Report No. INT-313). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

Van der Horst, D. (2007). NIMBY or Not? Exploring the Relevance of Location and the Politics of Voiced Opinions in Renewable Energy Siting Controversies. Energy Policy, 35, 2705-2714.

Van der Werf, G. R., Randerson, J. T., Giglio, L., Collatz, G. J., Mu, M., Kasibhatla, P. S., Morton, D. C., DeFries, R. S., Jin, Y., and van Leeuwen, T. T. (2010). Global Fire Emissions and the Contribution of Deforestation, Savanna, Forest, Agricultural, and Peat Fires (1997-2009). Atmospheric Chemistry and Physics, 10, 11701-11735.

Van Haveren, B. P. (1983). Soil Bulk Density as Influenced by Grazing Intensity and Soil Type on a Shortgrass Prairie Site. Journal of Range Management, 36(5), 586-588.

Van Horne, B., Olson, G. S., Schooley, R. L., Corn, J.G., and Burnham, K. P. (1997). Effects of drought and prolonged winter on Townsend's ground squirrel demography in shrubsteppe habitats. Ecological Monographs, 67(3),295-315.

Van Horne, B., Schooley, R. L., and Sharpe, P. B. (1998). Influence of Habitat, Sex, Age, and Drought on the Diet of Townsend's Ground Squirrels. Journal of Mammalogy, 79(2), 521-537.

Vande Voort, A. M. (2011). Habitat Characteristics and Occupancy Rates of Lewis's Woodpecker in Aspen. Logan, UT: M. S. Thesis, Utah State University.

Vander Haegen, W. M., Schroeder, M. A., and DeGraaf, R. M. (2002). Predation on real and artificial nests in shrubsteppe landscapes fragmented by agriculture. Condor, 104(3), 496-506.

Vitousek, P. M. (1990). Biological Invasions and Ecosystem Processes: Towards an Integration of Population Biology and Ecosystem Studies. Oikos, 57, 7-13.

Vullo, C., Lewis, L., Wenger, C. R., Call, P., and Harris, C. E. (1999). 1997/1998 Idaho Bat Status Survey Report. Boise, ID: Idaho Department of Fish and Game, Idaho Conservation Effort.

Vusovic, S. and Harris, T. R. (2006). Analysis of Impacts of Public Land Grazing on the Elko County Economy and Mountain City Management Area: Socio-Economic Data and Trends for Elko County (Technical Report No. UCED 2006/07-01). Reno, NV: University of Nevada, Unversity Center for Economic Development, Department of Resource Economics.

Wagner, G. W. and Peek, J. M. (2006). Bighorn Diet Selection and Forage Quality in Central Idaho. Northwest Science, 80 (4), 246-258.

Wakkinen, W. L. (1990). Nest site characteristics and spring-summer movements of migratory sage-grouse in southeastern Idaho (M. S. Thesis). Moscow, ID: University of Idaho.

Walker, B. L., Naugle, D. E., and Doherty, K. E. (2007a). Greater Sage-Grouse Population Response to Energy Development and Habitat Loss. Journal of Wildlife Management, 71(8), 2644-2654.

Walker, B. L., Naugle, D. E., Doherty, K. E., and Cornish, T. E. (2007b). West Nile Virus and Greater Sage-Grouse: Estimating Infection Rate in a Wild Bird Population. Avian Diseases, 51, 691-696.

Wallace, R. L. and Griffith, J. S. (1982). Distribution, Relative Abundance, Life History, and Habitat Preferences of Shoshone Sculpin. Boise, ID: USDI, Fish and Wildlife Service.

Wallestad, R, Peterson, J. G. and Eng, R. L. (1975). Foods of Adult Sage Grouse in Central Montana. Journal of Wildlife Management, 39(3), 628-630.

Wallmo, O. C. (1978). Mule and Black-tailed deer. Chapter 3 In J. L. Schmidt and D. L. Gilbert (Eds.), Big Game of North America, Ecology and Management, Harrisburg, PA: Stackpole Books.

Walter, W. D., Leslie, Jr., D. M., and Jenks, J. A. (2006). Response of Rocky Mountain Elk (Cervus elaphus) to Wind-Power Development. American Midland Naturalist, 156(2), 363-375.

Walters, E. L., Miller, E. H., and Lowther, P. E. (2002). Red-naped Sapsucker (Sphyrapicus nuchalis), No. 663. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/663.

Wambolt, C. L. and Payne, G. F. (1986). An 18-Year Compromise of Control Methods for Wyoming Big Sagebrush in Southwestern Montana. Journal of Range Management, 39(4), 314-319.

Wambolt, C. L., Fraas, W. W., and Frisina, M. R. (1996). Variation in Bitterbrush (Purshia tridentata Pursh) Crude Protein in Southwestern Montana. Great Basin Naturalist, 56 (3), 205-210.

Wang, Shih-Yu, R. R. Gillies, and T. Reichler. (2012). Multidecadal drought cycles in the Great Basin recorded by the Great Salt Lake: Modulation from a Transition-Phase Teleconnection. Journal of Climate 25, 1711-1721.

Warren, S. D. (2001a). Biological Soil Crusts and Hydrology in North American Deserts. In J. Belnap and O. L. Lange (Eds.), Biological Soil Crusts: Structure, Function, and Management (Vol. 150, pp. 327-337). Berlin, Germany: Springer-Verlag.

Warren, S. D. (2001b). Synopsis: Influence of Biological Soil Crusts on Arid Land Hydrology and Soil Stability. In J. Belnap and O. L. Lange (Eds.), Biological Soil Crusts: Structure, Function, and Management (Vol. 150, pp. 349-360). Berlin, Germany: Springer-Verlag.

Warren, S. D. and Eldridge, D. J. (2001). Biological Soil Crusts and Livestock in Arid Ecosystems: Are They Compatible? In J. Belnap and O. T. Lange (Eds.), Biological Soil Crusts: Structure, Function, Management (Vol. 150, pp. 401-415). Berlin, Germany: Springer-Verlag.

Watson, J. W., McAllister, K. R., and Pierce, D. J. (2003). Home Ranges, Movements, and Habitat Selection of Oregon Spotted Frogs (Rana pretiosa). Journal of Herpetology, 37(2), 292-300.

Webb, W. C., Boarman, W. I., and Rotenberry, J. T. (2009). Movements of Juvenile Common Ravens in an Arid Landscape. Journal of Wildlife Management, 73, 72-81.

Weisberg, P. J. (1998). Fire History, Fire Regimes, and Development of Forest Structure in the Central Western Oregon Cascades. Unpublished Dissertation, Oregon State University, Corvallis, OR.

Weisenberger, M. E., Krausman, P. R., Wallace, M. C, DeYoung, D. W., and Maughan, E. O. (1996). Effects of Simulated Jet Aircraft Noise on Heart Rate and Behavior of Desert Ungulates. Journal of Wildlife Management, 60, 52-61.

Weiss, S. B. and Murphy, D. D. (1998). A Control Strategy for Invasive Species. Endangered Species UPDATE, 7(3 and 4), 6.

Welch, B. L. (2005). Big Sagebrush: A Sea Fragmented into Lakes, Ponds, and Puddles (General Technical Report No. RMRS-GTR-144). Fort Collins, CO: USDA, Forest Service, Rocky Mountain Research Station.

Welch, B. L. and McArthur, E. D. (1979). Variation in Levels of Crude Protein Among Artemisia tridentata Subspecies Grown in a Uniform Garden. Journal of Range Management, 32 (6), 467-469.

West, N. E. (1999). Synecology and Disturbance Regimes of Sagebrush Steppe Ecosystems. Logan, UT: Utah State University, Paper presented at the Sagebrush Steppe Ecosystems Symposium in Boise, ID.

West, N. E. and Yorks, T. P. (2002). Vegetation Responses Following Wildfire on Grazed and Ungrazed Sagebrush Semi-Desert. Journal of Range Management, 55, 171-181.

Westbrooks, R. G., (1998). Invasive Plants: Changing the Landscape of America: Fact Book. Washington D.C.: Federal Interagency Committee for the Management of Noxious and Exotic Weeds.

Westenskow-Wall, K. J., Krueger, W. C., Bryant, L. D., and Thomas, D. R. (1994). Nutrient Quality of Bluebunch Wheatgrass Regrowth on Elk Winter Range in Relation to Defoliation. Journal of Range Management, 47, 240-244.

Western Association of Fish and Wildlife Agencies. (2012). Recommendations for Domestic Sheep and Goat Management in Wild Sheep Habitat. Western Association of Fish and Wildlife Agencies Wild Sheep Working Group.

Western States Sage Grouse Committee. (1982). Sage Grouse Management Practices (Technical Bulletin No. 1). Twin Falls, ID: Western States Sage Grouse Committee.

Western Wood Preservers Institute. (1996). Best Management Practices for the Use of Treated Wood in Aquatic Environments. Vancouver, WA: Western Wood Preservers Institute.

Wheelwright, N. T. and Rising, J. D. (1993). Savannah Sparrow (Passerculus sandwichensis). In A. Poole and F. Gill (Eds.), The Birds of North America (No. 45). Philadelphia, PA: The Birds of North America, Inc.

Whisenant, S. G. (1990). Changing Fire Frequencies on Idaho's Snake River Plains: Ecological and Management Implications (General Technical Report No. INT-276). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

White, C. L. and Thurow, T. L. (1985). Reproduction of Ferruginous Hawks Exposed to Controlled Disturbance. Condor, 87, 14-22.

White, C. M., Clum, N. J., Cade, T. J., and Grainger Hunt, W. (2002). Peregrine Falcon (Falco peregrinus), No. 660. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/660.

White, C. S. and Loftin, S. (2000). Response of 2 Semiarid Grasslands to Cool-Season Prescribed Fire. Journal of Range Management, 53, 52-61.

Whittington, D. M. and Allen, G. T. (2008). Draft Guidelines for Raptor Conservation in the Western United States. Washington, D. C.: USDI, US Fish and Wildlife Service, Division of Migratory Bird Management.

Wiggins, D. A., Holt, D. W., and Leasure, S. M. (2006). Short-eared Owl (Asio flammeus), No. 62. The Birds of North America Online (A. Poole, Ed.). Ithaca, NY: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: http://bna.birds.cornell.edu/bna/species/062.

Wilhite, D. A. and Glantz, M. H. (1985). Understanding the Drought Phenomenon: The Role of Definitions. Water International, 10(3), 111-120.

Williams, B. K., Szaro, R. C., and Shapiro, C. D. (2009). Adaptive Management: The US Department of the Interior Technical Guide. Washington, DC: USDI, Adaptive Management Working Group.

Willms, W. D. and Chanasyk, D. S. (2006). Grazing Effects on Snow Accumulation on Rough Fescue Grasslands. Rangeland Ecology and Management, 59(4), 400-405.

Wilson, T. L. (2011). Effects of Seismic Exploration on Pygmy Rabbits. Retrieved August 16, 2013, from http://digitalcommons.usu.edu/cgi/viewcontent.cgi?article=1752&context=nrei.

Winterfeld, G. F. and Rapp, R. A. (Eds.). (2009). Survey of Idaho Fossil Resources, Volume 5: Twin Falls BLM District. Pocatello, ID: Erathem-Vanir Geological Consultants.

Winton, R. C. (2010). The Effect of Succession and Disturbance on Coleopteran Abundance and Diversity in the Centennial Sandhills. M.S. Thesis, Montana State University, Bozeman, MT.

Winward, A. H. (1986). Vegetation Characteristics of Riparian Areas. Transactions of the Western Section of the Wildlife Society (pp. 98-101). Sparks, NV: Wildlife Society.

Winward, A. H. (1989). Ecological Status of Vegetation as a Base for Multiple Product Management. Paper presented at the 42nd Annual Meeting of the Society for Range Management, Billings, MT.

Winward, A. H. (1991). A Renewed Commitment to Management in Sagebrush Grasslands. Special Report 880: Management in the Sagebrush Steppe (pp. 2-7). Corvallis, OR: Oregon State University Agricultural Experiment Station in cooperation with USDA Agricultural Research Service.

Wisdom, M. J., Holthausen, R. S., Wales, B. C., Hargis, C. D., Saab, V. A., Lee, D. C., Hann, W. J., Rich, T. D., Rowland, M. M., Murphy, W. J., and Eames, M. R. (2000). Source Habitat for Terrestrial Vertebrates of Focus in the Interior Columbia Basin: Broad-Scale Trends and Management Implications (General Technical Report No. PNW-GTR-485). Portland, OR: USDA, Forest Service, Pacific Northwest Research Station.

Wisdom, M. J., Meinke, C. W., Knick, S. T., and Schroeder, M. A. (2011). Chapter 18: Factors Associated with Extirpation of Sage-grouse. In S. T. Knick and J. W. Connelly (Eds.) Greater Sage-Grouse: Ecology and Conservation of a Landscape Species and its Habitats. Studies in Avian Biology Series (Vol. 38), Berkeley, CA: University of California Press.

Wisdom, M. J., Preisler, H. K., Cimon, N. J., and Johnson, B. K. (2004). Effects of Off-Road Recreation on Mule Deer and Elk. Transactions of the North American Wildlife and Natural Resource Conference. Lawrence, KS: Alliance Communications Group.

Wissenbach, M. (2009). Personal Communication with A. Betts on April 10, 2009.

Woods, C. P. and Cade, T. J. (1996). Nesting Habits of the Loggerhead Shrike in Sagebrush. The Condor, 98 (1), 75-81.

WRCC. (2012). Western US Climate Historical Summaries. Reno, NV: Western Regional Climate Center; Retrieved August 15, 2012, from http://www.wrcc.dri.edu/Climsum.html.

Wright, H. A., Neuenschwander, L. F., and Britton, C. M. (1979). The Role and Use of Fire in Sagebrush-Grass and Pinyon-Juniper Plant Communities (General Technical Report No. INT-58). Ogden, UT: USDA, Forest Service, Intermountain Forest and Range Experiment Station.

WTFWCMERC. (1993). Watershed Analysis Manual. Washington Department of Natural Resources, Washington Timber/Fish Wildlife Cooperative Monitoring Evaluation and Research Committee.

Wulfhorst, J. D., Rimbey, N. R., and Darden, T. D. (2003). Social and Community Impacts of Public Land Grazing Policy Alternatives in the Bruneau Resource Area of Owyhee County, Idaho. Agricultural Economics Extension Series No. 03-07. Moscow, ID: University of Idaho, College of Agriculture and Life Sciences, Department of Agriculture Economics and Rural Sociology.

Wyman, S., Bailey, D., Borman, M., Cote, S., Eisner, J., Elmore, W., Leinard, B., Leonard, S., Reed, F., and Swanson, S. (2006). Grazing Management Processes and Strategies for Riparian-Wetland Areas (Technical Reference No. 1737-20). Denver, CO: USDI, Bureau of Land Management, National Science and Technology Center.

Yeo, J. J. (2005). Effects of Grazing Exclusion on Rangeland Vegetation and Soils, East Central Idaho. Western North American Naturalist, 65, 91-102.

Yoakum, J. (1980). Habitat Management Guides for the American Pronghorn Antelope (Technical Note No. 347). Denver, CO: USDI, Bureau of Land Management.

Yoakum, J. D. (1978). Pronghorn. In J. L. Schmidt and D. L. Gilbert (Eds.), Big Game of North America Ecology and Management (pp. 103-122). Harrisburg, PA: Stackpole Books.

Yoakum, J. D. (2004a). Habitat Characteristics and Requirements. In B. W. O'Gara and J. D. Yoakum (Eds.), Pronghorn Ecology and Management (pp. 409-445). Boulder, CO: University Press of Colorado.

Yoakum, J. D. (2004b). Foraging Ecology, Diet Studies, and Nutrient Values. In B. W. O'Gara and J. D. Yoakum (Eds.) Pronghorn: Ecology and Management (pp. 447-502). Boulder, CO: University Press Colorado.

Young, H. W. and Whitehead, R. L. (1975). Geothermal investigations in Idaho: An evaluation of thermal water in the Bruneau-Grand View area, southwest Idaho. Idaho Department of Water Resources Water Information Bulletin No. 30 Part 2.

Young, J. M. (1984). Class II Cultural Resource Inventory of the Owyhee, Bruneau, and Jarbidge Resource Areas, Boise District BLM. Boise, ID: USDI, Bureau of Land Management, Boise District.

Young, J. and Blank, R. R. (1995). Cheatgrass and Wildfires in the Intermountain West. Paper presented at the 1995 Symposium Proceedings, California Exotic Plant Pest Council.

Youngquist, W. and Kiilsgaard, T. H. (1951). Recent test drilling, Snake River Plains, Southwestern Idaho. Bulletin of the American Association of Petroleum Geologists 35(1), 90-96.

Zaroban, D. W. (2008). Habitat Associations of Wood River Sculpin (Cottus leiopomus). Western North American Naturalist, 68(4), 508-520.

Zoellick, B. W., Allen, D. B., and Flatter, B. J. (2005). A Long-Term Comparison of Redband Trout Distribution, Desnity, and Size Structure in Southwestern Idaho. North American Journal of Fisheries Management, 25(3), 1179-1190.

This Page Intentionally Left Blank