

# Works Cited



This Page Intentionally Left Blank

## WORKS CITED

---

- Autenrieth, R. E., Brown, D. E., Cancino, J., Lee, R. M., Ockenfels, R. A., O'Gara, B. W., Pojar, T. M., and Yoakum, J. D. (2006). Pronghorn Management Guide. Bismarck, ND: Pronghorn Workshop and North Dakota Game and Fish Department.
- Bauer, K. L. (1991). Observations on the Developmental Biology of Rumpff (Coleoptera: Cicindelidae). *Great Basin Naturalist*, 51(3), 226-235.
- BLM. (1997). Idaho Standards for Rangeland Health and Guidelines for Livestock Grazing Management Boise, ID: USDI, Bureau of Land Management, Idaho State Office.
- BLM. (2001). Land Use Plan Evaluation Report. Boise, ID: USDI, Bureau of Land Management.
- BLM. (2005). Implementation of a Wind Energy Development Program and Associated Land Use Plan Amendments – Record of Decision. Washington, DC: USDI, Bureau of Land Management.
- BLM. (2006). Scoping Report for the Jarbidge Resource Management Plan. Twin Falls, ID: BLM, Twin Falls District, Jarbidge Field Office.
- BLM. (2007a). Analysis of the Management Situation for the Jarbidge Resource Management Plan. Twin Falls, ID: USDI, Bureau of Land Management, Jarbidge Field Office.
- BLM. (2007b). Record of Decision: Vegetation Treatments Using Herbicides on BLM Lands in 17 Western States. Washington DC: USDI, Bureau of Land Management.
- BLM. (2008a). Guidance for Developing Aquatic Conservation Strategies for BLM Resource Management Plans in the Interior Columbia Basin (Idaho, Eastern Oregon, Eastern Washington, Western Montana, and Northern Nevada). USDI, Bureau of Land Management. BLM. (2008c). Record of Decision and Resource Management Plan Amendments for Geothermal Leasing in the Western United States. Washington, DC: USDI, Bureau of Land Management. BLM. (2009a). Approved Resource Management Plan Amendments and Record of Decision for Designation of Energy Corridors on Bureau of Land Management Administered Land in the 11 Western States. Washington, DC: USDI, Bureau of Land Management.
- BLM. (2008b). Record of Decision and Resource Management Plan Amendments for Geothermal Leasing in the Western United States. Washington, DC: USDI, Bureau of Land Management.
- BLM. (2009). Approved Resource Management Plan Amendments and Record of Decision for Designation of Energy Corridors on Bureau of Land Management Administered Land in the 11 Western States. Washington, DC: USDI, Bureau of Land Management.
- BLM. (2014). Jarbidge Proposed Resource Management Plan and Final Environmental Impact Statement. Twin Falls, ID: USDI, Bureau of Land Management, Twin Falls District, Jarbidge Field Office.
- BLM and DOE. (2010). Draft Programmatic Environmental Impact Statement for Solar Energy Development in Six South Western States. Washington, DC: USDE and USDI, Bureau of Land Management.
- BLM and DOE. (2012). Approved Resource Management Plan Amendments and Record of Decision for Solar Energy Development in Six Southwestern States. Washington, DC: USDI, Bureau of Land Management.
- BLM and SHPO. (2014). State Protocol Agreement between the Idaho State Director of the BLM and the Idaho state Historic Preservation Officer regarding the manner in which the BLM will meet its responsibilities under the National Historic Preservation Act and the National Programmatic Agreement among the BLM, the Advisory Council On Historic Preservation, and the National Conference Of State Historic Preservation Officers, Boise, ID: USDI, Bureau of Land Management.
- Buchanan, D. V. and Gregory, S. V. (1997). Development of Water Temperature Standards to Protect and Restore Habitat for Bull Trout and Other Cold Water Species in Oregon. Paper presented at the Friends of the Bull Trout Conference Proceedings.
- Buffington, J. M., Lisle, T. E., Woodsmith, R. D., and Hilton, S. (2002). Controls on the size and occurrence of pools in coarse-grained forest rivers. *River Research Applications* (18), 507-531.

## Works Cited

- Burton, T. A., Smith, S. J., and Cowley, E. R. (2011). Riparian area management: Multiple indicator monitoring (MIM) of stream channels and streamside vegetation. (Technical Reference 1737-23). Denver, CO: USDI, Bureau of Land Management, National Operations Center.
- Cegelski, C., Campbell, M., Meyer, K., and Schill, D. J. (2005). Population studies of Redband Trout, Genetic investigation of population structure. IDFG Report Number 05-46. Boise, ID: Idaho Department of Fish and Game.
- Comstock, J. P. and Ehleringer, J. R. (1992). Plant Adaptation in the Great Basin and Colorado Plateau. *Great Basin Naturalist* 52(3), 195-215.
- Connelly, J. W., Schroeder, M. A., Sands, A. R., & Braun, C. E. (2000). Guidelines to Manage Sage Grouse Populations and Their Habitats. *Wildlife Society Bulletin*, 28(4), 967-985.
- CSFTT. (2003). Conservation Agreement and Strategy: Columbia Spotted Frog (*Rana luteiventris*) Great Basin Population, Nevada, and Northeastern Subpopulations, Jarbidge-Independence and Ruby Mountain. Columbia Spotted Frog Technical Team.
- Endangered and Threatened Wildlife and Plants (2010). Revised Designation of Critical Habitat for Bull Trout in the Coterminous United States; Final Rule. 75 Federal Register 200 (18 October 2010) pp. 63898-64070.
- Forster, K. (2014). *Jarbidge Watershed Bull Trout Habitat Condition Indicators for Large Woody Debris Qualitative Indicator Development*. Unpublished Report. Twin Falls, ID: USDI Bureau of Land Management, Jarbidge Field Office.
- Franklin, A. B., Noon, B. R., & George, T. L. (2002). What is Habitat Fragmentation? *Studies in Avian Biology*(25), 20-29.
- Franzreb, K. F. and Laymon, S. A. (1993). A reassessment of the taxonomic status of the Yellow-billed Cuckoo. *Western Birds*, 24(1), 17-28.
- Frissell, C. A., Liss, W. J., and Bales, D. (1993). An Integrated Biophysical Strategy for Ecological Restoration of Large Watersheds. Paper presented at the Symposium on Changing Roles in Water Resources Management and Policy, Herndon, VA.
- FWS. (1995). Snake River Aquatic Species Recovery Plan. Boise, ID: USDI, Fish and Wildlife Service, Snake River Basin Office, Ecological Services.
- FWS. (1998). A Framework to Assist in Making Endangered Species Act Determinations of Effect for Individual or Grouped Actions at the Bull Trout Subpopulation Watershed Scale. USDI, Fish and Wildlife Service.
- FWS. (2002). *Recovery Plan for the Bruneau Hot Springsnail (Pyrgulopsis bruneauensis)*. Portland, OR: USDI, Fish and Wildlife Service, Region 1.
- FWS. (2004). Draft Recovery Plan for the Jarbidge River Distinct Population Segment of Bull Trout (*Salvelinus confluentus*). Reno, NV: USDI, Fish and Wildlife Service.
- FWS. (2014). Revised Draft Recovery Plan for the Coterminous United States Population of Bull Trout (*Salvelinus confluentus*). Portland, OR: USDI, Fish and Wildlife Service.
- Groenier, J. and Lebow, S. (2006). Preservative-Treated Wood and Alternative Products in the Forest Service. 2006. Technical Report 0677-2809-MTDC. Missoula, MT: USDA, Forest Service, Missoula Technology and Development Center.
- Gross, J. A. and Knight, J. E. (2000). Elk presence inside various-sized cattle exclosures. *Journal of Range Management* 53(3), 287-290.
- Groves, C. R., Butterfield, B., Lippincott, A., Csuti, B., & Scott, J. M. (1997). *Atlas of Idaho's Wildlife*. Boise, ID: Idaho Department of Fish and Game, Nongame and Endangered Wildlife Program.
- Heitschmidt, R. K., Klement, K. D., and Haferkamp, M. R. (2005). Interactive Effects of Drought and Grazing on Northern Great Plains Rangelands. *Rangeland Ecology and Management*, 58(1), 11-19.
- Hermanson, J. W. and O'Shea, T. J. (1983). *Antrozous Pallidus*. *Mammalian Species*(213), 1-8.

## Works Cited

- Holechek, J. L., Pieper, R. D., and Herbel, C. H. (1998). *Range Management: Principles and Practices*. Upper Saddle River, NJ: Prentice-Hall, Inc.
- Howard, A. and Munger, J. C. (2003). *Effects of Livestock Grazing on the Invertebrate Prey Base and on the Survival and Growth of Larvae of the Columbia Spotted Frog, Rana luteiventris* (Idaho Bureau of Land Management Technical Bulletin No. No. 03-7). Boise, ID: USDI, Bureau of Land Management.
- Howery, L.D. (1999). *Rangeland Management Before, During, and After Drought*. Tuscon, AZ: College of Agriculture and Life Sciences, University of Arizona.
- Idaho Power Company. (2005). *Snake River White Sturgeon Conservation Plan*. Boise, ID: Idaho Power Company.
- Idaho Sage-grouse Advisory Committee. (2006). *Conservation Plan for the Greater Sage-grouse in Idaho*. Idaho Sage-grouse Advisory Committee.
- IDWR. (1993). *Idaho Administrative Code 37.03.07, Idaho Stream Channel Alteration Rules: Idaho Department of Water Resources*. Available at <http://adminrules.idaho.gov/rules/current/37/0307.pdf>.
- Karsky, R. (1999). *Fences*. Missoula, MT: USDI, Bureau of Land Management and USDA, Forest Service, Missoula Technical Development Center.
- Lee, D. C., Sedell, J. R., Rieman, B. E., Thurow, R. F., and Williams, J. E. (1997). *Broad-scale Assessment of Aquatic Species and Habitats*. In T. M. Quigley and S. J. Arbelbide (Eds.), *An Assessment of Ecosystem Components in the Interior Columbia Basin and Portions of the Klamath and Great Basins: Vol. III. General Technical Report PNW-GTR-405* (pp. 1058-1496). Portland, OR: USDA, Forest Service, Pacific Northwest Research Station and USDI, Bureau of Land Management.
- National Invasive Species Council. (2009). *2008-2012 National Invasive Species Management Plan*.
- Martin, S.C. and Cable, D. R. (1974). *Managing semi-desert grass-shrub ranges: vegetation responses to precipitation, grazing, soil texture, and mesquite control*. U.S. Dept. of Agric. Tech Bull. 1480.
- McNeill, M. E., Frederick, J., and Whalen, B. (1997). *Jarbidge River Watershed Analysis: Jarbidge Ranger District Humboldt-Toiyabe National Forests*. USDA Forest Service.
- Meyer, K. A., Lamansky, J. A., and Schill, D. A. (2010). *Biotic and Abiotic Factors Related to Redband Trout Occurrence and Abundance in Desert and Montane Streams*. *Western North American Naturalist*, 70(1) 77-91.
- Muhlfeld, C. C. (2002). *Spawning characteristics of redband trout in a headwater stream in Montana*. *North American Journal of Fisheries Management* (22), 1314-1320.
- Muhlfeld, C. C., Bennet, D. H., and Marotz, B. (2001a). *Summer habitat use by Columbia River redband trout in the Kootenai River drainage, Montana*. *North American Journal of Fisheries Management* (21), 223-235.
- Muhlfeld, C.C., Bennet, D. H., and Marotz, B. (2001b). *Fall and winter habitat use and movement by Columbia River redband trout in a small stream in Montana*. *North American Journal of Fisheries Management* (21), 170-177.
- Mule Deer Working Group. (2004). *North American Mule Deer Conservation Plan*. Western Association of Fish and Wildlife Agencies.
- National Invasive Species Council. (2008). *2008-2012 National Invasive Species Management Plan*.
- NOAA. (2009). *The Use of Treated Wood Products in Aquatic Environments: Guidelines to West Coast NOAA Fisheries Staff for Endangered Species Act and Essential Fish Habitat Consultations in the Alaska, Northwest and Southwest Regions*. NOAA Fisheries Southwest Region.
- Nussbaum, R. A., Brodie, J., Edmund D., & Storm, R. M. (1983). *Amphibians and Reptiles of the Pacific Northwest*. Moscow, ID: University of Idaho Press.
- Overton, C. K., McIntyre, J. D., Armstrong, R., Whitwell, S. L., and Duncan, K. A. (1995). *User's Guide to Fish Habitat: Descriptions that Represent Natural Conditions in the Salmon River Basin, Idaho* (General Technical Report No. INT-GTR-322). Ogden, UT: USDA, Forest Service, Intermountain Research Station.

## Works Cited

- Overton, C. K., Wollrab, S. P., Roberts, B. C., and Radko, M. A. (1997). R1/R4 (Northern/Intermountain Regions) Fish and Fish Habitat Standard Inventory Procedures Handbook (General Technical Report No. INT-GTR-346). Ogden, UT: USDA, Forest Service, Intermountain Research Station.
- Pagel, J. E., Whittington, D. M., and Allen, G. T. (2010). Interim Golden Eagle Technical Guidance: Inventory and Monitoring Protocol and Other Recommendations in Support of Golden Eagle Management and Permit Issuance. Washington, DC: USDI, Fish and Wildlife Service.
- Prichard, D., Anderson, J., Correll, C., Fogg, J., Gebhardt, K., Krapf, R., Leonard, S., Mitchell, B., and Staats, J. (1998). Riparian Area Management: A User Guide to Assessing Proper Functioning Condition and the Supporting Science for Lotic Areas (Technical Reference No. 1737-15). Denver, CO: USDI, Bureau of Land Management; USDA, Forest Service; and USDA, Natural Resources Conservation Service.
- Quigley, T. M. and Arbelbide, S. J. (Eds.). (1997). An Assessment of Ecosystem Components in the Interior Columbia Basin and Portions of the Klamath and Great Basins (General Technical Report PNW-GTR-405). Portland, OR: USDA, Forest Service, Pacific Northwest Research Station.
- Raleigh, R. F., Hickman, T., Solomen, R. C., and Nelson, P. C. (1984). Habitat suitability information: Rainbow trout. FWS/OBS-82/10.60. Fort Collins, CO: US Fish Wildlife Service.
- Regional Interagency Executive Committee and Intergovernmental Advisory Committee. (1995). Ecosystem Analysis at the Watershed Scale: A Federal Guide for Watershed Analysis. Version 2.2. Portland, OR: Regional Ecosystem Office.
- Rieman, B. E. and McIntyre, J. D. (1993). Demographic and Habitat Requirements for Conservation of Bull Trout. General Technical Report No. INT-GTR-302. Boise, ID: USDA, Forest Service, Intermountain Research Station.
- Rieman, B. E. and Myers, D. L. (1997). Use of Redd Counts to Detect Trends in Bull Trout (*Salvelinus confluentus*) Populations. *Conservation Biology* 11(4), 1015-1018.
- Sharp, L. A., Sanders, K., and Rimbey, N. (1990). Forty Years of Change in a Shadscale Stand in Idaho. *Rangelands* 12(6), 313-328.
- Shepard, B. B., Pratt, K. L., and Graham, P. J. (1984). Life Histories of Westslope Cutthroat and Bull Trout in the Upper Flathead River Basin, Montana. Kalispell, MT: Montana Department of Fisheries, Wildlife, and Parks.
- Stevens, B. S., Reese, K. P., and Connelly, J. W. (2011). Survival and Detectability Bias of Avian Fence Collision Surveys in Sagebrush Steppe. *Journal of Wildlife Management*, 75(2), 437-449.
- Thurrow, T. L. and Taylor Jr., C. A. (1999). The Role of Drought in Range Management. *Journal of Range Management* 52(5), 413-419.
- Tuttle, S. R., Chambers, C. L., and Theimer, T. C. (2006). Potential Effects of Livestock Water-Trough Modifications on Bats in Northern Arizona. *Wildlife Society Bulletin* 34(3), 602-608.
- US Census Bureau. (2013). State and County QuickFacts. Retrieved March 5, 2013 from <http://quickfacts.census.gov/qfd/index.html>.
- USDA. (1995). Inland Native Fish Strategy: Environmental Assessment. Coeur d'Alene, ID: USDA, Forest Service, Intermountain, Northern, and Pacific Northwest Regions.
- USDA. (2004). Watershed Analysis for the East Fork Jarbidge River. Humbolt-Toiyabe National Forest: USDA Forest Service.
- USDA and USDI (1995). Decision Notice/Decision Record, Finding of No Significant Impact, and Environmental Assessment for the Interim Strategies for Managing Anadromous Fish-Producing Watersheds in Eastern Oregon and Washington, Idaho, and Portions of California. Washington, DC: USDA, Forest Service; USDI, Bureau of Land Management.
- USFS, NMFS, BLM, FWS. (1999). Streamlined Consultation Procedures for Section 7 of the Endangered Species Act.
- USFS, NOAA, BLM, FWS, and EPA. (2008). A Framework for Incorporating the Aquatic and Riparian Component of the Interior Columbia Basin Strategy into BLM and Forest Service Plan Revisions.
- Valentine, J. F. (2001). *Grazing Management* (2nd ed.). San Diego, CA: Academic Press.

*Works Cited*

- Wang, Shih-Yu, R. R. Gillies, and T. Reichler. (2012). Multidecadal drought cycles in the Great Basin recorded by the Great Salt Lake: Modulation from a Transition-Phase Teleconnection. *Journal of Climate* 25, 1711-1721.
- Western Wood Preservers Institute. (1996). *Best Management Practices for the Use of Treated Wood in Aquatic Environments*. Vancouver, WA: Western Wood Preservers Institute.
- Whittington, D. M. and Allen, G. T. (2008). *Draft Guidelines for Raptor Conservation in the Western United States*. Washington, D. C.: USDI, US Fish and Wildlife Service, Division of Migratory Bird Management.
- Wilhite, D. A. and Glantz, M. H. (1985). Understanding the Drought Phenomenon: The Role of Definitions. *Water International*, 10(3), 111-120.
- Williams, B. K., Szaro, R. C., and Shapiro, C. D. (2009). *Adaptive Management: The US Department of the Interior Technical Guide*. Washington, DC: USDI, Adaptive Management Working Group.
- Winward, A. H. (1989). *Ecological Status of Vegetation as a Base for Multiple Product Management*. Paper presented at the 42nd Annual Meeting of the Society for Range Management, Billings, MT.
- Wisdom, M. J., Holthausen, R. S., Wales, B. C., Hargis, C. D., Saab, V. A., Lee, D. C., Hann, W. J., Rich, T. D., Rowland, M. M., Murphy, W. J., and Eames, M. R. (2000). *Source Habitat for Terrestrial Vertebrates of Focus in the Interior Columbia Basin: Broad-Scale Trends and Management Implications (General Technical Report No. PNW-GTR-485)*. Portland, OR: USDA, Forest Service, Pacific Northwest Research Station.
- WTFWCMERC. (1993). *Watershed Analysis Manual*. Washington Department of Natural Resources, Washington Timber/Fish Wildlife Cooperative Monitoring Evaluation and Research Committee.
- Wyman, S., Bailey, D., Borman, M., Cote, S., Eisner, J., Elmore, W., Leinard, B., Leonard, S., Reed, F., and Swanson, S. (2006). *Grazing Management Processes and Strategies for Riparian-Wetland Areas (Technical Reference No. 1737-20)*. Denver, CO: USDI, Bureau of Land Management, National Science and Technology Center.
- Yoakum, J. D. (2004). Foraging Ecology, Diet Studies, and Nutrient Values. In B. W. O'Gara and J. D. Yoakum (Eds.) *Pronghorn: Ecology and Management* (pp. 447-502). Boulder, CO: University Press Colorado.
- Zoellick, B. W., Allen, D. B., and Flatter, B. J. (2005). A Long-Term Comparison of Redband Trout Distribution, Density, and Size Structure in Southwestern Idaho. *North American Journal of Fisheries Management*, 25(3), 1179-1190.

This Page Intentionally Left Blank