

---

## 5. REFERENCES

- Beatty, D.W., Cunningham, C. G., Rye, R.O., Steven, T.A., and Gonzalez-Urien, E., 1986, Geology and geochemistry of the Deer Trail Pb-Zn-Ag-Cu manto deposits, Marysvale District, West-Central Utah: *Economic Geology*, v. 81, p. 1932-1952.
- Blackett, R.E., and Wakefield, S.I., 2002, Geothermal resources of Utah: a digital atlas of Utah's geothermal resources: Utah Geological Survey, Open File Report 397 (CD-ROM), 180 p.
- BLM (Bureau of Land Management), 1977, Henry Mountains Unit Resource Analysis, Utah.
- , 2003. Geographic information system coverages: Richfield Field Office, Utah.
- Bromfield, C.S., Grauch, R.I., Otton, J.K., and Osmanson, L.M., 1982, National uranium resources evaluation, Richfield quadrangle, Utah: U.S. Geological Survey, complete with p.
- Butler, B.S., Laughlin, G.F., and Heikes, V.C., 1920, Ore deposits of Utah: U.S. Geological Survey Professional Paper 111, 672 p.
- Callaghan, E., 1973, Mineral resource potential of Piute County and adjoining area, Utah: Utah Geological and Mineral Survey, Bulletin 102, 135 p.
- Campbell, S.A., and Ritzma, H.R., 1979, Geology and petroleum resources of the major oil-impregnated sandstone deposits of Utah: Utah Geological and Mineralogical Survey, Special Studies 50, 24 p.
- Chenoweth, W.L., 1990, History of uranium production in Utah, in Allison, M.L., *ed.*, Energy and mineral resources of Utah: Utah Geological Association, Publication 18, p. 113-124.
- Cunningham, C.G., and Steven, T.A., 1979, Uranium in the Central mining area, Marysvale district, west-central Utah: U. S. Geological Survey, Miscellaneous Geologic Investigation Series Map I-1177, scale 1:24,000.
- Cunningham, C.G., Stevens, T.A., Rowley, P.D., Glassgold, L.B., and Anderson, J.J., 1983, Geologic map of the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah: U.S. Geological Survey, Miscellaneous Investigation Series Map I-1430A, scale 1:50,000.
- Cunnigham, C. G., Steven, T. A., Campbell, D. L., Naeser, C. W., Pitkin, J. A., and

- 
- Duval, J. S., 1984, Multiple episodes of igneous activity, mineralization, and alteration in the western Tushar Mountains, Utah *in* Steven, T. A., *ed.*, *Igneous activity and related ore deposits in the western and southern Tushar Mountains, Marysvale volcanic field, west-central Utah*: United States Geological Survey, Professional Paper 1299-A, B, 40 p.
- Doelling, H.H., 1975, *Geology and mineral resources of Garfield County, Utah*: Utah Geological and Mineral Survey, Bulletin 107, 175 p.
- Fenneman, N. M., 1931, *Physiography of Western United State*: McGraw-Hill Book Company, Inc., New York, 534 p.
- Galloway, W.E., and Hobday, D.K., 1983, *Terrigenous clastic depositional systems – application to petroleum, coal, and uranium exploration*: Springer-Verlag, Inc., New York.
- Gautier, D.L., and Dolton, G.L., 1996, *National assessment of United States oil and gas resources – results, methodology, and supporting data*: U. S. Geological Survey, Digital Data Series, DDS-30.
- Gilbert, G.K., 1877, *Report on the geology of the Henry Mountains*: U.S. Geographical and Geological Survey Rocky Mountain Region (Powell), 1877.
- Gurgel, K.D., *ed.*, 1983, *Energy Resources Map of Utah*: Utah Geological and Mineral Survey Map 68, scale 1:500,000.
- Hintze, L.F., Willis, G.C., Laes, D.Y.M., Sprinkel, D.A., and Brown, K.D., 2000, *Digital geologic map of Utah*: Utah Geological Survey, Map 179DM.
- Hintze, L.F., 1988, *Geologic history of Utah*: Brigham Young University, *Geology Studies*, Special Publication No. 7, 202 p.
- Hintze, L.F., 1980, *Geologic map of Utah*: Utah Geological and Mineral Survey, scale 1:500,000.
- Hulen, J.B., and Sanberg, S.M., 1981, *Exploration case history of the Monroe KGRA, Sevier County, Utah*: University of Utah Research Institute, Earth Science Laboratory, Report no. DOE/ID/12079-22, 82 p.
- Hunt, C.B., 1974, *Natural regions of the United States and Canada*: W. H. Freeman and Company, San Francisco, 725 p.

---

IHS Energy Group, 2003, Petroleum Information/Dwights Petroleum in Rocky Mountain Region, Production Data.

Jackson, M.K., Coal resource evaluation of the Henry Mountains coal field, Garfield and Wayne Counties, Utah: Bureau of Land Management, unpublished, 14 p.

Johnson, R.C., and Roberts, S.B., 2003, The Mesaverde total petroleum system in the Uinta-Piceance Province, Utah and Colorado, *in* U. S Geological Survey Assessment Team, *compilers*, Petroleum systems and geologic assessment of oil and gas in the Uinta-Piceance Province, Utah and Colorado: U. S. Geol. Survey, Digital Data Series DDS 69-B, version 1.0, CD-ROM, p. 63.

Lupe, R.D., Campbell, J.A., Franczyk, K.J., Luft, S.T., Peterson, F., and Robinson, K. 1982, National Uranium Resource Evaluation, Salina quadrangle, Utah: U. S. Geological Survey, PGJ/F-053, 83 p.

Mabey, D.R., and Budding, K.E., 1987, High-temperature geothermal resources of Utah: Utah Geological and Mineral Survey Bulletin 123, 64 p.

Moulton, F. C., and Pinnell, M. L., 2005, Stunning Utah oil, gas discovery focuses spotlight on Hingeline: Oil and Gas Journal, January 17, 2005, v. 103.3, p.42-49.

Nelson, S.T., Heizler, M.T., and Davidson, J.P., 1992, New  $^{40}\text{Ar}/^{39}\text{Ar}$  Ages of Intrusive Rocks from the Henry and La Sal Mountains, Utah: Utah Geological Survey, Miscellaneous Publication 92-2, 24 p.

Nuccio, V.F., and Roberts, S.B., 2003, Thermal maturity and oil and gas generation history of petroleum systems in the Uinta-Piceance Province, Utah and Colorado, *in* U. S Geological Survey Assessment Team, *compilers*, Petroleum systems and geologic assessment of oil and gas in the Uinta-Piceance Province, Utah and Colorado: U. S. Geol. Survey, Digital Data Series DDS 69-B, version 1.0, CD-ROM, p. 63.

Peterson, F., Campbell, J.A., Franczy, K.J., and Lupe, R.D., 1982, National Uranium Resource Evaluation, Escalante Quadrangle, Utah: U. S. Geological Survey, PGJ/F-049 (82) 65 p.

Picard, D.M., 1980, Henry Mountains Symposium, Utah Geological Association, Publication No. 8, 388 p.

Pratt, A.R., and Callaghan, E., 1970, Land and mineral resources of Sanpete County, Utah: Utah Geological and Mineral Survey, Bulletin 85, 69 p.

- 
- Rice, D., 2000, Coal bed methane potential and concerns, Utah: U.S. Geological Survey, Fact Sheet FS-123-00.
- Ritzma, H. R., 1979, Oil-impregnated rock deposits of Utah: Utah Geological and Mineral Survey, Map 47, scale 1:1,000,000.
- Rowley, P. D., Cunningham, C. G., Anderson, J. J., Steven, T. A., Workman, J. B., and Snee, L. W., 2002, Geology and mineral resources of the Marysvale volcanic field, southwestern Utah in Lund, W. R., *ed.*, Field guide to geologic excursions in southwestern Utah and adjacent areas of Arizona and Nevada: The Geological Society of America, p. 132-142.
- Rowley, P. D., Cunningham, C. G., Steven, T. A., Workman, J. B., Anderson, J. J., and Theissen, K. M., 2002, Geologic map of the central Marysvale volcanic field, southwestern, Utah: United States Geological Survey, Map I-2645-A, scale 1:100,000.
- Schenk, C. J., et al, 2003, Petroleum systems and geologic assessment of oil and gas in the Uinta-Piceance Province, Utah and Colorado *in* U. S Geological Survey Assessment Team, *compilers*, Petroleum systems and geologic assessment of oil and gas in the Uinta-Piceance Province, Utah and Colorado: U. S. Geol. Survey, Digital Data Series DDS 69-B, version 1.0, CD-ROM, 68 p.
- Shubat, M.A., Tripp, B.T., Bishop, C.E., and Blackett, R.E., 1991, Mines and prospects containing gold in Utah: Utah Geological Survey, Open File Report 207, 28 p.
- Steven, T.A., Cunningham, C.G., and Rowley, P.D., 1978, Geology and mineralization in the Marysvale mining area, West-Central Utah *in* Shawe, D.R., ed. Guidebook to mineral deposits of southwestern Utah, Utah Geological Association, Publication No. 7, I.A.G.O.D. Meeting: International Association on the Genesis of Ore Deposits, Field Excursion C-2, 75 p.
- Steven, T.A., and Morris, H.T., 1984, Mineral resource potential of the Richfield quadrangle, West-Central Utah: U.S. Geological Survey, Open File Report 84-521, 53 p.
- Steven, T.A., Morris, H.T., and Rowley, P.D., 1990, Geologic map of the Richfield 1° x 2° quadrangle, West-Central Utah: U.S. Geological Survey, Miscellaneous Investigation Series Map I-1901, scale 1:250,000.
- Stokes, W.L., 1986, Geology of Utah: Utah Museum of Natural History and Utah Geological and Mineral Survey, Occasional Paper No. 6, 279 p.

---

Tabet, D.E., 1999, Coal resources of the Henry Mountains coalfield: Utah Geological Survey Open-File Report 362, 32 p. 6 plates, scale 1:100,000.

Tabet, D.E., 2000, Coal resources of the Henry Mountains coal field, Utah, *in* Kirschbaum, M. A., Roberts, L. N. R., and Biewick, L. R. H., Geologic assessment of coal in the Colorado Plateau: Arizona, Colorado, New Mexico, and Utah, Chapter R, p. R1-R25.

Tabet, D.E., Hucka, B.P., and Sommer, S.N., 1995, Maps of total Ferron coal, depth to the top, and vitrification reflection for the Ferron Sandstone Member of the Mancos Shale, Central Utah: Utah Geological Survey, Open File Report 329 (three plates), scale 1:250,000.

Tabet, D. E., and Quick, J. C., 2003, Frontier areas for coalbed-gas exploration in Utah: Utah Geological Survey, Survey Notes, vol. 35, no. 2, p.10-11.

The Rocky Mountain Oil Journal, 2004, Utah BLM sale nets \$9.9 million; hingeline acreage draws heavy interest – Salt Lake City, UT: The Rocky Mountain Oil Journal, v. 84, no. 27, 2 p.

Trimble, L.M., and Doelling, H.H., 1978, Geology and uranium-vanadium deposits of the San Rafael River mining area, Emery County, Utah: Utah Geological and Mineral Survey, Bulletin 113, 122 p.

Tripp, B.T., 1991, Industrial rock and mineral industry in Utah: Utah Geological and Mineral Survey, Circular 82, 31 p.

United States Departments of the Interior, Agriculture, and Energy, 2003, Scientific inventory of onshore federal lands' Oil and Gas Resources and Reserves and the Extent and Nature of Restrictions or Impediments to their Development.

USGS (U.S. Geological Survey), 1969, Mineral and water resources of Utah: Utah Geological and Mineral Survey, Bulletin 73, 275 p.

USGS (U.S. Geological Survey), 2000, Water produced with coal bed methane, Fact Sheet FS-156-00.

UDOGM (Utah Division of Oil, Gas, and Mining), 2002, Oil and Gas Well Records.

UGMS (Utah Geological and Mineral Survey), 1966, Gold placers in Utah, A Compilation: Utah Geological and Mineral Survey Circular 47.

UGMS (Utah Geological and Mineral Survey), 1979, Coal Studies, Special Studies 49.

---

UGS (Utah Geological Survey), 1996, Tar sand resources of the Uinta Basin, Utah, Open File Report 335.

UGS (Utah Geological Survey), 1999a, Large mine permits in Utah, Public Information Series 67.

UGS (Utah Geological Survey), 1999b, Small mine permits in Utah, Public Information Series 68.

UGS (Utah Geological Survey), 2002a, Automated Geographic Reference Center (AGRC) and GIS Databases of BLM Web Site, Utah.

UGS (Utah Geological Survey), 2002b, Summary of mineral activities in Utah.

UGS (Utah Geological Survey), 2003, Coal Resources of the BLM Richfield Planning Area: Utah Geological Survey, 47 p.

Williams, P.L., and Hackman, R.J., 1971, Geology, structure and uranium deposits of the Salina quadrangle, Utah: U.S. Geological Survey, Miscellaneous Geologic Investigations Map I-591-A, scale 1:250,000.

Willis, G.C., 1986, Geologic map of the Salina quadrangle, Sevier County, Utah: Utah Geological and Mineral Survey, Map 83, scale 1:24,000.

Witkind, I.J., Weiss, M.P., and Brown, T.L., 1987, Geologic map of the Manti 30' x 60' quadrangle, Carbon, Emery, Juab, Sanpete, and Sevier Counties, Utah: U.S. Geological Survey Miscellaneous Investigation Series Map I-1631, scale 1:100,000.

Wright, P.M., Blackett, R.E., and Ross, H.P., 1990, Geothermal resource development in Utah *in* Allison, M.L., *ed.*, 1990, Energy and mineral resources of Utah: Utah Geological Association, Publication 18, p. 27-43.