

**Explanation**

- Project Area
- Access Roads
- City

**Land Status**

- Bureau of Land Management
- Bureau of Reclamation
- Private

WINNEMUCCA DISTRICT OFFICE  
 Humboldt River Field Office  
 5100 East Winnemucca Blvd.  
 Winnemucca, Nevada 89445



**BUREAU OF LAND MANAGEMENT**


**RELIEF CANYON MINE PROJECT**

Project Location, Access,  
 and Land Status

Figure 1.1.1

06/01/2016






T27N R33E

16

T27N R34E



Source: Pershing Gold Corp., May 2016



**BUREAU OF LAND MANAGEMENT**

RELIEF CANYON MINE PROJECT

Existing and Proposed Facilities


Figure 2.1.1

05/06/2016

- LEGEND**
- Proposed Relief Canyon Pit
  - Waste Rock Storage Area 5
  - Old Heaps Closure Cover
  - Yards, Etc.
  - Growth Media Stockpile
  - Haul Roads
  - Access Roads
  - Proposed Access Roads
  - Section Line
  - Project Boundary
  - 7 Section #
  - Monitoring Well
  - Production Well
  - Fence
  - Powerline
  - Buried Powerline
  - Buried Waterline
  - Cattleguard
  - Culvert
- Authorized facilities are not highlighted with color**

WINNEMUCCA DISTRICT OFFICE  
 Humboldt River Field Office  
 5100 East Winnemucca Blvd.  
 Winnemucca, Nevada 89445

No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these data for individual use or aggregate use with other data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed through digital means and may be updated without notification.



Source: Pershing Gold Corp., June 2015



**BUREAU OF LAND MANAGEMENT**

RELIEF CANYON MINE PROJECT

Proposed Exploration Roads


Figure 2.1.2

05/05/2016

No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these data for individual use or aggregate use with other data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed through digital means and may be updated without notification.

WINNEMUCCA DISTRICT OFFICE  
Humboldt River Field Office  
5100 East Winnemucca Blvd.  
Winnemucca, Nevada 89445





WINNEMUCCA DISTRICT OFFICE  
Humboldt River Field Office  
5100 East Winnemucca Blvd.  
Winnemucca, Nevada 89445



**BUREAU OF LAND MANAGEMENT**


**RELIEF CANYON MINE PROJECT**

Cross Section of  
Waste Rock Storage Area

Figure 2.1.3

05/06/2016

No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these data for individual use or aggregate use with other data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed through digital means and may be updated without notification.



- LEGEND**
- Existing Relief Canyon Top
  - Planned Heap Cells 6 and 7 as Designed and Authorized
  - Post-Reclamation Heap Leach Pad Top
  - - - 20 Foot nominal thickness lift thickness shown, may vary up to 40 feet.



WINNEMUCCA DISTRICT OFFICE  
 Humboldt River Field Office  
 5100 East Winnemucca Blvd.  
 Winnemucca, Nevada 89445



**BUREAU OF LAND MANAGEMENT**


**RELIEF CANYON MINE PROJECT**

Generalized Cross Section of  
 New Heap Leach Pad

Figure 2.1.4

05/05/2016

No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these data for individual use or aggregate use with other data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed through digital means and may be updated without notification.



WINNEMUCCA DISTRICT OFFICE  
 Humboldt River Field Office  
 5100 East Winnemucca Blvd.  
 Winnemucca, Nevada 89445



**BUREAU OF LAND MANAGEMENT**


**RELIEF CANYON MINE PROJECT**

Process Flow Sheet


Figure 2.1.5

05/05/2016

No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these data for individual use or aggregate use with other data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed through digital means and may be updated without notification.



**Ex-Pit Configuration**  
 Overall Width - 100'  
 2@ Berms 4' high X 11' Wide  
 Running Width - 78'



**In-Pit Configuration**  
 Overall Width - 90'  
 Berm 4' high X 11' Wide  
 Running Width - 79'



WINNEMUCCA DISTRICT OFFICE  
 Humboldt River Field Office  
 5100 East Winnemucca Blvd.  
 Winnemucca, Nevada 89445



**BUREAU OF LAND MANAGEMENT**


**RELIEF CANYON MINE PROJECT**

Typical Haul Road Cross Section

No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these data for individual use or aggregate use with other data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed through digital means and may be updated without notification.

Figure 2.1.6

05/06/2016



WINNEMUCCA DISTRICT OFFICE  
 Humboldt River Field Office  
 5100 East Winnemucca Blvd.  
 Winnemucca, Nevada 89445




**BUREAU OF LAND MANAGEMENT**

RELIEF CANYON MINE PROJECT  
 Cross Section of  
 Reclaimed Old Heap Leach Pads

Figure 2.1.7

05/06/2016

No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these data for individual use or aggregate use with other data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed through digital means and may be updated without notification.



Source: Pershing Gold Corp., June 2015

**BUREAU OF LAND MANAGEMENT**

RELIEF CANYON MINE PROJECT

Post-Mining Topography

Figure 2.1.8

05/05/2016



WINNEMUCCA DISTRICT OFFICE  
Humboldt River Field Office  
5100 East Winnemucca Blvd.  
Winnemucca, Nevada 89445

No warranty is made by the Bureau of Land Management as to the accuracy, reliability, or completeness of these data for individual use or aggregate use with other data. Original data were compiled from various sources. This information may not meet National Map Accuracy Standards. This product was developed through digital means and may be updated without notification.

**T27N R34E**