

MATERIAL SAFETY DATA SHEET



15640 Mountainview Dr., Surrey, BC, Canada V3S 0C6 • Toll Free 1-866-535-6699
Tel: 604-535-6699 Fax: 604-535-5493 e-mail: extreme.ron@telus.net

EXTREME KWIK-SEAL

EMERGENCY PHONE NO. (604) 535-6699

PAGE 1 OF 4

WHMIS HAZARD INDEX:

DEGREE OF HAZARD:

HEALTH 1
FIRE 1
REACTIVITY 0
OTHER: B (GLASSES & GLOVES)

HAZARD RATING:

0 LEAST
1 SLIGHT
2 MODERATE
3 HIGH
4 EXTREME

SECTION 1

PRODUCT IDENTIFICATION

PRODUCT NAME: EXTREME KWIK-SEAL (Fine, Medium, Coarse)
CHEMICAL IDENTIFICATION: Mixture of Natural and Polymer Fibers
MATERIAL USE: Drilling Fluid Additive for lost circulation
WHMIS CLASSIFICATION: Not Controlled
WORK PLACE HAZARD: N/A

TRANSPORTATION OF DANGEROUS GOODS (TDGR)

CLASSIFICATION: Not dangerous goods
PACKAGE GROUP: N/A
CAS NUMBER: N/A
MSDS CODE: N/A

SECTION 2

HAZARDOUS INGREDIENTS

INGREDIENT: No hazardous ingredients
PERCENTAGE: N/A
CAS NUMBER: N/A
LD (50): N/A
LC (50): N/A

EXTREME KWIK-SEAL

MATERIAL SAFETY DATA SHEET**SECTION 3****PHYSICAL DATA**

APPEARANCE AND ODOUR:	Golden Tan to Brown; slight odour
DENSITY (SPECIFIC GRAVITY):	.15 to 1.5
BOILING POINT:	N/A
MELTING POINT:	N/A
SOLUBILITY:	Not soluble
EVAPORATION RATE: (EE=1):	N/A
VAPOUR PRESSURE: (MM HG):	N/A
VAPOUR DENSITY: (AIR = 1):	N/A

SECTION 4**FIRE AND EXPLOSION**

FLASHPOINT:	N/A
FLAMMABLE LIMIT:	N/A
AUTO IGNITION TEMP:	Not determined
EXTINGUISHING MEDIA:	Waterspray, dry chemical, foam
SPECIAL FIRE FIGHTING PROCEDURES:	Self-contained respirators required for fire fighting personnel.
UNUSUAL FIRE AND EXPLOSION HAZARDS:	Can be combustible in a finely divided and suspended state.

SECTION 5**REACTIVITY DATA**

STABILITY (THERMAL, LIGHT, ETC.):	Stable
INCOMPATIBILITY (CONDITIONS TO AVOID):	None
HAZARDOUS POLYMERIZATION:	Will not occur
HAZARDOUS DECOMPOSITION PRODUCTS:	None

EXTREME KWIK-SEAL

MATERIAL SAFETY DATA SHEET**SECTION 6****HEALTH HAZARDS**

ROUTE OF ENTRY:

 SKIN EYE CONTACT INHALATION INGESTION

SKIN CONTACT:

May cause itching or mild irritation.

EYE CONTACT:

May cause irritation.

INHALATION:

Dust may cause irritation.

INGESTION:

No adverse affects from small quantities

SECTION 7**PREVENTATIVE MEASURES**

SKIN PROTECTION:

Standard work clothes and gloves.

EYE PROTECTION:

Wear protective goggles.

VENTILATION:

10 Changes per hour suggested.

RESPIRATORY PROTECTION:

Nuisance dust, suggest NIOSH/MESA approved dust mask.

LEAK & SPILL PROCEDURE:

Vacuum or sweep-up.

WASTE DISPOSAL:

Dispose of in compliance with government regulation and local requirements.

STORAGE REQUIREMENTS:

No special requirements.

EXTREME KWIK-SEAL

MATERIAL SAFETY DATA SHEET**SECTION 8****FIRST AID MEASURES**

SKIN: Wash with soap and water.
EYE: Treat as nuisance dust, flush with water.
INHALATION: Treat as nuisance dust, remove subject to fresh air.
INGESTION: No adverse affects from small quantities.

SECTION 9**PREPARATION DATE**

DATE ISSUED: AUGUST 20, 1996
BY: PRODUCT SAFETY COMMITTEE

THE DATA REPRESENTED HEREIN IS BELIEVED ACCURATE AND REFLECTS OUR BEST PROFESSIONAL JUDGMENT. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY USE, OR ANY OTHER WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF SUCH DATA, THE RESULTS TO BE OBTAINED FROM THE USE THEREOF, OR THAT ANY SUCH USE DOES NOT INFRINGE ANY PATENT. SINCE THE INFORMATION CONTAINED HEREIN MAY BE APPLIED UNDER CONDITIONS OF USE BEYOND OUR CONTROL AND WITH WHICH WE MAY BE UNFAMILIAR, WE DO NOT ASSUME ANY RESPONSIBILITY FOR THE RESULTS OF SUCH APPLICATION. THIS INFORMATION IS FURNISHED UPON THE CONDITION THAT THE PERSON RECEIVING IT SHALL MAKE HIS OWN DETERMINATION OF THE SUITABILITY OF THE MATERIAL FOR HIS PARTICULAR PURPOSE.

DATE REVISED:

APR 10 2007