

ATTACHMENT G
Map Book



Copyright© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



-  Chokecherry WDA
-  Sierra Madre WDA

CCSM Phase I Disturbance Type

-  Initial Disturbance Areas
-  Long Term Disturbance Areas
-  Activity Areas


Ecological Sites [Topsoil = inches]


-  Saline Lowland 7-9 Inch [Topsoil = 3.7]
-  Sandy 7-9 Inch [Topsoil = 4.6]
-  Disturbed and Developed



1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N





Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

-  Chokecherry WDA
-  Sierra Madre WDA



CCSM Phase I Disturbance Type

-  Initial Disturbance Areas
-  Long Term Disturbance Areas
-  Activity Areas

Ecological Sites [Topsoil = inches]


-  Saline Lowland 7-9 Inch [Topsoil = 3.7]

-  Sandy 7-9 Inch [Topsoil =4.6]
-  Disturbed and Developed




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

- Chokecherry WDA
- Sierra Madre WDA


CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Deep Shale 7-9 Inch [Topsoil = 5.8]
- Saline Lowland 7-9 Inch [Topsoil = 3.7]

- Saline Upland 7-9 Inch [Topsoil = 4.9]
- Sandy 7-9 Inch [Topsoil = 4.6]
- Disturbed and Developed




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright © 2014 Esri



Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



-  Chokecherry WDA
-  Sierra Madre WDA

CCSM Phase I Disturbance Type

-  Initial Disturbance Areas
-  Long Term Disturbance Areas
-  Activity Areas


Ecological Sites [Topsoil = inches]

-  Saline Lowland 7-9 Inch [Topsoil = 3.7]
-  Saline Upland 7-9 Inch [Topsoil = 4.9]
-  Sandy 7-9 Inch [Topsoil = 4.6]




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright © 2014 Esri



Copyright© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

-  Chokecherry WDA
-  Sierra Madre WDA



CCSM Phase I Disturbance Type

-  Initial Disturbance Areas
-  Long Term Disturbance Areas
-  Activity Areas

Ecological Sites [Topsoil = inches]


-  Saline Lowland 7-9 Inch [Topsoil = 3.7]
-  Saline Upland 7-9 Inch [Topsoil = 4.9]

-  Sandy 7-9 Inch [Topsoil =4.6]
-  Disturbed and Developed




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright© 2014 Esri



Wind Development Areas

- Chokecherry WDA
- Sierra Madre WDA



CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]

- Loamy 7-9 Inch [Topsoil = 5.9]
- Saline Lowland 7-9 Inch [Topsoil = 3.7]


- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Disturbed and Developed




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N





Copyright: © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Loamy 7-9 Inch [Topsoil = 5.9]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Sandy 7-9 Inch [Topsoil = 4.6]




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright: © 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

- Chokecherry WDA
- Sierra Madre WDA



CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Deep Shale 7-9 Inch [Topsoil = 5.8]
- Loamy 7-9 Inch [Topsoil = 5.9]
- Saline Lowland 7-9 Inch [Topsoil = 3.7]

- Saline Upland 7-9 Inch [Topsoil = 4.9]
- Sandy 7-9 Inch [Topsoil = 4.6]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Disturbed and Developed




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas


Ecological Sites [Topsoil = inches]

- | | |
|---|---|
| <ul style="list-style-type: none"> Clayey 7-9 Inch [Topsoil = 4.7] Deep Shale 7-9 Inch [Topsoil = 5.8] Loamy 7-9 Inch [Topsoil = 5.9] Saline Lowland 7-9 Inch [Topsoil = 3.7] | <ul style="list-style-type: none"> Saline Upland 7-9 Inch [Topsoil = 4.9] Sandy 7-9 Inch [Topsoil = 4.6] Shallow Loamy 7-9 Inch [Topsoil = 6.0] Very Shallow 7-9 Inch [Topsoil = 5.8] Disturbed and Developed |
|---|---|




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Clayey 7-9 Inch [Topsoil = 4.7]
- Deep Shale 7-9 Inch [Topsoil = 5.8]
- Saline Lowland 7-9 Inch [Topsoil = 3.7]
- Saline Upland 7-9 Inch [Topsoil = 4.9]
- Sandy 7-9 Inch [Topsoil = 4.6]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Disturbed and Developed




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

- Chokecherry WDA
- Sierra Madre WDA



CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Clayey 7-9 Inch [Topsoil = 4.7]
- Saline Lowland 7-9 Inch [Topsoil = 3.7]
- Saline Upland 7-9 Inch [Topsoil = 4.9]

- Sandy 7-9 Inch [Topsoil = 4.6]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Disturbed and Developed




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas


Ecological Sites [Topsoil = inches]

- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Loamy 7-9 Inch [Topsoil = 5.9]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Disturbed and Developed




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright © 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Loamy 7-9 Inch [Topsoil = 5.9]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Loamy 7-9 Inch [Topsoil = 5.9]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Very Shallow 7-9 Inch [Topsoil = 5.8]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Sandy 7-9 Inch [Topsoil = 4.6]



1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright © 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Loamy 7-9 Inch [Topsoil = 5.9]
- Saline Lowland 7-9 Inch [Topsoil = 3.7]
- Sandy 7-9 Inch [Topsoil = 4.6]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Very Shallow 7-9 Inch [Topsoil = 5.8]



1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

- Chokecherry WDA
- Sierra Madre WDA



CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Clayey 7-9 Inch [Topsoil = 4.7]
- Deep Shale 7-9 Inch [Topsoil = 5.8]
- Saline Lowland 7-9 Inch [Topsoil = 3.7]

- Sandy 7-9 Inch [Topsoil = 4.6]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Very Shallow 7-9 Inch [Topsoil = 5.8]




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

- Chokecherry WDA
- Sierra Madre WDA



CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Deep Shale 7-9 Inch [Topsoil = 5.8]
- Saline Lowland 7-9 Inch [Topsoil = 3.7]

- Saline Upland 7-9 Inch [Topsoil = 4.9]
- Sandy 7-9 Inch [Topsoil = 4.6]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

- Chokecherry WDA
- Sierra Madre WDA



CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Clayey 7-9 Inch [Topsoil = 4.7]
- Deep Shale 7-9 Inch [Topsoil = 5.8]
- Saline Lowland 7-9 Inch [Topsoil = 3.7]


- Saline Upland 7-9 Inch [Topsoil = 4.9]
- Sandy 7-9 Inch [Topsoil = 4.6]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]



1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N





Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

- Chokecherry WDA
- Sierra Madre WDA



CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]

- Clayey 7-9 Inch [Topsoil = 4.7]
- Deep Shale 7-9 Inch [Topsoil = 5.8]
- Riparian Woodland 7-9 Inch
- Saline Lowland 7-9 Inch [Topsoil = 3.7]


- Sandy 7-9 Inch [Topsoil = 4.6]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Disturbed and Developed
- Open Water




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Loamy 7-9 Inch [Topsoil = 5.9]
- Shallow Loamy 10-14 Inch [Topsoil = 4.1]
- Loamy 10-14 Inch [Topsoil = 5.4]




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright © 2014 Esri



Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas


Ecological Sites [Topsoil = inches]

- Loamy 7-9 Inch [Topsoil = 5.9]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Shallow Loamy 10-14 Inch [Topsoil = 4.1]




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright © 2014 Esri



Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Loamy 7-9 Inch [Topsoil = 5.9]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Shallow Loamy 10-14 Inch [Topsoil = 4.1]
- Very Shallow 7-9 Inch [Topsoil = 5.8]




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright © 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas


Ecological Sites [Topsoil = inches]

- Loamy 7-9 Inch [Topsoil = 5.9]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Very Shallow 7-9 Inch [Topsoil = 5.8]




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas


Ecological Sites [Topsoil = inches]

- Clayey 7-9 Inch [Topsoil = 4.7]
- Loamy 7-9 Inch [Topsoil = 5.9]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Very Shallow 7-9 Inch [Topsoil = 5.8]




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



-  Chokecherry WDA
-  Sierra Madre WDA

CCSM Phase I Disturbance Type

-  Initial Disturbance Areas
-  Long Term Disturbance Areas
-  Activity Areas

Ecological Sites [Topsoil = inches]


-  Clayey 7-9 Inch [Topsoil = 4.7]




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Loamy 7-9 Inch [Topsoil = 5.9]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Shallow Loamy 10-14 Inch [Topsoil = 4.1]




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N





Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

- Chokecherry WDA
- Sierra Madre WDA



CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]

- Loamy 7-9 Inch [Topsoil = 5.9]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]


- Shallow Loamy 10-14 Inch [Topsoil = 4.1]
- Wetland and Riparian 10-14 Inch [Topsoil = 7.7]
- Open Water




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N





Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas


Ecological Sites [Topsoil = inches]

- Loamy 10-14 Inch [Topsoil = 5.4]
- Shallow Loamy 10-14 Inch [Topsoil = 4.1]
- Wetland and Riparian 10-14 Inch [Topsoil = 7.7]




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright © 2014 Esri



Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas


Ecological Sites [Topsoil = inches]

- Loamy 7-9 Inch [Topsoil = 5.9]
- Shallow Loamy 10-14 Inch [Topsoil = 4.1]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Wetland and Riparian 10-14 Inch [Topsoil = 7.7]




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright © 2014 Esri



Copyright © 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Shallow Loamy 10-14 Inch [Topsoil = 4.1]
- Loamy 10-14 Inch [Topsoil = 5.4]




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N





Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas


Ecological Sites [Topsoil = inches]

- Loamy 10-14 Inch [Topsoil = 5.4]
- Shallow Loamy 10-14 Inch [Topsoil = 4.1]
- Wetland and Riparian 10-14 Inch [Topsoil = 7.7]




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright © 2014 Esri. Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]


- Loamy 10-14 Inch [Topsoil = 5.4]
- Sandy 10-14 Inch [Topsoil = 5.2]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Shallow Loamy 10-14 Inch [Topsoil = 4.1]
- Shallow Sandy 10-14 Inch [Topsoil = 9.4]
- Wetland and Riparian 10-14 Inch [Topsoil = 7.7]




1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright © 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas



- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type

- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas


Ecological Sites [Topsoil = inches]

- Clayey 7-9 Inch [Topsoil = 4.7]
- Loamy 7-9 Inch [Topsoil = 5.9]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Shallow Loamy 7-9 Inch [Topsoil = 6.0]
- Wetland and Riparian 10-14 Inch [Topsoil = 7.7]




1:12,000

Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri



Copyright:© 2014 Esri, Sources: Esri, USGS, NOAA

Wind Development Areas

- Chokecherry WDA
- Sierra Madre WDA

CCSM Phase I Disturbance Type



- Initial Disturbance Areas
- Long Term Disturbance Areas
- Activity Areas

Ecological Sites [Topsoil = inches]

- Deep Shale 7-9 Inch [Topsoil = 5.8]
- Loamy 10-14 Inch [Topsoil = 5.4]
- Sandy 10-14 Inch [Topsoil = 5.2]

- Shallow Loamy 10-14 Inch [Topsoil = 4.1]
- Shallow Sandy 10-14 Inch [Topsoil = 9.4]


- Agriculture and Pasture



1:12,000



Carbon County, Wyoming
NAD 1983 UTM Zone 13N



Copyright:© 2014 Esri