



Source: Iowa State University (copyright: used with permission), Iowa Environmental Mesonet (IEM) website: <a href="http://mesonet.agron.iastate.edu/">http://mesonet.agron.iastate.edu/</a>

Figure 3-1: Wind Rose Plot for Barter Island, Kaktovik, Alaska




Source: IMPROVE 2018a

Figure 3-2: Visibility Data for Gates of the Arctic National Park




Source: US Geological Survey (USGS 1998b) Fact Sheet 0028-02 Figure 3

Figure 3-3: Stratigraphy of the Coastal Plain



Source: Clough et al. 1987

Figure 3-4: Generalized Surficial Deposits of the Coastal Plain Area



Source: Lenart 2018

Figure 3-5: Population Size of Three Caribou Herds in Arctic Alaska, 1977-2017





Figure 3-6: Marine Barge Route—Dutch Harbor to Program Area



Source: Porcupine Caribou Management Board 2010

**Figure 3-7**: Average Portion of Harvest of Porcupine Caribou Herd Between the US and Canada (1992-1994)



**Figure 3-8**: Visual Resources Photo I

Typical layout for central processing facility with airstrip and pipeline (Alpine CPF on State land).



**Figure 3-9**: Visual Resources Photo 2

Typical layout for exploration well with ice pad and ice road (Stoneyhill site in NPR-A).